

CONTENTS

MAN TGE Overview	
anel Van	
ingle Cab Chassis	1
latframe Cowl	1
Crew Cab Chassis	1
tandard Specification	1
Priveline	2
uel Consumption & Emissions	2
vimensions	2
Veights	3
fanufacturer's Options	3
yre Labels	4
aint Finishes	4
lotes	4

MAN TGE OVERVIEW.

Panel van

	Standard	Long	Extra-long
	Length: 5,986 mm Wheelbase: 3,640 mm	Length: 6,836 mm Wheelbase: 4,490 mm	Length: 7,391 mm Wheelbase: 4,490 mm
Normal roof Height: 2,355 mm			
High roof Height: 2,590 mm		0 0	
Super-high roof Height: 2,798 mm			

	Cowl Chassis		Chassis		
	Standard	Long	Standard	Long	
	Length: 5,968 mm Wheelbase: 3,640 mm	Length: 6,818 mm Wheelbase: 4,490 mm	Length: 5,968 mm Wheelbase: 3,640 mm	Length: 6,818 mm Wheelbase: 4,490 mm	
Chassis cab Height: 2,305 – 2,327 mm					
Crew cab Height: 2,321 – 2,352 mm					

Weight variants: 3.5 t, 5.0t, 5.5t plus trailer loads of 2.0 to 3.5 t.

Engine variants: 2.0-I Turbo Diesel: 103 kW (Light & Heavy Duty), 2.0-I BiTurbo Diesel: 120 kW (Heavy Duty), 130 kW (Light Duty).

Drive variants: Front, Rear, all-wheel drive.

Transmission variants: Manual 6-speed manual transmission, 8-speed automatic transmission.

MAN TGE PANEL VAN.


MAN TGE Panel Van with Front Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	Load Space LxW [mm]	Roof Height	Load Space Height [mm]	Load Volume [m³]	LION XS RRP [£]	LION XC RRP [£]	LION XP RRP [£]
				Standard	3,640	3,450 x 1,832	Normal	1,726	9.9	£38,283	£41,377	£44,548
							High	1,961	11.3	£39,457	£42,511	£45,722
			6 Speed Manual	Long	4,490	4,300 x 1,832	High	1,961	14.4	£41,294	£44,434	£47,646
			o opeca iviaridai		4,430		Super High	2,189	16.1	£43,736	£46,876	£50,088
				Extra Long	4,490	4,855 x 1,832	High	1,961	16.4	£42,302	£45,529	£48,740
3.140	3.5	103 (140)				4,000 X 1,002	Super High	2,196	18.4	£44,799	£48,026	£51,237
3.140	0.0	(LD & HD)		Standard	3,640	3,450 x 1,832	Normal	1,726	9.9	£40,879	£43,933	£47,144
					3,040	0,430 X 1,002	High	1,961	11.3	£42,053	£45,107	£48,318
			8 Speed Automatic	Long	4,490	4,300 x 1,832	High	1,961	14.4	£43,888	£47,028	£50,240
				Long	4,490	4,500 X 1,052	SuperHigh	2,189	16.1	£46,330	£49,470	£52,682
				Extra Long	4,490	0 4,855 x 1,832 -	High	1,961	16.4	£44,896	£48,123	£51,344
				Extra Long	4,490	4,000 X 1,002	Super High	2,196	18.4	£47,393	£50,620	£53,831
				Standard	3,640	3,450 x 1,832	Normal	1,726	9.9	£40,463	£43,517	£46,728
				Stariuaru	3,040	3,430 X 1,032	High	1,961	11.3	£41,637	£44,691	£47,902
			6 Chood Manual	Long	4.400	4.000 v 1.000	High	1,961	14.4	£43,474	£46,614	£49,826
			6 Speed Manual	Long	4,490	4,300 x 1,832	SuperHigh	2,189	16.1	£45,916	£49,056	£52,268
				Futro Long	4.400	4 0EE v 1 000	High	1,961	16.4	£44,480	£47,707	£50,918
0.100	0.5	130 (177)		Extra Long	4,490	4,855 x 1,832	Super High	2,196	18.4	£46,977	£50,204	£53,415
3.180	3.5	(LD)		Otan dand	0.040	0.450 1.000	Normal	1,726	9.9	£43,057	£46,111	£49,322
				Standard	3,640	3,450 x 1,832	High	1,961	11.3	£44,231	£47,285	£50,496
			0.0		4.400	4.000 4.000	High	1,961	14.4	£46,067	£49,207	£52,419
			8 Speed Automatic	Long	4,490	4,300 x 1,832	SuperHigh	2,189	16.1	£48,509	£51,649	£54,861
			E	Extra Long	4,490	4.055 4.000	High	1,961	16.4	£47,074	£50,301	£53,512
						4,855 x 1,832	Super High	2,196	18.4	£49,571	£52,798	£56,009

4 - Overview Panel Van - 5

 ^{1.} VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.


MAN TGE PANEL VAN.



MAN TGE Panel Van with All Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	Load Space LxW [mm]	Roof Height	Load Space Height [mm]	Load Volume [m³]	LION XS RRP [£]	LION XC RRP [£]	LION XP RRP [£]
				Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£42,476	£43,511	£48,119
				Stariuaru	3,040	3,450 X 1,632	High	1,861	10.7	£43,650	£44,685	£49,293
3.140 4x4	3.5	103 (140)	6 Chood Manual	Long	4.400	4 200 × 1 020	High	1,861	13.6	£45,486	£46,603	£51,211
3.140 484	3.5	(LD & HD)	6 Speed Manual	Long	4,490	4,300 x 1,832	Super High	2,089	15.3	£47,928	£49,045	£53,653
					1 100	4 055 v 1 000	High	1,861	15.5	£46,495	£47,693	£52,301
				Extra Long	4,490	4,855 x 1,832	Super High	2,096	17.5	£48,992	£50,190	£54,798
				Ottornalarial	0.040	0.450 4.000	Normal	1,626	9.3	£44,657	£45,692	£50,300
			6 Speed Manual	Standard ————	3,640	3,450 x 1,832	High	1,861	10.7	£45,831	£46,866	£51,474
				Long	4,490	4,300 x 1,832	High	1,861	13.6	£47,666	£48,783	£53,391
				Long	4,490	4,300 X 1,832	SuperHigh	2,089	15.3	£50,108	£51,225	£55,833
							High	1,861	15.5	£48,675	£49,873	£54,481
0.400.4.4	0.5	130 (177)		Extra Long	4,490	4,855 x 1,832	Super High	2,096	17.5	£51,172	£52,370	£56,978
3.180 4x4	3.5	(LD)		011	0.040	0.450 4.000	Normal	1,626	9.3	£47,250	£48,285	£52,893
				Standard	3,640	3,450 x 1,832	High	1,861	10.7	£48,424	£49,459	£54,067
					4.400	4.000 4.000	High	1,861	13.6	£50,260	£51,377	£55,985
			8 Speed Automatic	Long	4,490	4,300 x 1,832	SuperHigh	2,089	15.3	£52,702	£53,819	£58,427
				Extra Long 4,	4.400	4.055 4.000	High	1,861	15.5	£51,268	£52,466	£57,074
					4,490	4,855 x 1,832	Super High	2,096	17.5	£53,765	£54,963	£59,571

MAN TGE PANEL VAN.



Panel Van - 7

MAN TGE Panel Van with Rear Wheel Drive


Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	Load Space LxW [mm]	Roof Height	Load Space Height [mm]	Load Volume [m³]	LION XS RRP [£]	LION XC RRP [£]	LION XP RRP [£]
		100 (140)		Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£38,875	£41,929	£45,140
3.140	3.5	103 (140) (HD)	6 Speed Manual	Staridard	3,040	5,430 X 1,632	High	1,861	10.7	£40,049	£43,103	£46,314
		(110)		Long	4,490	4,300 x 1,832	High	1,861	13.6	£41,885	£45,025	£48,237
				Standard	3,640	2.450 v 1.020	Normal	1,626	9.3	£40,245	£43,299	£46,510
			6 Speed Manual	Stariuaru	3,040	3,450 x 1,832	High	1,861	10.7	£41,419	£44,473	£47,684
3.160	0.5	120 (163) (HD)	. ,	Long	4,490	4,300 x 1,832	High	1,861	13.6	£43,255	£46,395	£49,607
3.100	3.5			Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£42,840	£45,894	£49,105
			8 Speed Automatic			3,450 X 1,832	High	1,861	10.7	£44,014	£47,068	£50,279
				Long	4,490	4,300 x 1,832	High	1,861	13.6	£45,851	£48,991	£52,203
				Ctondord	2.640	0.450 × 1.000	Normal	1,626	9.3	£42,751	£45,805	£49,016
				Standard	3,640	3,450 x 1,832	High	1,861	10.7	£43,925	£46,979	£50,190
E 440	F 0	103 (140)	C Cased Manual		4.400	4.000 4.000	High	1,861	13.6	£46,328	£49,468	£52,680
5.140	5.0	(HD)	6 Speed Manual	Long	4,490	4,300 x 1,832	Super High	2,089	15.3	£48,770	£51,910	£55,122
			_	Extra Long	4,490	4.0554.000	High	1,861	15.5	£47,337	£50,564	£53,775
						4,855 x 1,832	Super High	2,089	17.5	£49,834	£53,061	£56,272

6 - Panel Van

VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.


MAN TGE PANEL VAN.



MAN TGE Panel Van with Rear Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	Load Space LxW [mm]	Roof Height	Load Space Height [mm]	Load Volume [m³]	LION XS RRP [£]	LION XC RRP [£]	LION XP RRP [£]
				Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£44,487	£47,541	£50,752
				Stariuaru	3,040	3,430 X 1,032	High	1,861	10.7	£45,661	£48,715	£51,926
			6 Coood Manual	Long	4.400	4 200 v 1 922	High	1,861	13.6	£48,064	£51,204	£54,416
			6 Speed Manual	Long	4,490	4,300 x 1,832	Super High	2,089	15.3	£50,506	£53,646	£56,858
				Extra Long	4,490	4 055 v 1 000	High	1,861	15.5	£49,073	£52,300	£55,511
E 160	5.0	120 (163)		Extra Long	4,490	4,855 x 1,832	Super High	2,089	17.5	£51,570	£54,797	£58,008
5.160	5.0	(HD)		Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£47,082	£50,136	£53,347
							High	1,861	10.7	£48,256	£53,799	£54,521
			O Conned Automotic	Long	4,490	4.000 4.000	High	1,861	13.6	£50,659	£56,241	£57,011
			8 Speed Automatic			4,300 x 1,832	Super High	2,089	15.3	£53,101	£54,895	£59,453
				Firtual and	4.400	4.0554.000	High	1,861	15.5	£51,668	£57,392	£58,106
				Extra Long	4,490	4,855 x 1,832	Super High	2,089	17.5	£54,165	£53,527	£60,603
				01	0.040	0.450 4.000	Normal	1,626	9.3	£46,008	£49,062	£52,273
				Standard	3,640	3,450 x 1,832	High	1,861	10.7	£47,182	£50,236	£53,447
0.440		103 (140)	0.0		4.400	4.000 4.000	High	1,861	13.6	£49,586	£52,276	£55,938
6.140	5.5	(HD)	6 Speed Manual	Long	4,490	4,300 x 1,832	Super High	2,089	15.3	£52,028	£55,168	£58,380
						4.055 4.000	High	1,861	15.5	£50,594	£53,821	£57,032
				Extra Long	4,490	4,855 x 1,832	Super High	2,089	17.5	£53.091	£56,318	£59,529

MAN TGE PANEL VAN.



Panel Van - 9

MAN TGE Panel Van with Rear Wheel Drive


Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	Load Space LxW [mm]	Roof Height	Load Space Height [mm]	Load Volume [m³]	LION XS RRP [£]	LION XC RRP [£]	LION XP RRP [£]
				Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£47,745	£50,799	£54,010
				Staridard	3,040	3,430 X 1,032	High	1,861	10.7	£48,919	£51,973	£55,184
			C Canad Manual		4,490	4,300 x 1,832	High	1,861	13.6	£51,322	£54,462	£57,674
			6 Speed Manual	Long	4,490		Super High	2,089	15.3	£53,764	£56,904	£60,116
				Extra Long	4,490	4,855 x 1,832	High	1,861	15.5	£52,330	£55,557	£58,768
0.100	F F	120 (163)					Super High	2,089	17.5	£54,827	£58,054	£61,265
6.160	5.5	(HD)		0111	0.040	0.450 4.000	Normal	1,626	9.3	£50,337	£53,391	£56,602
				Standard	3,640	3,450 x 1,832	High	1,861	10.7	£51,511	£54,565	£57,776
			O Conned Automotic	1	4.400	4 000 4 000	High	1,861	13.6	£53,918	£57,058	£60,270
			8 Speed Automatic	Long	4,490	4,300 x 1,832	Super High	2,089	15.3	£56,360	£59,500	£62,712
			Futro Long	4,490	4 055 v 1 000	High	1,861	15.5	£54,925	£58,152	£61,363	
			Extra Long		4,855 x 1,832	Super High	2,089	17.5	£57,422	£60,649	£63,860	

8 - Panel Van

VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

MAN TGE PANEL VAN.



MAN TGE Panel Van with Rear Wheel Drive (Super-Single Rear Tyres)

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	Load Space LxW [mm]	Roof Height	Load Space Height [mm]	Load Volume [m³]	LION XS RRP [£]
				Standard	3,640	3,450 x 1,832	Normal	1,626	9.3	£43,698
				Stariuaru	5,040	5,430 X 1,632	High	1,861	10.7	£44,872
5.140	5.0*	103 (140)	6 Speed Manual	Long	4,490	4 200 × 1 020	High	1,861	13.6	£47,277
5.140	5.0	(HD)	o Speed Maridai	Long	4,490	4,300 x 1,832	Super High	2,089	15.3	£49,719
				Extra Long	4,490	4 055 v 1 000	High	1,861	15.5	£48,282
				Extra Long	4,490	4,855 x 1,832	Super High	2,096	17.5	£50,779
				Ctandard	3,640	3,450 x 1,832	Normal	1,626	9.3	£45,435
				Standard	3,040	3,430 X 1,032	High	1,861	10.7	£46,609
			6 Chood Manual	Long	4.400	4 200 × 4 020	High	1,861	13.6	£49,013
			6 Speed Manual	Long	4,490	4,300 x 1,832	SuperHigh	2,089	15.3	£51,455
					4.400	4 055 v 1 000	High	1,861	15.5	£50,020
5.160	F.O*	120 (163)		Extra Long	4,490	4,855 x 1,832	Super High	2,096	17.5	£52,517
5.160	5.0*	(HD)		Oto a doud	0.040	0.4504.000	Normal	1,626	9.3	£48,029
				Standard	3,640	3,450 x 1,832	High	1,861	10.7	£49,203
			O Conned Automotic		4.400	4 000 4 000	High	1,861	13.6	£51,608
			8 Speed Automatic	Long	4,490	4,300 x 1,832	SuperHigh	2,089	15.3	£54,050
			_	Fidual Last	4.400	4 0EE v 1 000	High	1,861	15.5	£52,615
				Extra Long	4,490	4,855 x 1,832	Super High	2,096	17.5	£55,112

MAN TGE CHASSIS.



TGE Single Cab Chassis with Front Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
			6 Speed Manual	Standard	3,640	£35,749
3.140	3.5	103 (140)	o Speed Maridai	Long	4,490	£37,669
3.140	3.3	(LD & HD)	O Chand Automatic	Standard	3,640	£38,343
			8 Speed Automatic	Long	4,490	£40,262
			& Chand Manual	Standard	3,640	£37,928
0.100	0.5	130 (177)	6 Speed Manual	Long	4,490	£39,847
3.180	3.5	(LD)	O Conned Automobie	Standard	3,640	£44,716
			8 Speed Automatic	Long	4,490	£46,634

10 - Panel Van Flatframe Cowl - 11

^{1.} VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.

2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

*Maximum value subject to vehicle length

^{1.} VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

MAN TGE CHASSIS.



TGE Single Cab Chassis with All Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
2.140.474	2.5	103 (140)	6 Canad Manual	Standard	3,640	£39,942
3.140 4X4	3.5	(LD & HD)	6 Speed Manual	Long	4,490	£41,862
			0.0000111100001	Standard	3,640	£42,122
0.400.47/4	0.5	130 (177)	6 Speed Manual	Long	4,490	£44,040
3.180 4X4	3.5	(LD)	0.00	Standard	3,640	£44,716
			8 Speed Automatic	Long	4,490	£46,634

MAN TGE CHASSIS.



TGE Single Cab Chassis with Rear Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
2440	0.5	103 (140)	0.000011110001	Standard	3,640	£36,340
3.140	3.5	(HD)	6 Speed Manual	Long	4,490	£38,259
			C Coard Manual	Standard	3,640	£37,711
100	0.5	120 (163)	6 Speed Manual	Long	4,490	£39,629
3.160	3.5	(HD)	O Conned Automotic	Standard	3,640	£40,305
			8 Speed Automatic	Long	4,490	£42,223
				Standard	3,640	£40,333
5.140	5.0	103 (140) (HD)	6 Speed Manual	Long	4,490	£42,252
		(FID)		Extra Long	4,490	£43,261
				Standard	3,640	£42,070
			6 Speed Manual	Long	4,490	£43,989
100		120 (163)		Extra Long	4,490	£44,997
5.160	5.0	(HD)		Standard	3,640	£44,664
			8 Speed Automatic	Long	4,490	£46,584
				Extra Long	4,490	£47,592
				Standard	3,640	£43,591
6.140	5.5	103 (140) (HD)	6 Speed Manual	Long	4,490	£45,509
		(FID)		Extra Long	4,490	£46,517
				Standard	3,640	£45,328
			6 Speed Manual	Long	4,490	£47,248
100	5.5	120 (163)		Extra Long	4,490	£48,254
5.160	5.5	(HD)		Standard	3,640	£47,922
		(·-)	8 Speed Automatic	Long	4,490	£49,841
				Extra Long	4,490	£50,849

12 - Single Cab Chassis Single Cab Chassis - 13

 ^{1.} VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

Notes:
1. VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

MAN TGE CHASSIS.



TGE Flatframe Cowl with Front Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
			6 Speed Manual	Standard	3,640	£35,718
3.140	3.5	103 (140)	o Speed Maridai	Long	4,490	£37,636
		(LD & HD)	8 Speed Automatic	Standard	3,640	£38,312
			8 Speed Automatic	Long	4,490	£40,231
			C Canad Manual	Standard	3,640	£37,896
0.100	2.5	130 (177)	6 Speed Manual	Long	4,490	£39,817
3.180	3.5	(LD)	O Conned Automobie	Standard	3,640	£40,491
			8 Speed Automatic	Long	4,490	£42,409

MAN TGE CHASSIS.



TGE Crew Cab Chassis with Front Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
0.140			6 Speed Manual	Standard	3,640	£38,356
	0.5	103 (140)	o Speed Maridar	Long	4,490	£40,274
3.140	3.5	(LD & HD)	O Croad Automatic	Standard	3,640	£40,948
			8 Speed Automatic	Long	4,490	£42,868
			6 Chand Manual	Standard	3,640	£40,535
3.180	0.5	130 (177)	6 Speed Manual	Long	4,490	£42,453
3.180	3.5	(LD)	O Conned Automotic	Standard	3,640	£43,129
			8 Speed Automatic	Long	4,490	£45,046

14 - Single Cab Chassis Crew Cab Chassis - 15

 ^{1.} VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

Notes:
1. VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

MAN TGE CHASSIS.



TGE Crew Cab Chassis with All Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
3.140 4x4	0.5	103 (140)	& Chood Manual	Standard	3,640	£42,548
	3.5	(LD & HD)	6 Speed Manual	Long	4,490	£44,468
			6 Chood Manual	Standard	3,640	£44,728
0.100.454	0.5	130 (177) (LD)	6 Speed Manual	Long	4,490	£46,647
3.180 4x4	3.5		O Consideration	Standard	3,640	£47,322
			8 Speed Automatic	Long	4,490	£49,241

MAN TGE CHASSIS.



TGE Crew Cab Chassis with Rear Wheel Drive

Model	Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Wheelbase [mm]	RRP [£]
3.140	3.5	103 (140)	6 Speed Manual	Standard	3,640	£38,947
3.140	3.0	(HD)	o Speed Maridai	Long	4,490	£40,865
			6 Chood Manual	Standard	3,640	£40,318
3.160	0.5	120 (163)	6 Speed Manual	Long	4,490	£42,236
J. 100	3.5	(HD)	O Chand Automatic	Standard	3,640	£42,912
			8 Speed Automatic	Long	4,490	£44,830
5.140	5.0	103 (140)	6 Speed Manual	Standard	3,640	£42,870
5.140	5.0	(HD)	o Speed Maridai	Long	4,490	£44,788
			6 Chood Manual	Standard	3,640	£44,607
5.160	5.0	120 (163)	6 Speed Manual	Long	4,490	£46,525
5.100	5.0	(HD)	O Chand Automatic	Standard	3,640	£47,201
			8 Speed Automatic	Long	4,490	£49,119
6.140	5.5	103 (140) (HD)	6 Speed Manual	Long	4,490	£48,045
6.160	5.5	120 (163)	6 Speed Manual	Long	4,490	£49,781
6.160		(HD)	8 Speed Automatic	Long	4,490	£52,376

16 - Crew Cab Chassis Crew Cab Chassis - 17

 ^{1.} VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
 2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

Notes:
1. VAT, Road Fund Licence and DVLA First Registration Fee extra at applicable rates.
2. An additional £1050 plus VAT (net) is chargeable on all transactions for standard manufacturer's delivery charge and incidentals.

SPECIFICATION.

High roof (Panel van only)

30 litre AdBlue® tank (Euro 6)

75 litre fuel tank

*Not cowl models

MAN TGE - LION XS Panel Van & Chassis Models Standard Specification

Audio and Communications	Safety and Security
MAN Media Van 6.5" colour touchscreen, USB and Bluetooth connection, 4 speakers, DAB+	Anti-lock Braking System (ABS)
Wired smartphone integration	Electronic Brake Assist (EBA)
3-button-module for information and emergency calls*	Start-stop system with regenerative braking
	Electronic Stability Control (ESC)
Cab	Cross Wind Assist
Multi-function steering wheel	Driver's airbag
MAN fabric seat covers (Anthracite)	Engine immobiliser
Multi-function display plus	Halogen main headlights with range control and daytime running function
Comfort single driver's seat including 2-way lumbar support, armrest and height adjustment	Remote central locking with two remote keys
Dual passenger seat	Seatbelt warning light for driver
Electromechanical steering	Three-point inertia-reel seatbelts for all seats
Rubber floor covering	Windscreen wiper with variable intermittent delay and wash-wipe system
Steering wheel with reach and rake adjustment	Parking brake with hill start assist
12v socket	Cruise control system with speed limiter
Overhead storage compartment with two 1-DIN standard slots*	
	Electrics
Cargo Area	Alternator 140 A
Full-height steel bulkhead without window (Panel van only)	Battery 520 A (92 Ah)
Rear wing doors without window (Panel van only)	Preparation for Bodybuilder module
Two load-lashing rings on 'B' pillar (Panel van only)	Halogen main headlights with range control and daytime running function
Grab handles on rear entry pillars (Panel van only)	Operating voltage 12 V
Interior LED lighting system (Panel van only)	
Lashing rings for load restraint system (Panel van only)	Wheels and Tyres
	16" x 6.5J steel wheels
Exterior	Full size steel spare wheel
Manually adjustable door mirrors	Tool kit and jack
Rear wing doors with 270° hinges (Panel van only)	Tyres with low rolling resistance
Manual side sliding door passenger side (Panel van only)	


SPECIFICATION.


MAN TGE - LION XC Panel Van Standard Specification (in addition to LION XS)	MAN TGE - LION XP Panel Van Standard Specification (in addition to LION XS)
Audio and Communications	Audio and Communications
Preparation for rear view camera	MAN Media Van Business Navigation, 8" colour touchscreen, 4 speakers
	Satellite navigation system
Cab	Wired and wireless smartphone integration
Manual air conditioning	Voice control
	Rear view camera
Cargo Area	
Cargo area anti-slip floor covering	Cab
	Dual passenger seat with additional storage
Exterior	Climatronic air conditioning
Electrically heated and adjustable mirrors	
Park distance control in front and rear	Cargo Area
	Cargo area anti-slip floor covering
	Safety and Security
	Park distance control in front and rear with sensor-based side protection
	Lane change system
	Exterior
	Electrically heated, foldable and adjustable mirrors
	Wheel caps with chrome emblem


18 - Specification - 19

DRIVELINE.

Diesel engines	2.0 litres 103 kW	2.0 litres 120 kW	2.0 litres 130 kW	
Engine size [cm³]	1,968	1,968		
Number of cylinders	4	4	4	
Max. power [kW (HP)]	103 (140)	120 (163)	130 (177)	
at rpm [1/min]	3,500-3,600* / 3,600**	3,600	3,600	
Max. torque [Nm]	340* / 360**	410	410	
at rpm [1/min]	1,600-2,250* / 1,500-2,500**	1,500-2,000	1,500-2,000	
Emissions	EU 6d ISC-FCM (AR)* / EuroVle**	EuroVle**	EU 6d ISC-FCM (AR)*	
Fuel type	Diesel: EN 590 HVO: EN 15940	Diesel: EN 590 HVO: EN 15940	Diesel: EN 590 HVO: EN 15940	
Transmission	6-gear manual transmission 8-gear automatic transmission ¹	6-gear manual transmission 8-gear automatic transmission	6-gear manual transmission 8-gear automatic transmission	
Drive	Front-wheel drive All-wheel drive Rear-wheel drive	Rear-wheel drive	Front-wheel drive All-wheel drive	







___ * for light duty. ___ ** for heavy duty.

FUEL CONSUMPTION & EMISSIONS.

MAN TGE Panel Van with High Roof - LION XS (Light Duty)*

Gross Weight	Engine Power [kW (PS)]	Transmission	Length	Drive Type	Consump (low)	(low)		otion	Consumption (high)		Consumption (extra-high)		Consumption (combined)		CO2 (combined)
[t]					1/100km	MPG	1/100km	MPG	1/100km	MPG	1/100km	MPG	1/100km	MPG	g/km
		6 Speed Manual		Front	8.7	32.5	7.8	36.5	7.3	38.7	9.8	28.8	8.5	33.2	223
3.5	103 (140)	6 Speed Manual	Standard	4x4	9.6	29.4	8.6	32.8	8.1	34.9	10.9	25.9	9.4	30.1	246
		8 Speed Automatic		Front	10.1	28.0	8.4	33.6	7.8	36.2	10.5	26.9	9.2	30.7	241
		6 Speed Manual		Front	9.6	29.4	7.9	35.8	7.5	37.7	10.2	27.7	8.8	32.1	231
0.5	100 (177)	6 Speed Manual	Otenadenal	4x4	10.4	27.2	8.9	31.7	8.3	34.0	11.4	24.8	9.8	28.8	257
3.5	130 (177)	8 Speed Automatic	Standard	Front	10.7	26.4	8.6	32.8	8.0	35.3	10.6	26.7	9.4	30.1	246
		8 Speed Automatic		4x4	11.5	24.6	9.3	30.4	8.5	33.2	11.3	25.0	10.0	28.3	263
		6 Speed Manual		Front	8.8	32.1	7.9	35.8	7.4	38.2	9.9	28.5	8.6	32.8	225
3.5	103 (140)	6 Speed Manual	Long	4x4	9.7	29.1	8.8	32.1	8.2	34.5	11.0	25.7	9.5	29.7	249
		8 Speed Automatic		Front	10.3	27.4	8.5	33.2	7.9	35.8	10.6	26.7	9.3	30.4	244
		6 Speed Manual		Front	9.7	29.1	8.1	34.9	7.6	37.2	10.3	27.5	8.9	31.7	234
0.5	100 (177)	6 Speed Manual	Lana	4x4	10.6	26.7	9.0	31.4	8.4	33.6	11.5	24.6	9.9	28.5	260
3.5	130 (177)	8 Speed Automatic	Long	Front	10.8	26.2	8.7	32.5	8.1	34.9	10.7	26.4	9.5	29.7	249
		8 Speed Automatic		4x4	11.7	24.1	9.4	30.1	8.6	32.8	11.3	25.0	10.1	28.0	266
		6 Speed Manual		Front	8.9	31.7	8.0	35.3	7.5	37.7	9.9	28.5	8.6	32.8	226
3.5	103 (140)	6 Speed Manual	Extra Long	4x4	9.8	28.8	8.9	31.7	8.3	34.0	11.1	25.5	9.6	29.4	251
		8 Speed Automatic		Front	10.3	27.4	8.6	32.8	8.0	35.3	10.7	26.4	9.4	30.1	245
		6 Speed Manual		Front	9.8	28.8	8.1	34.9	7.6	37.2	10.3	27.4	9.0	31.4	235
0.5	100 (177)	6 Speed Manual	-	4x4	10.6	26.7	9.1	31.0	8.5	33.2	11.5	24.6	10.0	28.3	262
3.5	130 (177)	8 Speed Automatic	Extra Long	Front	10.9	25.9	8.8	32.1	8.1	34.9	10.7	26.4	9.6	29.4	250
		8 Speed Automatic		4x4	11.8	23.9	9.5	29.7	8.7	32.5	11.4	24.8	10.2	27.7	268

All values shown on this page are in accordance WLTP testing regimes. Actual performance will depend on driving style, road conditions, chosen optional extras and other non-technical factors. Values shown are for standard specification only; changes to base specification will alter these values.

Contact your MAN Sales Specialist for exact values for your specification.

*Heavy Duty fuel consumption and emissions data to be confirmed.

20 - Driveline Fuel Consumption & Emissions - 21

^{*} Light duty homologation.

^{**} Heavy duty homologation. ¹ Only with front-wheel drive.

FUEL CONSUMPTION & EMISSIONS.

MAN TGE Panel Van with High Roof - LION XC (Light Duty)*

Gross Weight	Engine Power [kW (PS)]	Transmission	Length	Drive Type	Consump (low)	otion	Consum (medium)		Consump (high)	otion	Consump (extra-hiç		Consum (combin		CO2 (combined)
[t]					1/100km	MPG	1/100km	MPG	1/100km	MPG	1/100km	MPG	1/100km	n MPG	g/km
		6 Speed Manual		Front	8.8	32.1	7.8	36.2	7.4	38.2	9.9	28.5	8.5	33.2	224
3.5	103 (140)	6 Speed Manual	Standard	4x4	9.5	29.4	8.7	32.5	8.1	34.9	11.0	25.7	9.5	29.7	248
		8 Speed Automatic		Front	10.2	27.7	8.4	33.6	7.9	35.8	10.6	26.7	9.2	30.7	242
		6 Speed Manual		Front	9.6	29.4	8.0	35.3	7.5	37.7	10.2	27.7	8.9	31.7	233
0.5	100 (177)	6 Speed Manual	Otomodo nal	4x4	10.5	26.9	8.9	31.7	8.3	34.0	11.4	24.8	9.8	28.8	258
3.5	130 (177)	8 Speed Automatic	Standard	Front	10.8	26.2	8.7	32.5	8.0	35.3	10.6	26.7	9.4	30.1	278
		8 Speed Automatic		4x4	11.6	24.4	9.3	30.4	8.5	33.2	11.3	25.0	10.1	28.0	264
		6 Speed Manual		Front	8.9	31.7	8.0	35.3	7.5	37.7	10.0	28.3	8.7	32.5	227
3.5	103 (140)	6 Speed Manual	Long	4x4	9.8	28.8	8.9	31.7	8.3	34.0	11.1	25.5	9.6	29.4	251
		8 Speed Automatic		Front	10.4	27.2	8.6	32.8	8.0	35.3	10.7	26.4	9.4	30.1	246
		6 Speed Manual		Front	9.8	28.8	8.2	34.5	7.7	36.7	10.3	27.4	9.0	31.4	236
0.5	100 (177)	6 Speed Manual	1	4x4	10.6	26.7	9.1	31.0	8.4	33.6	11.5	24.6	10.0	28.3	261
3.5	130 (177)	8 Speed Automatic	Long	Front	10.9	25.9	8.8	32.1	8.1	34.9	10.7	26.4	9.6	29.4	251
		8 Speed Automatic		4x4	11.8	23.9	9.5	29.7	8.6	32.8	11.4	24.8	10.2	27.7	268
		6 Speed Manual		Front	9.0	31.4	8.1	34.9	7.5	37.7	10.0	28.3	8.7	32.5	228
3.5	103 (140)	6 Speed Manual	Extra Long	4x4	9.9	28.5	9.0	31.4	8.3	34.0	11.2	25.2	9.7	29.1	253
		8 Speed Automatic		Front	10.5	26.9	8.7	32.5	8.0	35.3	10.7	26.4	9.4	30.1	248
		6 Speed Manual		Front	9.8	28.8	8.2	34.5	7.7	36.7	10.4	27.2	9.1	31.0	237
0.5	100 (177)	6 Speed Manual		4x4	10.7	26.4	9.2	30.7	8.5	33.2	11.6	24.4	10.0	28.3	263
3.5	130 (177)	8 Speed Automatic	Extra Long	Front	11.0	25.7	8.9	31.7	8.2	34.5	10.8	26.2	9.6	29.4	252
		8 Speed Automatic		4x4	11.9	23.7	9.6	29.4	8.7	32.5	11.5	24.6	10.3	27.4	270

All values shown on this page are in accordance WLTP testing regimes. Actual performance will depend on driving style, road conditions, chosen optional extras and other non-technical factors. Values shown are for standard specification only; changes to base specification will alter these values. Contact your MAN Sales Specialist for exact values for your specification.

FUEL CONSUMPTION & EMISSIONS.

MAN TGE Panel Van with High Roof - LION XP (Light Duty)*

Gross Weight [t]	Engine Power [kW (PS)]	Transmission	Length	Drive Type	Consump (low) 1/100km		Consum (medium) 1/100km)	Consump (high) 1/100km	otion MPG	Consump (extra-hig 1/100km	jh)	Consump (combine 1/100km	ed)	CO2 (combined) g/km
		6 Speed Manual		Front	8.8	32.1	7.9	35.8	7.4	38.2	9.9	28.5	8.6	32.8	225
3.5	103 (140)	6 Speed Manual	Standard	4x4	9.7	29.1	8.7	32.5	8.2	34.5	11.0	25.7	9.5	29.7	249
		8 Speed Automatic		Front	10.2	27.7	8.5	33.2	7.9	35.8	10.6	26.7	9.3	30.4	243
		6 Speed Manual		Front	9.7	29.1	8.0	35.3	7.6	37.2	10.3	27.4	8.9	31.7	233
0.5	400 (477)	6 Speed Manual	Standard	4x4	10.5	26.9	9.0	31.4	8.4	33.6	11.5	24.6	9.9	28.5	259
3.5	130 (177)	8 Speed Automatic		Front	10.8	26.2	8.7	32.5	8.0	35.3	10.7	26.4	9.5	29.7	248
		8 Speed Automatic		4x4	11.6	24.4	9.4	30.1	8.6	32.8	11.3	25.0	10.1	28.0	265
		6 Speed Manual		Front	9.0	31.4	8.1	34.9	7.5	37.7	10.0	28.3	8.7	32.5	228
3.5	103 (140)	6 Speed Manual	Long	4x4	9.9	28.5	8.9	31.7	8.3	34.0	11.1	25.5	9.6	29.4	252
		8 Speed Automatic		Front	10.4	27.2	8.6	32.8	8.0	35.3	10.7	26.4	9.4	30.1	246
		6 Speed Manual		Front	9.8	28.8	8.2	34.5	7.7	36.7	10.4	27.2	9.0	31.4	237
0.5	400 (477)	6 Speed Manual		4x4	10.7	26.4	9.1	31.0	8.5	33.2	11.5	24.6	10.0	28.3	262
3.5	130 (177)	8 Speed Automatic	Long	Front	10.9	25.9	8.8	32.1	8.1	34.9	10.7	26.4	9.6	29.4	251
		8 Speed Automatic		4x4	11.8	23.9	9.6	29.4	8.7	32.5	11.4	24.8	10.3	27.4	269
		6 Speed Manual		Front	9.0	31.4	8.1	34.9	7.6	37.2	10.0	28.3	8.7	32.5	229
3.5	103 (140)	6 Speed Manual	Extra Long	4x4	10.0	28.3	9.0	31.4	8.4	33.6	11.2	25.2	9.7	29.1	254
		8 Speed Automatic		Front	10.5	26.9	8.8	32.1	8.1	34.9	10.8	26.2	9.5	29.7	249
		6 Speed Manual		Front	9.9	28.5	8.3	34.0	7.7	36.7	10.4	27.2	9.1	31.0	239
0.5	400 (477)	6 Speed Manual		4x4	10.7	26.4	9.3	30.4	8.6	32.8	11.6	24.4	10.1	28.0	264
3.5	130 (177)	8 Speed Automatic	Extra Long	Front	11.0	25.7	9.0	31.4	8.2	34.5	10.8	26.2	9.7	29.1	253
		8 Speed Automatic		4x4	12.0	23.5	9.7	29.1	8.8	32.1	11.5	24.6	10.4	27.2	272

All values shown on this page are in accordance WLTP testing regimes. Actual performance will depend on driving style, road conditions, chosen optional extras and other non-technical factors. Values shown are for standard specification only; changes to base specification will alter these values.

^{*}Heavy Duty fuel consumption and emissions data to be confirmed.


Contact your MAN Sales Specialist for exact values for your specification.


^{*}Heavy Duty fuel consumption and emissions data to be confirmed.

DIMENSIONS.

MAN TGE Panel van Standard with Normal roof

MAN TGE Panel van Standard with High roof





Load capacity [m³]	9.9 ²
Lateral sliding door, width x height [mm]	1,311 x 1,587 ³
Rear hinged doors, clear width x height [mm]	1,552 x 1,605 ⁴
Load deck height at rear [mm]	570 ⁵ (720)
Clearance circle [m]	14.2

Load capacity [m³]	11.3 ²
Lateral sliding door, width x height [mm]	1,311 x 1,822 ³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 ⁴
Load deck height at rear [mm]	570 ⁵ (720)
Clearance circle [m]	14.2

Figures for front-wheel drive shown above.

Figures for 4x4 and rear-wheel drive with standard roof: 11,626/29.3/31,487/41,505/5670.

Figures for 4x4 and rear-wheel drive with high roof: $^{1}1,861/^{2}10.7/^{3}1,722/^{4}1,740/^{5}670$.

Figures in brackets: with twin tyres.


*1,283 with super single tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale. Length of the vehicle floor including loading option below the partition: 3,450 mm. Length in the top area: 3,201 mm.

DIMENSIONS.

MAN TGE Panel van Long with High roof

MAN TGE Panel van Long with Super-high roof



MAN E	2.1891	
2,040 (2,069)	4,490 — 6,836	1,346→
2.798 (2.830)	4,300	1,380

Load capacity [m³]	14
Lateral sliding door, width x height [mm]	1,311 x 1,82
Rear hinged doors, clear width x height [mm]	1,552 x 1,84
Load deck height at rear [mm]	570 ⁵ (72
Clearance circle [m]	1

4.4 ²	Load capacity [m³]	16.1 ²
22 ³	Lateral sliding door, width x height [mm]	1,311 x 1,822°
404	Rear hinged doors, clear width x height [mm]	1,552 x 1,840 ⁴
20)	Load deck height at rear [mm]	570 ⁵ (720)
17.0	Clearance circle [m]	17.C

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale. Length of the vehicle floor including loading option below the partition: 4,300 mm. Length in the top area: 4,051 mm.

24 - Dimensions Dimensions - 25

Figures for front-wheel drive shown above.

Figures for 4x4 and rear-wheel drive with high roof: \(^1,861/^213.6/^31,722/^41,740/^6670\). Figures for 4x4 and rear-wheel drive with super-high roof: \(^2,089/^215.3/^31,722/^41,740/^5670\).


Figures in brackets: with twin tyres.


^{*1,283} with super single tyres.

DIMENSIONS.

MAN TGE Panel van Extra long with High roof

MAN TGE Panel van Extra long with Super-high roof





Load capacity [m³]	16.4 ²
Lateral sliding door, width x height [mm]	1,311 x 1,822 ³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 ⁴
Load deck height at rear [mm]	570 ⁵ (725)
Clearance circle [m]	17.0

Load capacity [m³]	18.42
Lateral sliding door, width x height [mm]	1,311 x 1,822 ³
Rear hinged doors, clear width x height [mm]	1,552 x 1,840 ⁴
Load deck height at rear [mm]	570 ⁵ (725)
Clearance circle [m]	17.0

Figures for front-wheel drive shown above.

Figures for 4x4 and rear-wheel drive with high roof: \(^11,861/^215.5/^31,722/^41,740/^5670.\)
Figures for 4x4 and rear-wheel drive with super-high roof: \(^12,096/^217.5/^31,722/^41,740/^5670.\)

Figures in brackets: with twin tyres.


*1,283 with super single tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale. Length of the vehicle floor including loading option below the partition: 4,855 mm. Length in the top area: 4,606 mm.

DIMENSIONS.

MAN TGE Chassis/Flatframe Cowl Standard with Single cab

MAN TGE Chassis/Flatframe Cowl Long with Single cab



14.2 Clearance circle [m] 17.0 Clearance circle [m]


Figures in brackets: with twin tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.

26 - Dimensions Dimensions - 27

DIMENSIONS.

MAN TGE Chassis Extra long with Single cab




Clearance circle [m] 17.0


All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.

DIMENSIONS.

MAN TGE Chassis Standard with Crew cab

MAN TGE Chassis Long with Crew cab





17.0

Clearance circle [m] 14.2

14.2 Clearance circle [m]

rigures in bi

Figures in brackets: with twin tyres.

All dimensions were measured on series-production vehicles. The heights stated here may vary by approx. ±40 mm depending on fittings. The vehicle drawings are not true to scale.

28 - Dimensions

WEIGHTS.

MAN TGE Panel Van (LION XS)

														St	andard		Long	Ex	tra long
Driveline	Permissible gross vehicle weight [kg]	Engine rating [kW (PS)]	Max. trailer load, braked, on 12 % gradient/ unbraked [kg]	Permissible max. gross train weight [kg]	Permissible axle load, front/rear [kg]	Unladen weight [kg]	Payload capacity [kg]	Unladen weight [kg]	Payload capacity [kg]	Unladen weight [kg]	Payload capacity [kg]								
Front-wheel drive	3,500	103 (140) LD/HD 130 (177) LD	3,000/750 3,000/750	6,000 6,000	1,800*/2,100 1,800*/2,100	2,261 2,270	1,239 1,230	2,369 2,378	1,131 1,122	2,432 2,441	1,068 1,059								
All-wheel drive	3,500	103 (140) LD/HD 130 (177) LD	3,000/750 3,000/750	6,000 6,000	1,800*/2,100 1,800*/2,100	2,388 2,397	1,112 1,103	2,501 2,510	999 990	2,560 2,569	940 931								
Rear-wheel drive	3,500	103 (140) HD 120 (163) HD	3,000/750 3,500/750	6,500 7,000	1,800*/2,250 1,800*/2,250	2,342 2,342	1,158 1,158	2,455 2,455	1,045 1,045	- -	-								
Rear-wheel drive	5,000	103 (140) HD 120 (163) HD	3,500/750 3,500/750	7,500 8,000	2,200/3,500 2,200/3,500	2,580 2,580	2,420 2,420	2,675 2,660	2,325 2,340	2,742 2,743	2,258 2,257								
Rear-wheel drive	5,500	103 (140) HD 120 (163) HD	3,000/750 3,500/750	7,500 8,000	2,200/4,000 2,200/4,000	2,580 2,580	2,920 2,920	2,696 2,682	2,804 2,818	2,764 2,764	2,736 2,736								

Roof loads²

Model	Roof load [kg]
Normal roof	300
High roof	150
Super-high roof	0

Drawbar loads

at trailer load [kg]	Drawbar load [kg	Drawbar load [kg]					
	Front-wheel drive/All-wheel drive	Rear-wheel drive					
2,500	100	-					
3,000	120	140					
3,500		140					

*Depending on equipment the permissible front axle load may rise to 2,100 kg. This may affect the minimum payload or the maximum payload capacity. 2 Only for Panel van.

All weights on this page include high roof.
For LION XC add 38 kg (standard); 50 kg (long); 57 kg (extra long). For LION XP add 65 kg (standard); 79 kg (long); 85 kg (extra long).

WEIGHTS.

MAN TGE Chassis with Single Cab

						Standard		Long		Extra long	
Driveline	Permissible gross vehicle weight [kg]	Engine rating [kW (PS)]	Max. trailer load, braked, on 12 % gradient/ unbraked [kg]	Permissible max. gross train weight [kg]	Permissible axle load, front/rear [kg]	Unladen weight [kg]	Load capacity [†] [kg]	Unladen weight [kg]	Load capacity [†] [kg]	Unladen weight [kg]	Load capacity [†] [kg]
Front-wheel drive	3,500	103 (140) LD/HD 130 (177) LD	3,000/750 3,000/750	6,000 6,000	1,800*/2,100 1,800*/2,100	1,954 1,963	1,546 1,537	1,984 1,993	1,516 1,507	_ _ _	- -
All-wheel drive	3,500	103 (140) LD/HD 130 (177) LD	3,000/750 3,000/750	6,000 6,000	1,800*/2,100 1,800*/2,100	2,075 2,085	1,425 1,415	2,106 2,116	1,394 1,384	_ _ _	- -
Rear-wheel drive	3,500	103 (140) HD 120 (163) HD	3,000/750 3,500/750	6,500 7,000	1,800*/2,250 1,800*/2,500	2,026 2,030	1,474 1,470	2,066 2,070	1,434 1,430		_ _ _
Rear-wheel drive	5,000	103 (140) HD 120 (163) HD	3,000/750 3,500/750	7,500 8,000	2,200/3,500 2,200/3,500	2,195 2,198	2,805 2,802	2,238 2,241	2,762 2,759	2,253 2,256	2,747 2,744
Rear-wheel drive	5,500	103 (140) HD 120 (163) HD	3,000/750 3,500/750	7,500 8,000	2,200/4,000 2,200/4,000	2,217 2,220	3,283 3,280	2,260 2,263	3,240 3,237	2,275 2,278	3,225 3,225

Drawbar loads

at trailer load [kg]	Drawbar load [kg]					
	Front-wheel drive/All-wheel drive	Rear-wheel drive				
2,500	100	-				
3,000	120	140				
3,500		140				

30 - Weights Weights - 31

^{*}Depending on equipment the permissible front axle load may rise to 2,100 kg. This may affect the minimum payload or the maximum payload capacity.

[†]Load capacity indicates bodywork and payload allowance combined.

WEIGHTS.

MAN TGE Flatframe Chassis Cowl

						Standard		Long		Extra long	
Driveline	Permissible gross vehicle weight [kg]	Engine rating [kW (PS)]	Max. trailer load, braked, on 12 % gradient/ unbraked [kg]	Permissible max. gross train weight [kg]	Permissible axle load, front/rear [kg]	Unladen weight [kg]	Load capacity [†] [kg]	Unladen weight [kg]	Load capacity [†] [kg]	Unladen weight [kg]	Load capacity [†] [kg]
Front-wheel drive	3,500	103 (140) LD/HD 130 (177) LD	3,000/750 3,000/750	6,000 6,000	1,800*/2,100 1,800*/2,100	1,802 1,811	1,698 1,689	1,819 1,828	1,681 1,672	-	<u>-</u>

WEIGHTS.

MAN TGE Chassis with Crew Cab

				•	Standard	Long		
missible ss vehicle ght [kg]	Engine rating [kW (PS)]	Max. trailer load, braked, on 12 % gradient/ unbraked [kg]	Permissible max. gross train weight [kg]	Permissible axle load, front/rear [kg]	Unladen weight [kg]	Load capacity ² [kg]	Unladen weight [kg]	Load capacity ² [kg]
00	103 (140) LD/HD	3,000/750	6,000	1,800 ¹ /2,100	2,126	1,374	2,167	1,333
	130 (177) LD	3,000/750	6,000	1,800 ¹ /2,100	2,135	1,365	2,176	1,324
00	103 (140) LD/HD	3,000/750	6,000	1,800 ¹ /2,100	2,258	1,242	2,299	1,201
	130 (177) LD	3,000/750	6,000	1,800 ¹ /2,100	2,267	1,233	2,308	1,192
00	103 (140) HD	3,000/750	6,500	1,800 ¹ /2,250	2,197	1,303	2,247	1,253
	120 (163) HD	3,500/750	7,000	1,800 ¹ /2,250	2,201	1,299	2,252	1,248
00	103 (140) HD	3,000/750	7,500	2,200/3,500	2,341	2,659	2,389	2,611
	120 (163) HD	3,500/750	8,000	2,200/3,500	2,345	2,655	2,393	2,607
00	103 (140) HD 120 (163) HD	3,000/750 3,500/750	7,500 8,000	2,200/4,000 2,200/4,000	-	-	2,411 2,414	3,089 3,086
9 (1)((1)((1)((1)((1)((1)((1)((1)((1)((1)	s vehicle ht [kg]	s vehicle [kW (PS)] 103 (140) LD/HD 130 (177) LD 103 (140) LD/HD 130 (177) LD 103 (140) HD 120 (163) HD 120 (163) HD 120 (163) HD 103 (140) HD	Is vehicle with [kg] [kW (PS)] load, braked, on 12 % gradient/ unbraked [kg] Image: street with the large with the	S vehicle [kW (PS)]	Sample S	Sample S	Sample S	Same Same

Drawbar loads

at trailer load [kg]	Drawbar load [kg]							
	Front-wheel drive/All-wheel drive	Rear-wheel drive						
2,500	100	-						
3,000	120	140						
3,500		140						

32 - Weights Weights - 33

^{*}Depending on equipment the permissible front axle load may rise to 2,100 kg. This may affect the minimum payload or the maximum payload capacity.

†Load capacity indicates bodywork and payload allowance combined.

¹ Depending on equipment the permissible front axle load may rise to 2,100 kg. This may affect the minimum payload or the maximum payload capacity. 2 Load capacity indicates bodywork and payload allowance combined.

V Code	Description	Panel Van (LION XS)	Panel Van (LION XC)	Panel Van (LION XP)	Single Cab Chassis	Flatframe Cowl	Crew Cab Chassis	RRP [£]
	Packages							
639IH	Passive safety package		0	0	0	-	0	£1,775
639IG	Active safety package	0	0	0	-	-	-	£2,854
639IQ	Lights & Vision package	0	0	0	0	0	0	£646
639JO	Comfort package		0	0	0	0	0	£204
639JP	Comfort package plus		0	0	0	0	0	£1,281
639IC	Winter package		0	0	0	0	0	£1,287
639IL	Tipper preparation package	-	-	-	0	-	-	£1,311
63911	Driver assistance systems package for distributor		0	S	-	-	-	£1,769
639IJ	Loading compartment package for distributor		0	0	-	-	-	£1,388
639HP	MAN Media Van Business Navigation with 4 speakers	0	-	S	0	0	0	£1,064
	Interior Trim							
638DC	Gray Mesh-MAN Black / Titanium Black-Palladium / Pearl Gray		0	0	0	0	0	£0
638DA	Palladium-Titanium Black / Titanium Black-Palladium / Pearl Gray		0	0	0	0	0	£0
634WD	Robust seat trim covers in fabric "Marathon"		0	0	0	0	0	£167
634WA	Seat trim covers in leatherette "Mesh"		0	0	0	0	0	£68
630EM	Overhead storage compartment with two 1-DIN slots and reading light	0	S	S	0	0	0	03
	Airbags							
630EC	Driver and front passenger airbag with front passenger airbag deactivation	0	0	0	0	0	0	£241
643FC	Side and curtain airbag for driver	0	0	0	0	-	0	£970
634FB	Side and curtain airbags for driver and front passenger		0	0	0	-	0	£1,098

MAN TGE MANUFACTURER OPTION PRICES.

			Panel Van		Single Cab		Crew Cab	
V Code	Description	(LION XS)	(LION XC)	(LION XP)	Chassis	Cowl	Chassis	RRP [£]
	Paint							
638EA	Candy White	0	0	0	0	0	0	£0
638EG	Cherry Red	0	0	O	0	0	0	£0
638EE	Deep Ocean	0	0	0	0	0	0	£0
638EB	Luminous Orange	0	0	0	0	0	0	£0
638EC	Ontario Green	0	0	0	0	0	0	£0
638ED	Indium Gray Metallic	0	0	0	0	0	0	£1,430
638EH	Reflex Silver Metallic	0	0	0	0	0	0	£1,430
638EF	Deep Black Pearlescent	0	0	0	0	0	0	£1,543
	Anti-Theft Protection							
631EC	Anti-theft alarm system with backup horn, interior monitoring, and towing protection (for TGE with partition)	0	0	0	0	-	0	£615
	Electrical System							
634MC	Three 12-V outlets in the cab	0	0	0	0	0	0	£74
635FL	12-V outlet in load compartment	0	0	0	-	-	-	£74
631FG	Battery master switch	0	0	0	0	0	0	£130
630PF	AGM battery and alternator	0	0	0	0	0	0	£135
637QC	Second battery with cutoff relay (wet cell battery)	0	0	0	0	0	0	£396
630QD	Second battery with cutoff relay and battery monitoring (AGM battery)	0	0	0	0	0	0	£435
630QE	Second battery with cutoff relay and battery monitoring (wet cell battery)	0	0	0	0	0	0	£435
630PE	AGM battery and alternator with increased capacity	0	0	0	0	0	0	£362
630QD 630QE	Second battery with cutoff relay and battery monitoring (AGM battery) Second battery with cutoff relay and battery monitoring (wet cell battery)	0	0	0	0	0	0	_

Options - 35

34 - Options

O = Optional - = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combination with others. If in doubt, refer to your individual configuration.

O = Optional - = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combination with others. If in doubt, refer to your individual configuration.

V Code	Description	Panel Van (LION XS)	Panel Van (LION XC)	Panel Van (LION XP)	Single Cab Chassis	Flatframe Cowl	Crew Cab Chassis	RRP [£]
	Driver Assistance Systems							
631LC	Top speed limited to max. 100 km/h (cannot be deactivated)	0	0	0	0	0	0	£135
631LD	Top speed limited to max. 120 km/h (cannot be deactivated)	0	0	0	0	0	0	£135
631LB	Top speed limited to max. 90 km/h (cannot be deactivated) Standard on vehicles >3.5 tonnes	0	0	0	0	0	0	£135
631RC	Adaptive Cruise Control ACC up to 160 km/h, incl. speed limiter	0	0	0	0	0	0	£1,156
631RE	Speed limiter (can be adjusted by the driver)	0	0	0	0	0	0	£191
631RD	Adaptive Cruise Control ("Follow-to-Stop") with Speed Limiter & Fatigue Detection (automatic gearbox only)	0	0	0	0	0	0	£1,156
632RL	Driver Alert System	0	0	0	0	0	0	£23
632NL	High-beam control Light Assist	0	0	0	0	0	0	£216
635EC	Lane change system Side Assist	0	0	S	-	-	-	£397
635EB	Active Lange Guard Assist	0	0	0	0	0	0	£507
632JB	Dynamic Road Sign Display	0	0	0	0	0	0	£308
635ED	Lane keeping system Lane Assist and lane change system Side Assist	0	0	0	-	-	-	£904
631EO	Park Assist and park distance control in front and rear with active side protection	0	0	0	-	-	-	£1,229
631EK	Park distance control in front and rear	0	0	0	-	-	-	£675
631EN	Park distance control in front and rear with active side protection	0	0	S	-	-	-	£1,069
632KN	Rear view camera system	0	0	S	-	-	-	£280
639HZ	Trailer Assist Package	0	0	0	-	-	-	£1,107
631EP	Trailer Assist and park distance control in front and rear with active side protection	0	0	0	-	-	-	£1,319
631EQ	Trailer Assist, Park Assist, and park distance control in front and rear with active side protection	0	0	0	-	-	-	£1,514
630BO	Hill start assist/hill descent control (AWD only)	0	S	S	0	0	-	£94

MAN TGE MANUFACTURER OPTION PRICES.

V Code	Description	Panel Van (LION XS)	Panel Van (LION XC)	Panel Van (LION XP)	Single Cab Chassis	Flatframe Cowl	Crew Cab Chassis	RRP [£]
634RE	Seating Comfort seat "Plus" on the right				0		0	£96
634RK	Suspended seat ergoComfort in cab in the right				0		0	£375
					-			
634RJ	Suspended seat ergoActive in cab, front right				0	0		£461
634PD	Comfort seat on the left		0		0	0		£0
634PE	Comfort seat "Plus" on the left	O	O	O	O	0	O	£48
634PK	Suspended seat ergoComfort in cab, on the left	0	0	0	0	0	0	£237
634PJ	Suspended seat ergoActive in cab, on the left	0	0	0	0	0	0	£323
634PH	2-seater front passenger bench on the left, with folding table	0	0	S	0	0	0	£86
634YC	Seat heater, left and right, separately controllable	0	0	0	0	0	0	£401
	Lighting and Vision							
637NL	Heat-insulating windshield made of laminated glass, heated	0	0	0	0	0	0	£285
639HE	Windshield wiper intermittent control with rain sensor and automatic headlamp activation	0	0	0	0	0	0	£264
635KB	Headlamp washer system and washer fluid level indicator, heated washer nozzles	Ο	0	0	0	0	0	£402
632BC	LED headlamps with separate LED daytime running lights	0	0	0	0	0	0	£1,125
633EH	Front fog lamps with cornering light	0	0	0	0	0	0	£280
630GB	Exterior mirrors, power-adjustable and heated	0	S	-	0	0	0	£174
630GC	Exterior mirrors, power-adjustable, heated and folding	0	0	S	0	-	0	£335
631BS	Roof turn signals in rear, right and left	0	0	0	-	-	-	£162
634KB	Tail lamp assemblies with longer cable (cable length +1.5 m)		-	-	0	-	0	£45
635AC	Side marker lamps	S	S	S	S	-	S	£103
633HB	Front position lamps on the roof	0	0	0	S	S	S	£65

Options - 37

36 - Options

O = Optional - = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combination with others. If in doubt, refer to your individual configuration.

O = Optional - = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combination with others. If in doubt, refer to your individual configuration.

		Panel Van	Panel Van	Panel Van	Single Cab	Flatframe	Crew Cab	
V Code	Description	(LION XS)	(LION XC)	(LION XP)	Chassis	Cowl	Chassis	RRP [£]
	Steering, Suspension and Axles							
632OD	Leather multi-function steering wheel (3-spoke), with heating	0	0	0	0	0	0	£614
631BD	Heavy-duty suspension and shock absorption	0	0	0	-	-	-	£196
631BH	Reinforced suspension and shock absorption and reinforced stabilisation	0	0	0	-	-	-	£317
631BF	Standard suspension and shock absorption and reinforced stabilisation	0	0	0	0	-	0	£121
631CL	Differential lock (AWD models only)	0	S	S	0	0	0	£683
	Radio / Navigation							
639KK	MAN Media Van with 6 speakers	0	0	-	0	0	0	£61
639H1	MAN Media Van Business with 4 speakers	0	0	-	0	0	0	£420
639KJ	MAN Media Van Business with 6 speakers	0	0	-	0	0	0	£480
639HP	MAN Media Van Business Navigation with 4 speakers	0	0	S	0	0	0	£1,064
639KN	MAN Media Van Business Navigation with 6 speakers	0	0	0	0	0	0	£1,122
	Heating / Ventilation							
639HM	Air conditioning system Climatic	0	0	S	0	0	0	£1,777
639HN	Air conditioning system Climatronic	0	0	0	-	0	-	£2,621
637UF	Electric auxiliary heater	0	0	0	0	0	0	£649
637UE	Programmable air parking heater and auxiliary water heater, with radio remote control	0	0	0	0	-	0	£2,466
637UC	Programmable air parking heater, with radio remote control		0	0	0	-	0	£1,618
637UA	Programmable air parking heater, with radio remote control auxiliary heater	0	0	0	0	-	0	£2,260
637UB	Auxiliary water heater with programmable parking heater function and radio remote control	0	0	0	0	0	0	£1,135

MAN TGE MANUFACTURER OPTION PRICES.

V Code	Description	Panel Van (LION XS)	Panel Van (LION XC)	Panel Van (LION XP)	Single Cab Chassis	Flatframe Cowl	Crew Cab Chassis	RRP [£]
- 7 0000	Instrumentation	(2.0.17.0)	(2.011710)	(2.017.17	<u> </u>		-	[2]
633RK	Tyre Pressure Monitoring System	O	0	0	0	0	0	£401
631HC	Digital tachograph (requires additional dashboard components)	0	0	0	0	-	0	£682
631HB	Preparation for tachograph with preparation for accident data recorder	0	0	0	0	-	0	£353
	Bulkhead Partition and Sliding Doors							
637BD	Partition, with fixed window	0	0	0	-	-	-	£85
637BE	Partition, with sliding window	0	0	0	-	-	-	£348
637BG	Partition, with trim panel	0	0	0	-	-	-	£241
637BF	Partition, with trim panel and fixed window	0	0	0	-	-	-	£335
637BI	Partition, with trim and sliding window	0	0	0	-	-	-	£563
635RB	Left sliding door in load compartment, with interlock for certain opening positions	0	0	0	-	-	-	£388
635TC	Right sliding door in load compartment	0	0	0	-	-	-	£706
635TB	Right sliding door in load compartment, with interlock for certain opening positions		0	0	-	-	-	£802
635TA	Without right sliding door in load compartment (closed side panel)	S	S	S	-	-	-	£0
	Body / Chassis							
631DR	Step in rear, extending over complete width	0	0	0	-	-	-	£148
631DT	Step in rear, extending over half width (when tow coupling is fitted)	0	0	0	-	-	-	£119
637FL	1 chock	0	0	0	0	-	0	£25
637FM	2 chocks	0	0	0	0	-	0	£48
635LC	Mud flaps in front and rear	0	0	0	0	-	0	£136
635LD	Mud flap in front	0	0	0	0	0	0	£68
635LB	Mud flap in rear	0	0	0	0	-	0	£68
637FB	Rear under-run protection			0	-	-	0	£132
637FC	Rear and side under-run protection			0	-	-	0	£320
637FD	Side under-run protection			0	-	-	0	£188

38 - Options Options - 39

O = Optional - = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combination with others. If in doubt, refer to your individual configuration.

O = Optional
- = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combinaton with others. If in doubt, refer to your individual configuration.

V Code	Description	Panel Van (LION XS)	Panel Van (LION XC)	Panel Van (LION XP)	Single Cab Chassis	Flatframe Cowl	Crew Cab Chassis	RRP [£]
-	Bodybuilder Preparation				-			
631JK	Bodybuilder Module	0	0	0	0	0	0	£297
631JE	Bodybuilder Module with telematics preperation	0	0	0	0	0	0	£586
630WS	Tail lift preparation, electrical	0	0	0	0	-	0	£117
630WT	Tail lift preparation, mechnical and electrical	0	0	0	0	-	0	£234
631DB	Speed control	0	0	0	0	0	0	£166
631DC	Variable electronic speed governor	0	0	0	0	0	0	£166
631BT	Preparation for roof turn signals	-	-	-	0	-	0	£45
631VC	Preparation for center high-mounted stop lamp	-	-	-	0	0	0	£29
634CM	Preparation for rotating beacons	0	0	0	0	0	0	£47
634KD	Preparation for LED tail lamp assemblies with longer cable (cable length +1.5 m)	-	-	-	0	-	0	£45
634KE	Preparation for tail lamp assemblies with longer cable (cable length +1.5 m)	-	-	-	0	-	0	£45
635HB	Engine start plus remote start function	0	0	0	0	-	0	£40
	Trailer Hitches							
630DD	Trailer hitch preparation (incl. trailer stabilisation) with wiring harness, outlet, and control unit	0	0	0	0	-	0	£249
630DB	Rigid trailer hitch (incl. trailer stabilisation)	0	0	0	0	-	0	£735
630DC	Removable and lockable trailer hitch (incl. trailer stabilisation)	0	0	0	0	-	0	£917
630DE	Trailer hitch preparation (incl. trailer stabilization) with wiring harness, outlet, control unit and towing bracket	0	0	0	0	-	0	£609
	Wheels and Tyres							
633KB	Hub cap with chrome emblem	0	0	S	0	0	0	£25
633YK	All-season tyres	0	0	0	0	0	0	£228
639HT	Alloy wheels 6.5J x 17	0	0	0	0	0	0	£1,401
630BB	Lockable wheel bolts (for steel and alloys wheels)	0	0	0	0	0	0	£33
	-				_			

TYRE LABEL.

MAN TGE

Summer tyres	Size	Tyre Class	Fuel Efficiency	Wet Grip	External rolling noise	Snow Grip	Ice Grip
	205/75 R 16 C 113/111	C2	В	А	72 dB)))) - (09 dB))))	-	-
				_			
	235/65 R 16 C 115/113	C2	B	A - B	72 dB))) - (70 dB)))	-	
	235/65 R 16 C 121/119	C2	B	A	(D _{ABC})))	-	
	235/60 R 17 C 117/115	C2	В	А	(T2 dB)))	-	-
All-season tyres							
				_	73 dB)))		
	205/75 R 16 C 113/111	C2	B - C	A - B	(73 dB))))	*	
	235/65 R 16 C 115/113	C2	В	A	(7 3 dB)))	** \	
	235/65 R 16 C 121/119	C2	В	А	73 dB)))	**	-
	285/55 R 16 C 126/124	C3	D	Α	70 dB)))		
					ABC		
Winter tyres							
	205/75 R 16 C 113/111	C2	E	В	$\left(\begin{array}{c c} 72 & \text{dB} \\ \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} 69 & \text{dB} \\ \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} 69 & \text{dB} \\ \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} 70 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & 10 & 10 \end{array}\right) \left(\begin{array}{c c} 10 & 10 & 10 \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} 10 & 10 & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \end{array}\right) \left(\begin{array}{c c} \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} \\ \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & \mathbf{V}_{ABC} & V$		-
	235/65 R 16 C 115/113	C2	C - E	В	72 dB)))		<u>-</u>
				_			
	235/65 R 16 C 121/119	C2	С	В	(DABC))))		-
	205/70 R 17 C 115/113	C2	С	В	72 dB))))		

40 - Options Tyre Label - 41

O = Optional - = Not Available

This list details most common options and is subject to change without prior notice.

NB. Some options may not be compatible with others, and some are only available in combination with others. If in doubt, refer to your individual configuration.

TYRE LABEL.



Rolling resistance / Fuel efficiency - The fuel efficiency class of the tyres varies depending on the rolling resistance between

- A are the most efficient tyres and save fuel
- E are the least efficient tyres and consume most fuel



Wet grip – the wet grip class informs about the braking characteristics in wet weather conditions and ranges from A (greatest security) to E (lowest security).



External rolling noise – a quieter tyre increases the driving comfort and relieves the environment by reducing noise emission. The rolling noise of the tyres is measured in decibels (DB) and divided in three levels



Snow grip – tyres marked with this characteristic are suitable for use in extreme snow conditions. Only tyres with this illustration on the tyre label or the tyre edge are permissible winter tyres.



Ice grip – tyres marked with this characteristic are designed for road surfaces covered with ice or snow. This specification is only available if the tyre can show this property.

Detailed information on tyre labeling can be obtained from the configuration of the vehicle and on the quote/tender. Your MAN Service Partner is happy to answer any questions and give detailed information. Further information on tyre marking can be found on the Commission's website: tyres | EU Commission (europe.eu)

The actual fuel savings and traffic safety depend on the own personal driving style:

- The fuel consumption can be significantly reduced by environmentally friendly driving.
- To improve fuel efficiency and wet adhesion, the tyre pressure must be checked regularly.
- The stopping distance must always be considered. Ice tyres are designed for road surfaces with ice layer or roads covered in snow and should only be used in very difficult weather conditions (e.g. low temperatures).

The use of ice tyres within less difficult weather conditions (for example, wet or warmer temperatures) can lead to suboptimal performance, especially with regard to wet grip, handling and wear.



PAINT FINISHES.

Your new MAN TGE is like a business card on wheels:

Whether solid-colour, metallic, pearl effect or special paint finish, you can now show your true colours and make a great impression.

- 1 Ontario Green
- 2 Deep Ocean Blue
- 3 Candy White
- 4 Indium Grey Metallic
- 5 Luminous Orange
- 6 Deep Black Pearlescent
- 7 Cherry Red
- 8 Reflex Silver Metallic

And if Candy White still isn't sweet enough for you, or Deep Black a little too dark, we offer over 110 other paint finishes for you to choose from.

42 - Tyre Label

It is not possible to order a specific make of tyre for logistical and production reasons.

NOTES

Unladen vehicle weights listed here include 75 kg for the driver and all operating fluids and fuel tank at 90% full, and are subject to manufacturing tolerance of +/- 2.5%. The unladen weights are calculated using standard UK specification, and in case of panel vans show high roof. Equipment or equipment lines may affect the unladen weight. Contact your MAN dealer for a specific vehicle weight based on your exact configuration required. A vehicle's actual payload, which results from calculating the difference between the gross vehicle weight and the unladen weight can only be determined by weighing the individual vehicle.

Engines are fitted with a multi-step exhaust gas after-treatment system (diesel particulate system and SCR catalytic converter). The SCR catalytic converter (Selective Catalytic Reduction) selectively converts nitrogen oxide (NO_X) exhaust components into diatomic nitrogen (NO_X) and water (NO_X). The conversion is carried out with the help of a synthetically-produced, water-based urea solution such as AdBlue® (ISO 22241-1/AUS 32), which is stored in an auxiliary tank. Depending on the vehicle, the customer must also refill the AdBlue® independently or have it refilled at the MAN Service-Partner between service intervals.

Please note that some optional extras are bound to specific combinations and/or cannot be combined and may be subject to certain legal requirements. MAN will explicitly not be held liable for the improper use of such optional equipment. Certain optional extras may lead to longer delivery periods.

The vehicles illustrated in this document may include optional equipment at extra charge.

We reserve the right to alter specification and price without prior notice.



MAN Truck & Bus UK Ltd.,

Frankland Road, Blagrove, Swindon. Wiltshire SN5 8YU www.mantruckandbus.co.uk

Ref: MAN TGE Van Technical Price and Data /12 Issue Date: August 2023 Subject to modifications in the course of progress.