

TAILORED TO SUIT YOU.

Simply my truck.



MAN TRUCKS

From distribution vehicles to beverage transporters – the entire range and flexibility offered by our trucks.

PAGES 04–25



EXCELLENT DRIVER FIT

The cockpit design ensures maximum driving performance coupled with perfect ergonomics, intuitive operation and a high level of comfort.

PAGES 26–41



GREAT EFFICIENCY AND ECONOMY

MAN trucks combine innovation with reliability – to achieve maximum transport efficiency.

PAGES 42–45



CONNECTED



STRONG PARTNER

Thanks to a variety of solutions, MAN is there for you – any time, any place.

PAGES 46–49



MAN TGE

The star amongst light commercial vehicles is a dynamic all-rounder designed for all types of tasks.

PAGES 50–57



OPTIMISED UPTIME

Intelligent fleet and maintenance management, financing and mobility services to keep business reliably rolling along.

PAGES 58–65



MAN

M AN 290

TRANSPORT SOLUTIONS FOR DISTRIBUTION TRANSPORT.

The iconic MAN TGL. The pure truck.

The MAN TGL offers maximum efficiency and productivity in the 7.5- to 12-tonne class. With its exceptional feeling of space, optimised payload and low fuel consumption, it sets new benchmarks in the category. Highlights include the ergonomic cabs such as the CC and TN designs, the new high-torque engines, MAN TipMatic® and a whole range of essential safety features such as MAN BrakeMatic.

The MAN TGM. A class of its own.

The MAN TGM, the mid-range truck between 12 and 26 tonnes, is in a class of its own – in terms of payload, driver comfort and dynamics. Powerful engines, numerous versions, consistent efficiency – these are the advantages you can count on. This vehicle class stands out thanks to its high-torque six-cylinder engines with output of up to 235 kW (320 hp) plus different cab designs for combined journeys that include long-haul trips.

The MAN TGS. Great for strong transport performance.

Whether it's the low entry height of the NN and TN cabs, the low weight and compact external dimensions or the spacious feel of the TM cab, the comfort and equipment in the MAN TGS cabs are ideally suited to use for heavy distribution transport. The MAN TGS also has a lot to offer when it comes to load capacity and payload. The 26-tonne, 3- axle vehicle in particular, with a raised and optionally steered trailing axle, combines a high payload with immense manoeuvrability.

Euro 6 engines from MAN.

Anyone looking to succeed in the distribution transport sector needs an engine that uses minimal fuel but generates maximum performance. The powerful MAN common rail engines impress with their efficient torque curves, low fuel consumption and long service intervals. Agile four- and six-cylinder power units with outputs of between 118 kW (160 hp) and 471 kW (640 hp) ensure a dynamic drive. In economy drive, you can switch to the MAN TipMatic® gearbox, which can be operated fully automatically or manually. It reduces fuel consumption, protects the drivetrain and provides considerable weight advantages compared with similar gearboxes.



MAN

M AN 3716

CARRYING FOOD IN DISTRIBUTION TRANSPORT.

Whether you need to transport fresh produce or frozen goods – MAN has got just the vehicle. The perfect vehicle in distribution transport combines maximum payload and load capacity with high manoeuvrability, low overall vehicle height and exemplary environmentally friendly credentials.

As a 7.5- to 12-tonne vehicle with a short wheelbase, the MAN TGL is extremely manoeuvrable. Its most appealing features include a high payload, high front axle-load reserve when partially loaded, plus a low loading height and overall vehicle height thanks to the 17.5-inch tyres. The CC cab makes it especially pleasant thanks to its extremely low step unit and first-class comfort.

The 15-tonne MAN TGM is in a class of its own – a truck that combines payload with a large cargo volume. A number of different wheelbases and 19.5-inch tyres create flexibility when it comes to capacity. The optional full-air suspension provides stability in the event of uneven load distribution. If it's optimum payload with a low tare weight you're looking for, the 18-tonne MAN TGM is what you need, while the 26-tonne MAN TGM with a steered and raised trailing axle is a payload giant, with a large body length for maximum capacity.

The TGL and TGM now feature the MAN TipMatic® with Idle Speed Driving, Speed Shifting¹ and EfficientRoll¹ functions. These start-up and gearshift strategies improve driver comfort and reduce fuel consumption.

MAN TGL and TGM for refrigerated transport

- Optimum payload ratio
- High front axle-load reserve for partial loads
- Low loading height thanks to the 17.5- and 19.5-inch tyres, plus low frame design
- Small turning circle
- Low step unit with the CC cab
- Stabilisation package with enhanced shock absorbers and stabilisers on the front and rear axles for vehicles with a high centre of gravity

¹ Speed Shifting and EfficientRoll only available on the 12-gear version



11

RecoBlock

MAN


M-AN 3723

CARRYING FOOD IN HEAVY DISTRIBUTION TRANSPORT.

In the MAN TGS series, the 18-tonne vehicle is a powerful option for refrigerated transport. But it's the 3-axle chassis that takes the leading role, with the rigid truck providing huge capacity thanks its eight-metre-plus body. Equipped with a raised and optionally steered trailing axle, it also boasts a small turning circle. Combined with a tandem axle trailer, the 3-axle vehicle meets all requirements in terms of maximum volume and high flexibility when through-loading. The City semitrailer unit is made for urban driving, and its trailer with a steered axle allows for excellent manoeuvrability. When it comes to payload, the equally manoeuvrable semitrailer combination with a 2-axle trailer ups the stakes even further. The second semitrailer axle is also steered.

MAN TGS for refrigerated transport

- Optimum payload ratio
- Sector-specific solutions to optimise manoeuvrability and overall height, e.g. steered trailing axle
- Comfortable cabs (NN and TN) with a spacious feel
- Variable hitching height thanks to different tyre sizes, different fifth-wheel couplings and plates



Roller containers (720 x 810 mm)
(approx. 350 kg in fresh goods deliveries).

Roller containers without stowage tolerance.

Pallets help to make loading safe, efficient and organised by making maximum use of the transport volume available. In the case of distributing food, Euro pallets, roller containers, cages and compartment systems of all types are used. The overview diagram will give you an idea of how many roller containers can be loaded onto each length of trailer. An equivalent overview for Euro pallets can be found on page 20.

CARRYING FOOD IN LONG-DISTANCE TRANSPORT.

When efficiency is the ultimate goal, reliability is key.

The MAN TGX is the perfect combination of both. A desirable vehicle concept in long-distance transport is the semitrailer combination. It boasts a high payload and large capacity, continuous cargo space in the trailer and the flexible exchange of tractor units. The standard tractor unit is the 4x2 semitrailer. To avoid overloading the rear axle when there's only a partial load, a 6x2 semitrailer tractor unit may also be necessary. As an articulated truck, the MAN TGX features high pallet capacity to put cost-efficient transport services on the road. In contrast to the semitrailer combination, in this case two refrigeration units are required. The operator must decide for themselves which approach is the most economical for them.

MAN TGX for refrigerated transport:

- Optimum payload ratio
- Spacious cabs in the GN, GM and GX designs
- High-performance engines up to 471 kW (640 hp)
- Variable hitching height thanks to different tyre sizes, different fifth-wheel couplings and plates





Technologies all in one
FRIGOBLOCK

MAN

M-AN 320

EFFICIENT SOLUTIONS FOR REFRIGERATED TRANSPORT.

Close collaboration with manufacturers.

MAN works closely with all of the leading manufacturers of refrigeration units in order to quickly and efficiently supply and fit any specific customer requirements. No matter whether it's a diesel-, generator- or compressor-powered front-wall unit, an underfloor unit or nitrogen cooling – there's always a cool solution at hand. For this reason, a defined interface (bracket) is provided for mounting the additional equipment, with MAN specifying the connection points to the engine. Using an adaptor made by the manufacturer, the respective equipment can then be mounted on the bracket. And with the MAN preparation developed especially for the FRIGOBLOCK alternator, the latest generation of FRIGOBLOCK alternators can now be fitted.

Preparation for the FRIGOBLOCK alternator.

Many vehicle types are already prepared for the installation of a FRIGOBLOCK alternator ex works. The different attachments developed for the MAN TGL and TGM accommodate a number of different alternator sizes. For the MAN TGS and TGX, FRIGOBLOCK preparation is provided up to 294 kW (400 hp).

The installation doesn't restrict any auxiliary units and is available on the MAN D08 engine series. The electrical components in the cab are also already incorporated in the vehicle so the installer can simply and safely mount the alternator.



Fitting situation for Frigoblock generator

CARRYING BEVERAGES IN DISTRIBUTION TRANSPORT.

Be it mineral water, fruit juice, beer or wine: MAN beverage transporters deliver the ultimate transport efficiency at all times.

When it comes to house-to-house beverage deliveries to end customers, the MAN TGL has got it in the bag. The 7.5- to 12-tonne vehicles are extremely manoeuvrable, have a low unloading height, offer an excellent handling and driving experience, and are nippy and economical. From the compact CC cab to the efficient engines with MAN TipMatic® and the optimised chassis components, the MAN TGL is adapted for home deliveries. One plus point of the airsprung rear axle is the constant driver and suspension comfort with automatic height adjustment – a positive contribution to greater road safety no matter what the loading conditions.

When a high payload and load capacity are required in addition to manoeuvrability and a convenient unloading height, the MAN TGM has just the right combination of features. The 15- and 23-tonne vehicles with 19.5-inch tyres and a low frame design benefit from a convenient unloading height. The 18-tonne vehicle with 22.5-inch tyres and a roaring 235 kW (320 hp) engine also has a lot to offer as a beverage transporter.

The ultimate in terms of payload and unmatched in its class is the MAN TGM 23-tonne vehicle with a trailing axle and 19.5-inch tyres. The easy-to-maneuvre payload giant can carry a maximum of an additional 13.7 tonnes and in doing so becomes the one to beat. Also fitted with a trailing axle is the 26-tonne vehicle with 22.5-inch tyres, which completes the MAN TGM range. A clear advantage for all users is the full-air suspension that can be lowered by 90 mm compared to the normal height.

You'll benefit from:

- High payloads thanks to low tare weights
- Gross train weight up to 36 tonnes
- High front axle-load reserve for partial loads
- High manoeuvrability
- Low loading height thanks to 17.5-inch tyres (MAN TGL only) or 19.5-inch tyres (on 15- and 23-tonne vehicles) and low frame design
- CC and TN cabs with low step unit for urban driving and/or with a spacious feel for long-distance journeys
- Wheelbases for all current body lengths
- MAN TGM with optional full-air suspension for optimal delivery of goods



MAN

M AN 5180



CARRYING BEVERAGES IN HEAVY DISTRIBUTION TRANSPORT.

The MAN TGS.

Whether it's the low step unit of the NN and TN cabs, the low weight and compact overall height or the spacious feel of the TM cab, the comfort and equipment in the MAN TGS cabs are ideally suited to use for heavy distribution transport. The MAN TGS also has a lot to offer when it comes to load capacity and payload. The 26-tonne, 3-axle vehicle in particular, with a steered trailing axle, combines a high payload with great manoeuvrability. What works especially well for heavy transport services is the MAN TGS operation with trailer. Powerful Euro 6 engines ensure dynamic, perfectly coordinated gearboxes, while drive axles bring the power to the road.

Thanks to the low frame, the body height can be increased considerably, and with PET bottles that becomes necessary. But in order to be within the legally required overall height and to have a low unloading height, we recommend using low-section tyres with an aspect ratio of 60.

MAN TGS for beverage transport:

- High axle-load reserve
- Gross train weight up to 40,000 kg
- High frame stiffness for rear loads, e.g. a truck-loaded forklift
- Low unloading height thanks to the tyres with an aspect ratio of 60 and low frame design
- NN and TN cab with compact dimensions, TM cab with spacious feel
- Good manoeuvrability on the 26-tonne vehicle with steered trailing axle
- High-performance engine up to 382 kW (520 hp)



CARRYING BEVERAGES IN LONG-DISTANCE TRANSPORT.

The MAN TGX.


When it comes to long-distance transport, load capacity and payload are critical. And that's where the MAN TGX is in a class of its own. As a 26-tonne vehicle with a trailing axle, it offers complete loading efficiency. Efficient high-power engines ensure a dynamic drive, in particular the MAN D38 engine with 471 kW (640 hp). The cabs are especially inviting: the GN and GM cabs pair a pleasant environment with practical equipment. The GX cab is one of the most spacious in Europe – offering maximum comfort and optimum freedom of movement.

The big advantages of the semitrailer combination are the semitrailer's continuous cargo space and the ability of the semitrailer tractor to easily switch between trailers, which maximises transport performance and minimises downtime.

When it comes to loading volume, the articulated truck is streets ahead. Legal requirements mean it can have a total cargo length that's two metres longer (15,600 mm) than a semitrailer combination (13,600 mm). Two designs have been established for articulated trucks: one is the operation of trailers on a pivot joint, with a body length of $2 \times 7,450$ mm being possible. The other is the operation of centre-axle trailers with a body length of $2 \times 7,820$ mm, with the extra loading length more than making up for it being a more complex machine.

MAN TGX for beverage transport:

- High axle-load reserve
- Gross train weight up to 40,000 kg
- High frame stiffness for rear loads
- GN, GM and GX cabs with a spacious feel and immense comfort
- High-torque engines with output of up to 471 kW (640 hp)



- 1 Loading as per the layout
- 2 Example: Securing a load in a body that complies with VDI 2700 guidelines

KEY CONSIDERATIONS FOR THE BEVERAGE SECTOR.

Beverage bodies – quick, secure and convenient.

There are three things a beverage body should offer: you need to be able to open and close it quickly in order to save precious time. Loading and unloading should be especially easy and convenient for the driver. The body needs to be stable and robust to allow for loading using a forklift truck and to ensure secure transport. Another important aspect is a tare weight that's as low as possible to allow for maximum payload. There are many innovative body systems that meet these requirements. The following versions are available: folding side trailers that fold up or down, sheeting systems with tensioned, lifting, rolling or sliding curtains, plus Hackney bodies with various frame designs. The system you choose will depend purely on your individual requirements.

Playing it safe.

Securing loads using straps, locking cargo bars or other locking systems is a key consideration in all European countries. It's not just relevant from a security point of view, it's also a financial matter. After all, a damaged load can incur huge costs. If a vehicle has defective or missing load securing equipment, there is the potential of legal consequences for the driver, the shipping agent (the person in charge of the loading) and the vehicle keeper (haulier) in equal measure.

In Germany, the VDI 2700 guidelines serve as a legally binding foundation for securing loads. Many body manufacturers have had their body and load securing systems certified – these manufacturers should be favoured when deciding which vehicle to purchase. MAN vehicles from the Trucknology® Roadshow or the Trucks-to-go for the beverage sector have certified bodies.

Loading as per the layout.

Pallets help to make loading safe, efficient and organised by making maximum use of the transport volume available. Across Europe, Euro pallets measuring 1,200 x 800 mm and water pallets measuring 1,100 x 1,070 mm have been established as the norm in beverage transport. The overview diagram will give you an idea of how many Euro pallets can be loaded onto each length of trailer.

PERFECT FOR THE JOB.

There is no area in which our vehicles cannot perform. No matter where reliable transport performance is needed, MAN is always there.

The comprehensive MAN vehicle range, which includes the MAN TGL, TGM, TGS and TGX series, ranges from 7.5 to 44 tonnes. Thanks to our wealth of experience and close cooperation with body manufacturers, we are able to provide you with the ideal vehicle solution for each and every task.



Semitrailer tractors for semitrailers

Type	Gross train weight	Wheel configuration	Suspension	Wheelbase in mm
TGS/TGX	18.XXX	4x2	BLS	3,600
TGS/TGX	18.XXX	4x2	LLS	3,600
TGS/TGX	26.XXX	6x2/2	BLS	2,600
TGS/TGX	26.XXX	6x2/4	BLS	2,600

Semitrailer tractors for high-capacity trailers and special semitrailers

Type	Gross train weight	Wheel configuration	Suspension	Wheelbase in mm
TGM	15.XXX	4x2	BL, LL	2,975 ¹⁾ , 3,525
TGM	18.XXX	4x2	BL, LL	3,575
TGS/TGX	18.XXX	4x2	LLS-U	3,500

1) Only with the CC cab.

2) Load distribution of 7.49 tonnes.

Chassis for standard fixed bodies

Type	Gross train weight	Wheel configuration	Suspension	Wheelbase in mm
TGL	8.XXX ²⁾	4x2	BL	3,300, 3,500, 3,900, 4,200, 4,500
TGL	10.XXX	4x2	BL	3,300, 3,500, 3,900, 4,200, 4,500
TGL	12.XXX	4x2	BL	3,900, 4,200, 4,500, 4,850, 5,200
TGM	12.XXX	4x2	BL	4,425, 4,775, 5,125
TGM	15.XXX	4x2	BL, LL	4,425, 4,775, 5,125
TGM	18.XXX	4x2	BL, LL	4,425, 4,725, 5,075, 5,425, 5,775, 6,175
TGM	23.XXX	4x2-2	LL	4,125, 4,425, 4,725, 5,075, 5,425, 5,775
TGM	26.XXX	4x2-2	BL, LL	4,125, 4,425, 4,725, 5,075, 5,425, 5,775
TGS/TGX	18.XXX	4x2	BL, LL	4,800, 5,100, 5,500, 5,900
TGS/TGX	26.XXX	6x2-2	BL, LL	4,800, 5,100, 5,500, 5,900

TAILOR-MADE TRUCK.

Life is all cakes and ale – at least with MAN Individual. We can upgrade your truck to suit your wishes and requirements. This will make it exclusively unique – from a first glance at the design right up to a feeling of well-being throughout the entire driver's cab. You have the choice when it comes to the cab, chassis, driveline, electronics and body – and we have the right solutions.

Precisely as with the standard chassis, with MAN Individual you are building upon excellent MAN quality excelling in outstanding reliability and safety. And what's more: After delivery of the modified chassis, you benefit from our guarantee and warranty.

One-stop service

You get everything from one source, thus always having an overview of the costs. From order preparation and design right up to production, quality assurance and delivery, your personal contact partner will ensure that you receive your desired vehicle or your ideal chassis rapidly and straightforwardly. Completely individually. MAN Individual.

Contact your seller to let them know your individual requests. Working together with MAN Individual, they will find the best solution for you. Our specialists will handle your specific requirements, providing the high standard of quality you expect from MAN.

Examples of modifications:

- Extension of the CC cab
- Retarders
- MAN TGL and TGM semitrailer tractors





- 1 Language recognition via driver card
- 2 Preparation for Alcohol Interlock
- 3 Sensor system for the fifth-wheel coupling

DRIVING IN COMFORT.

With automatic language recognition via driver card, activated via MAN Now, the language saved on the card is automatically adopted as the “vehicle language” after inserting the driver card into the tachograph (when the ignition is switched on) and does not have to be set or selected manually via the vehicle menu. Manual language setting via the vehicle menu remains available, so that a language other than the one stored on the driver card can be subsequently selected.

28 languages are available. The languages German and English are available in every vehicle. In countries where RIO is offered, additional languages are also available subsequently free of charge via MAN Now.

Preparation for Alcohol Interlock

Traffic accidents caused by alcohol are particularly annoying because they are absolutely preventable. The driver must react in a fraction of a second even in a sober state, e. g. to avoid an impending accident. Under the influence of alcohol, this is impossible. With the preparation for connecting a device for determining the alcohol content in the breath, the engine can only be started if a maximum permissible alcohol content (may vary from country to country) is measured in the air tested.

The electronic blocking of the engine start by the alcohol tester can be cancelled or bypassed (depending on the version, for example in emergencies) by pressing a secured button. Please note: This is only permissible for certain countries.

Sensor system for the fifth-wheel coupling

The sensor system of the fifth-wheel coupling enables safe and convenient sensor-supported monitoring of the coupling and uncoupling operation from the driver's workplace. This prevents damage due to incorrect coupling processes. For a controlled and guided coupling process between the semitrailer tractor and semitrailer, displays and text messages are shown to the driver on the instrumentation display as a sub-item of the air suspension menu. If a coupling process has been completed correctly, this is also confirmed by an acoustic signal. Please note: The pre-departure check remains mandatory despite the indication of the locking status in the driver's display.

INCREASED SAFETY.

Front Detection

Whether in the delivery zone of a supermarket, when leaving the workshop or in hectic inner-city traffic: people may be located directly in front of the vehicle where they are difficult to see. **When moving off and at speeds of up to 10 km/h**, Front Detection monitors the close range in front of the vehicle, which is difficult or impossible for the driver to see, and warns the driver in two stages if it has detected particularly vulnerable, “weaker” road users, such as pedestrians or cyclists. Front Detection thus helps to increase safety and prevent accidents. It relieves the strain on the driver, in particular during urban driving.

Front Detection supplements the Emergency Brake Assist EBA Plus, which includes a comparable protective function for particularly vulnerable road users, but only becomes active at speeds above 10 km/h.

Emergency Brake Assist EBA Plus

In an emergency, automatic brake intervention until full braking – this has previously saved lives in the event of an impending collision with other vehicles. But what happens if pedestrians or cyclists suddenly enter the driving area? The enhanced Emergency Brake Assist warns and now reacts to these more vulnerable road users as well. The Emergency Brake Assist EBA Plus warns the driver of an impending collision **at road speeds of 10 km/h and above**. In the event of an emergency, if a collision hazard is detected, automatic braking intervention takes place even to the point of standstill – also for vulnerable, weaker road users such as pedestrians or cyclists. Available on demand in a version that cannot be switched of.



- 1 Front Detection
- 2 Emergency Brake Assist EBA Plus



FURTHER ASSISTANCE SYSTEMS.

Direct call-up of central operating menu for assistance systems

A new button directly opens the central operating menu for configuring the assistance systems available in the vehicle. This simplifies switching on and off as well as configuration of all the available assistance systems – especially with frequently changing drivers. Depending on the equipment, the button for central operation of the assistance systems is located either on the multifunction steering wheel or in the assistance system key panel on the instrument panel (for vehicles without multifunction steering wheel). There is also a button for temporary switching off the acoustic signals of the assistance systems.

Long-haul transport assistant MAN CruiseAssist

Across the entire permitted speed range on motorways and main roads similar to motorways with structural separation of lanes, the long-haul transport assistant MAN CruiseAssist automatically controls the driveline, brakes and steering, if necessary decelerating to a full stop behind a vehicle that is stopping and, in the case of brief stops, automatically moving off again. MAN CruiseAssist guides the vehicle continuously by means of gentle steering interventions. The system uses the detected lane markings as orientation.

Lane Change Collision Prevention Assist

The MAN Lane Change Collision Prevention Assist uses radar sensors to monitor the areas to the left and right of the vehicle's lane. If the sensors detect that changing lanes would result in a dangerous situation, the driver is warned in good time. If the vehicle nevertheless leaves the given lane – also if the turn indicator has been actuated – the Lane Change Collision Prevention Assist steers it back into the lane by means of a corrective steering torque.

Lane departure warning (LDW)

An acoustic signal warns the driver if they drift out of their lane. Available on demand in a version that cannot be switched off.

Lane change support (LCS)

Lane Change Support LCS monitors the lanes on the right and left next to the vehicle with the aid of radar sensors from a driving speed of 50 km/h – up to approx. 30 m towards the front and up to approx. 80 m towards the rear. If the sensors detect a dangerous situation when the vehicle is changing lanes, the driver is warned in good time so that they can prevent a potential collision with other vehicles.

Lane return assist (LRA)

If the truck departs from its lane, corrective steering guides the vehicle back. The vehicle is automatically steered until it reaches the normal lane position; it is not kept in its lane continuously.

Turn Assist

Turn Assist monitors the difficult-to-see side area next to the vehicle (co-driver's side) with the help of radar sensors at road speeds of up to 30 km/h. If the sensors detect a dangerous situation when the vehicle is turning off, the driver is warned in good time so that they can intervene and prevent a possible collision with other road users.

Traffic jam assist

On motorways or other well-constructed major roads, the traffic jam assist can independently operate the vehicle's drivetrain, brakes and steering. It slows behind a stopping vehicle ahead until coming to a stop and moves the truck forward again by itself.

ACC Stop&Go

The ACC with Stop&Go feature automatically controls speed and the distance from the vehicle in front. The desired speed is maintained without the driver having to operate the accelerator. The truck automatically brakes until it comes to a standstill and moves away again after short stops.

Distance warning system


The distance warning system helps to maintain the required, generous safety distance to the next vehicle. After an acoustic or visual warning, the driver can correct the distance so that more reaction time remains for unforeseen situations.



1 Assistance systems button for vehicles with multifunction steering wheel



2 Assistance systems button for vehicles without multifunction steering wheel
3 Button for switching off the acoustic signals of the assistance systems



FURTHER ASSISTANCE SYSTEMS.

Traffic sign recognition system

The traffic sign recognition system uses the new video camera on the windscreen to detect road signs on the route in front of the vehicle and displays the permitted maximum speed on the instrumentation display. This applies to both traffic signs that show a specific speed limit, as well as town boundary or motorway signs. If the permitted maximum speed is exceeded, the system warns the driver visually and, if necessary, also acoustically.

For vehicles with navigation system, the system combines the optically recorded data with stored navigation data. This means that the system can also react accordingly to current changes in signs – which are not shown in the existing navigation data. Other country-specific and vehicle-specific restrictions such as no-overtaking or no-entry restrictions can also be shown on the display.

MAN AttentionGuard

MAN AttentionGuard is an attention assistant based on the principle of lane monitoring. Within the limits of the system, starting at a speed of approx. 60 km/h it detects reduced driver alertness in good time. A visual as well as acoustic warning supports the driver in refocusing their concentration on the road – thus we help reduce a possible accident due to lane departure.

Compared with the previous version, the enhanced MAN AttentionGuard continuously evaluates the driver's directional accuracy, steering interventions and other parameters. The uniformly specified, scientifically recognised rating scale (Karolinska Sleepiness Scale, KSS) is used to calculate and estimate the driver fatigue level. The driver is warned when a specific stage on this rating scale has been reached.

Tyre pressure monitoring system

The tyre pressure monitoring system (TPM) with display of tyre temperature uses sensors to determine and monitor the air pressure and temperature in the vehicle tyres – including the spare wheel (here only air pressure). If the air pressure is too low/too high in comparison to the nominal pressure or the tyre temperature is too high, the driver is warned by means of a display in the instrumentation. As standard available for the entire range up to and including 4-axle vehicles. The function autolearn/autolocate automatically learns the sensors and their position so that the wheels no longer have to be fitted in the same position; there is no need for a workshop visit to re-initialise the sensors with the correct position.

Driver's airbag¹

The airbag integrated into the steering wheel and the seat belt tensioner incorporated into the belt lock on the driver's side are activated in the event of a collision via a joint trigger: if a critical deceleration of the truck is detected, the activators for the airbag and belt tensioner launch in parallel.

High-beam assist

Depending on the driving situation, high-beam assist optimises use of the main beam. It prevents the drivers of oncoming vehicles or vehicles in front from being dazzled by automatically dipping the headlights.

Side camera system (SCS)²

The side camera system is an integrated camera system for assisting in turn-off procedures. It makes it easier for the driver to observe those areas next to the vehicle that are difficult to see (co-driver's side). The video feed is transmitted to an optional additional monitor (only for vehicles with conventional mirrors) on the co-driver A-pillar or to the media display.


Video Turn Assist (VTA)²

Video Turn Assist expands object recognition by comparison with the side camera system (SCS): Objects are detected in an area of 2.5 m x 6 m to the right of the vehicle and the monitor display is supplemented by a warning to the driver in the form of an acoustic signal from the loudspeaker built into the vehicle. The video feed is transmitted to an additional monitor (only for vehicles with conventional mirrors) on the co-driver A-pillar. In addition, an optical display lights up and an acoustic signal is emitted.

360° view assistant BirdView²

The camera system for a 360° live view 'from above' seamlessly displays an area of up to four metres around vehicles with fixed bodies (e.g. fire-fighting, beverage or waste-disposal vehicles). Stitch-and-blend technology combines four camera views (front, rear, left and right, in full-HD quality) to a single image from the bird's-eye perspective. A special feature of the system is – depending on the driving situation – self-adjusting image sections at manoeuvring speed (≤ 40 km/h), when the turn indicator is set (lane change) and when reversing.

1 For MAN TGX and TGS
2 MAN Individual package



SAFETY FIRST, EVERY TIME.

MAN has the right cab for every need – and maximum safety, comfort and ergonomics travel with you wherever you go. Our cabs are designed for fatigue-free, focussed driving, relaxing breaks and maximum passenger protection. All of the cabs offer optimum safety thanks to a range of features, including the mirror system comprising main and wide-angle mirror, large kerb mirror and front mirror. Or the innovative MAN OptiView digital mirror-replacement system which provides the driver with the optimal overview of the traffic situation. A heated wind-screen ensures an unobstructed view even at the coldest times of the year.

Aerodynamically optimised sun visor for MAN GX and GM cabs

The design sun visor in dark grey adds a touch of class to the front of the GX and GM cabs. It prevents the driver from being dazzled when the sun is at a steep angle. The design has been optimised for aerodynamics, resulting in better airflow around the A-pillar at the roof and preventing separation of the air stream which is unfavourable for fuel consumption. This improvement of the drag coefficient (cd value) reduces fuel consumption.

MAN OptiView.

With the innovative MAN OptiView digital mirror-replacement system, enhanced safety takes to the road. This is not only because MAN does away with mirror arms and depicts the statutorily required fields of vision, but also because in critical driving situations such as manoeuvring, turning off and changing lanes, the extended views provide the driver with the optimal overview of the traffic situation.

MAN OptiView does far more than conventional mirror systems. Besides the statutorily required fields of vision, the digital mirror-replacement system also shows views specifically adapted for various driving situations (e.g. turning off, manoeuvring, driving on motorways). The functional principle and display concept of MAN OptiView are thus optimally matched to natural human perception, enabling the driver to visually grasp the vehicle surroundings and traffic activity quickly, evaluate them reliably and deal with them safely.



Cab	W x L (mm)	Sleeping facilities	Available for	Segment	Benefits at a glance
Cab GX: The maximum one (wide, long, extra height)	2,440 x 2,280	2	TGX	Long-haul transport	<ul style="list-style-type: none"> ■ One of the most capacious in Europe ■ Even more standing height: 2,100 mm ■ 2 comfortable beds
Cab GM: The generous one (wide, long, medium height)	2,440 x 2,280	2	TGX	Long-haul transport	<ul style="list-style-type: none"> ■ Full standing height ■ Spacious interior ■ 2nd bed possible
Cab GN: The roomy one (wide, long, standard height)	2,440 x 2,280	1	TGX	Special uses in local transport (e.g. building materials, wood)	<ul style="list-style-type: none"> ■ Compact size ■ Convenient through access ■ Comfortable bed as standard
Cab TM: The comfy one (narrow, long, medium height)	2,240 x 2,280	2	TGS, TGM, TGL	Heavy-load special uses in national long-haul transport	<ul style="list-style-type: none"> ■ 2 sleeping spaces ■ Capacious exterior storage compartment ■ Expanded standing space in through access
Cab TN: The flexible one (narrow, long, standard height)	2,240 x 2,280	1	TGS, TGM, TGL	Local and distribution transport, off-road transport, municipal services	<ul style="list-style-type: none"> ■ 1 sleeping space ■ Capacious exterior storage compartment ■ Expanded standing space in through access
Cab NN: The practical one (narrow, medium length, standard height)	2,240 x 1,880	-	TGS	Local and distribution transport, off-road transport, municipal services	<ul style="list-style-type: none"> ■ Space behind seats for work clothes, etc.
Cab CC: The compact one (narrow, short, standard height)	2,240 x 1,620	-	TGM, TGL	Local and distribution transport, off-road transport, municipal services	<ul style="list-style-type: none"> ■ Comfortable height ■ 3rd seat possible ■ Additional storage spaces in midsection
Cab DN: The crew cab	2,240 x 2,790	-	TGM, TGL	Construction transport, municipal services	<ul style="list-style-type: none"> ■ 6 (optionally 7) seats ■ Comfortable height

ERGONOMICS START WITH THE VERY FIRST STEP.

The ergonomic entry design of the MAN Trucks ensures a pleasant start to the day. As the entrance is positioned in the middle of the door area, the driver can get into the vehicle in an upright position. The access ladder is designed as a stair so you have all steps in view. On entering the vehicle, the design ensures extra comfort, and it offers better safety, too. Thanks to entry lighting, the steps and surroundings are visible at any time of day and in any weather conditions as soon as you open the door. For all this, we didn't forget the little things either: an entrance optimised especially for off-road work and that features steps with a non-slip surface and a lattice structure, washable interior door panelling and a compressed air supply. This way sand, mud and gravel can quickly be shown back out the door. In addition to ensuring your truck makes a positive impression visually, breaks feel all that much better, too.

That said, we developed the MAN EasyControl system specifically to help you avoid getting in and out when you don't have to. Within the driver-side door there are four controls that can be easily accessed from outside the vehicle. Depending on your configuration, they come preprogrammed with the key functions or can even be implemented according to individual needs.

Once in the cab, you have a variety of driver's seats to choose from, each ready to welcome your particular build. There is a larger range of backrest adjustment options for drivers of all sizes. The passenger seat as well features highly ergonomic design and its own range of individual adjustment possibilities. The Vario seat is especially space-saving: when it's not needed, thanks to its Cinema function, it can simply be folded away. With the TGX, the whole seat can even be rotated 90° to enjoy maximum legroom during breaks.

Even the steering wheel has been given greater flexibility: for the resting position, the steering wheel can be tilted forward to a horizontal position by the driver, and in action as well, it can be given as steep an angle as that of an average passenger car. The result is a workplace that bends over not only backwards, but forwards and sideways as well, to suit. So the driver doesn't have to.





WITH MAN YOU CAN TAKE A LOAD OFF.

Everything has to come to rest at some point. A good atmosphere. A cosy environment. In the sleeping area of the MAN trucks that's exactly what you'll find. In the extended cab models, a multizone cold-foam mattress and a slatted frame ensure comfort for well-deserved shut-eye and peaceful dreams. Personal items have their spot too in the many, customisable stowage compartments.

The bed is so comfy, you might want to stay just where you are. And you can, too, since all important functions can be operated and monitored right from the remote control. Lights, locks, heating, windows – all a simple push of a button away. Just like the radio, music, the perimeter camera and important data on the battery's current status or driving times. The infotainment system can also be conveniently operated via the MAN Driver app. Breaks and sleeping times can therefore be used optimally so that you're well rested and ready to take on upcoming challenges.

In our cabs an auxiliary water heater provides pleasant temperature and air condition. For the MAN GX, GM, GN, TM and TN cabs for the TGS electrical auxiliary air-conditioning system (as an option) is ready for use. The electric air conditioner works without a cold reservoir, which would have to be charged during vehicle operation, and is thus ready for use at any time. Even in summer it can keep things refreshingly cool for up to 11 hours.

While the truck is on the road, MAN Climatronic maintains the chosen temperature fully automatically. Comfortable temperature zones in the cab are assured as well, as the foot area and the head area are controlled separately. Perfect for keeping your head cool but your toes toasty. Noise and lights are kindly asked to stay away, however. To create the perfect feel-good environment, the entire interior can be tailored to suit you down to the ground. From the colour scheme (Desert Beige or Moon Grey) to the storage space in the cab and even the interior lighting, everything can be customised to your needs – while maintaining a clear focus on the functionality which will never let you down.

Lion emblem on partial leather seats and curtains

With the expressive lion emblem on the partial leather seats and the practical curtains, stays in the cab are even more pleasant. The curtain fabric is hard-wearing and is in the same colour for both interior colour schemes. The cross-cab curtain is designed as a single piece. The bunk area can now be made even darker.



- 1 Perfect for independent types:
on-board coolbox/fridge
- 2 Lion emblem and curtains

TOP-CLASS DRIVER'S CAB.

The traffic situation is becoming ever more demanding and complex. And when off-road, you're always facing new challenges that call for a driver's full concentration. It is all the more important to us then to make the cockpit as driver-friendly and organised as possible. Displays and controls are separated from one another spatially. Reading distances and reachability are thus ergonomically optimised: data is set at a farther distance, making it easier to grasp, functions are colour-coded, and buttons and switches are within easy reach. The focus is clearly set on the most important areas. The driver's view can easily go between the road and the instruments, without fear of distraction. Just another MAN contribution to making drivers' lives less complicated and less tiring.

All of the displays and controls throughout the vehicle follow a single concept. Symbols, colours, usage, alert and warning sounds as well as design are consistent throughout the cockpit. The quick-selection keys are individually programmable and accelerate workflows. Not to mention notices can be played in any of 30 different languages.

For voice command operation, a choice of six languages is offered. All of it intuitive to use. After all, the controls – and especially the cutting-edge digital components – were developed by drivers for drivers. This way the driver can see to the truly important things: the cargo and the transport, whatever the terrain.

DNR selection for MAN TipMatic® on stalk switch

Operation of the gearbox using the right control stalk is a completely new development. Both driving mode and driving program are selected by means of the stalk switch. Controls located in easy reach near the steering wheel and electric parking brake make for certainty in operation.

The parking brake can optionally be engaged by means of an electric switch, which is located on the right-hand side of the instrument panel next to the main display. Under certain circumstances, both actuation (engagement) of the parking brake when parking the vehicle as well as its release when moving off can be carried out automatically.



DRIVING SMART.

With navigation, radio (from standard to digital), video, telephone and more tailored to trucks, the infotainment system of the MAN Trucks is a communication and multimedia hub. It is available in five different variants, from entry-level to Navigation Professional. The 7-inch or 12.3-inch display – both with brilliant HD resolution – makes for great viewing. Direct access buttons and a USB-C input connection are part of the standard fittings, and from Advanced level on up to two smartphones can be paired. The media system Medium 7" is an entry-level media system version for vehicles that are subject to the new statutory provisions on equipment with a Reversing Motion System.

The infotainment system can be operated either via a classic control system with buttons or via MAN Smart-Select (can be combined from version Advanced 7-inch). Throughout, familiar usage meets innovative comfort. The result is one you can see and feel, too, as high-quality surfaces make every journey with an MAN Truck tangibly special.

Reversing Motion System

Overview to the rear when manoeuvring – ex-works! When reversing a solo vehicle, the camera image of the camera installed ex-works in the rear area supports the driver. People or objects behind the vehicle can be detected, trailers or semitrailers are in full view when connecting or hitching up.

The image from the camera is automatically shown on the MAN media system display when reverse gear is engaged and the vehicle rolls backwards. A button on the instrument panel with a camera symbol enables manual activation of the system.



- 1 Infotainment system with 12-inch display and MAN SmartSelect
- 2 Right: Camera image of the Reversing Motion System when hitching up
Left: Camera image of the front camera with MAN OptiView

IMPROVED AERODYNAMICS.

The better the headwind flows around a vehicle, the less fuel is required for driving. With the TGX, in line with the design of the MAN Trucks, gap widths between the cab and semitrailer are therefore reduced and the formation of turbulence is suppressed for optimum aerodynamics. The reversible extensions on the side flaps and roof spoiler reduce the free space between the cab and the semitrailer. This achieves a particularly effective aerodynamic airflow around the entire vehicle – even in cross winds. The door gap closing element is a highly flexible plastic element attached to the door extensions, which closes the vertical gap between the front edge of the door extension and the bumper. This further optimises the aerodynamic flow around this area.

The aerodynamically optimised A-pillar cladding for TGX and TGS has a specially shaped attachment made of flexible plastic, which improves airflow around the A-pillar and thus – due to lower eddies – reduces drag. Vehicles with the MAN OptiView mirror replacement system benefit to a greater extent from the new aerodynamically optimised A-pillar cladding and the calm airflow in this area.



POWER THAT GOES THE DISTANCE.

If you want to get to the top, you need drive and efficiently deployed strength. For the MAN trucks, we have a full four on offer: the MAN D38, our engine for heavy-duty tasks for the MAN TGX, the MAN D26, the D15 and the D08. Each one is a high performer and brings efficiency and trusted MAN reliability to make your new truck a strong and cost-transparent member of your business for a long time to come. With every stage of development, a high level of engineering skill reduces fuel consumption and increases performance. Recent example: the MAN D26 in Euro VIe. Brings 10 hp and 50 Nm more to the road and still consumes up to 3% less fuel.

So that you can get the most out of our high-performance engines at all times, we have a variety of digital tools ready and waiting. The digital service Perform assists drivers in optimising the economy of their driving styles. Perform evaluates all the relevant vehicle data with respect to the economic efficiency of the driving style. The service provides important vehicle data about utilisation of cruise control or the service brake, for example.

Efficiency is always what comes first when it comes to MAN engines. You can count on it. Finally, there was only one component left for us to improve: the driver. And we took that on, too: first via efficiency data displays and assistance systems like the GPS-based speed control system MAN EfficientCruise® with PredictiveDrive. The new function of the MAN EfficientCruise® GPS cruise control no longer drives blindly and stubbornly uphill, but weighs up possible speed and gearshift strategies against each other like a strategist and ultimately selects the one with the most economical fuel consumption. Then we added tailored driver training using the data from your specific MAN truck, continuously digitally recorded and ready for evaluation. Together it's the ideal basis for the perfect interplay of human and MAN.

New generation of hypoid axles*

The new generation of hypoid axles enables a driveline configuration that is optimally matched to the respective application: Lighter and more efficient. As single axle or tandem-axle assembly.

Engines Euro VI

	Type	Capacity	Rated output	Max. torque
D0834	R4	4.6 l	118 kW (160 hp)	600 Nm
	R4	4.6 l	140 kW (190 hp)	750 Nm
	R4	4.6 l	162 kW (220 hp)	850 Nm
D0836	R6	6.9 l	184 kW (250 hp)	1 050 Nm
	R6	6.9 l	213 kW (290 hp)	1 150 Nm
	R6	6.9 l	235 kW (320 hp)	1 250 Nm
D1556	R6	9.0 l	243 kW (330 hp)	1 600 Nm
	R6	9.0 l	265 kW (360 hp)	1 700 Nm
	R6	9.0 l	294 kW (400 hp)	1 800 Nm
D2676	R6	12.4 l	324 kW (440 hp)	2 250 Nm
	R6	12.4 l	353 kW (480 hp)	2 450 Nm
	R6	12.4 l	382 kW (520 hp)	2 650 Nm
D3876	R6	15.2 l	397 kW (540 hp)	2 700 Nm
	R6	15.2 l	427 kW (580 hp)	2 900 Nm
	R6	15.2 l	471 kW (640 hp)	3 000 Nm

*Available for MAN TGX und TGS. Also for MAN TGM vehicles with 13 t rear axle.

SUPPORT FOR YOU.

MAN TipMatic®

MAN has taken efficiency to the next level with the MAN TipMatic®. This system enables the vehicle to automatically recognise the load and incline conditions and optimise the gear-changing strategy to match. Whether the truck is unladen or fully loaded, MAN TipMatic® automatically selects the ideal gear for pulling away. Moreover, the wide gear spread and software which recognises inclines guarantee outstanding performance when moving off. “SmartShifting” is a further evolution of the well-known “SpeedShifting” and minimises traction interruptions when changing gear while travelling uphill, for instance.

“Idle Speed Driving” enables comfortable moving off and driving at idling speed. This feature allows the driver to manoeuvre the truck with precision and sensitivity or “just go with the flow” in slow-moving traffic on the motorway. And should the truck get stuck in snow or in wet, loose ground, the rocking-free function makes it easier to drive off, especially due to the ability of the clutch to rapidly open and closing. In addition, MAN TipMatic® also contains pre-programmed driving settings for various driving situations, such as the fuel-saving Efficiency program, Manoeuvre mode, programs for heavy loads and Performance mode for a more agile driving style. This ensures that your truck will always perform to the max, anytime, anywhere.

MAN TipMatic® with Idle Speed Driving, Speed Shifting¹ and EfficientRoll¹ functions is also available for MAN TGL and TGM. These moving-off and gearshift strategies improve driving comfort and reduce fuel consumption.

MAN EfficientCruise®

Complex chess game on uphill gradients: The new PredictiveDrive function of the MAN EfficientCruise® GPS cruise control no longer drives blindly and stubbornly uphill, but weighs up possible speed and gearshift strategies against each other like a strategist and ultimately selects the one with the most economical fuel consumption. By taking into account the selected navigation route, or without navigation the most likely, the cruise control function MAN EfficientCruise® calculates the route with its uphill and downhill gradients up to three kilometres ahead with the aid of three-dimensional map data. The new PredictiveDrive supplements the effect of MAN EfficientCruise®, especially on uphill and downhill gradients. The PredictiveDrive system continuously analyses potential driving and gearshift strategies in these route sections and selects the most efficient one depending on the situation. This makes it possible to prevent unnecessary traction interruptions due to gear hunting and frequent gearshifts.

Depending on the topographical conditions, the available torque is enabled or reduced as part of the dynamic torque adjustment. In addition, the characteristics of the selected driving program are also taken into account. What is new is that a reduced form of dynamic torque adjustment is also used in the Efficiency driving program – with a correspondingly positive effect on the fuel consumption of the entire fleet. Previously, the positive effect of dynamic torque adjustment was reserved for the Efficiency Plus driving program. The aim of the PredictiveDrive function is generally to make the best possible use of the predicted topographical changes on the route in order to be as fuel-efficient as possible by actively varying the speed, gear and available engine torque. With the goal of implementing this at almost average speed neutrality.

MAN EfficientCruise® and PredictiveDrive are already active from low speeds (approx. 30 km/h). The system works both when driving freely and in cruise control mode. The anticipatory system reactions on uphill gradients ensure significantly better drivability and thus also increase driver acceptance of the dynamic torque adjustment.

¹ Speed Shifting and EfficientRoll only available with 12-speed version


Within a tolerance range, adaptation of the vehicle speed to the topography can be higher or lower than the desired speed set by the driver. This maximum deviation from the desired speed can be set in four ECO levels. In this way, the driver is easily able to adjust the potential fuel saving to the road surface, visibility and traffic conditions.

Steered trailing axle.

The steered trailing axle available for special types of vehicles in the MAN TGM, MAN TGS and MAN TGX series provides a synthesis of high payload and outstanding manoeuvrability: it enables a turning circle smaller than that of a two-axle vehicle of the same body length. Moreover, it reduces tyre wear and is easy on the road surface.

Variable axle load ratio

With variable axle load ratio, the drive axle always has optimal traction, regardless of loading height. The drive axle is fully loaded until it reaches the prescribed axle load. Afterwards, the additional load is absorbed by the auxiliary axle – without lowering the drive axle load. The axle load is therefore not fixed but rather distributed variably between the rear axles, so that the drive axle has sufficient traction in any loading condition and the legally prescribed minimum axle load is not fallen short of in any loading condition. The system does not have to be switched on separately; it is always active.



Variable axle load ratio

CUSTOMER-ORIENTED.

New air suspension control

The air sprung rear axle is now standard in long-haul transport. However, the possibilities and advantages of air suspension are also increasingly being used in many other application segments. The new air suspension control with its improved and extended range of functions takes this trend into account. The new electronically controlled air suspension VASC (Vehicle Air Suspension Control) allows the vehicle frame to be raised and lowered to suit different deployment scenarios. The control unit for the electronically controlled air suspension (VASC) is installed in a separate holder next to the driver's seat and allows the driver to adjust the height of the vehicle frame quickly and precisely – for example, to adjust the cargo space floor and the loading ramp to the same level. An extended control unit enables the VASC to be operated via the multifunction steering wheel and via a menu in the display of the instrumentation.

System improvements:

- New functions, for example a 2nd rear axle relievable, a manual and automatic suppression of VASC (Vehicle Air Suspension Control) level control, and a selection option of 2nd lowered driving height for compensation of tyre rebound on empty runs.
- Shorter lifting and lowering times (up to 50%)
- Remote control with new ergonomic operating design
- Control via multifunction steering wheel and on-board menu
- Control of the air suspension of the trailer/semitrailer via remote control or multifunction steering wheel

New electronic brake system EBS

The electronic brake system EBS combines the basic function of the electro-pneumatic brake with the extended functions of antilock braking system (ABS) and anti-slip control (ASR). With the aid of EBS, driving and braking procedures can be optimised in many different ways. It thus makes an important contribution to enhancing driving safety, driving comfort and cost-effectiveness. In the brake system of the MAN Truck Generation, the electronic brake system EBS has been further developed and its range of functions expanded with new functions. Active wheel speed sensors with their own power supply and evaluation electronics now replace the previous passive sensors. Active sensors enable extremely accurate and fast speed measurement from just 0.1 km/h. Off-road moving-off behaviour with tandem-axle units is improved with the use of sensors on the second axle.

Also new are halt brake braking function with preparation for reversing restriction and rollback detection, MAN EasyStart Offroad hill holder and the hill-climbing brake in conjunction with manual gearbox. It is now also possible to combine the systems in one vehicle.

Electronic anti-slip control (ASR)

In future, the new electronic anti-slip control will be able to prevent the spinning of driven wheels on all vehicles – including on the driven front axles of vehicles with MAN HydroDrive®*.

The anti-slip control (ASR) prevents the drive wheels from spinning when moving off or accelerating. This improves traction, particularly on slippery surfaces such as ice, snow, loose chippings or wet cobbles, and ensures stable driving. The further development of the electronic brake system EBS (use of active wheel speed sensors) means that for example vehicles with MAN HydroDrive® can also be combined with anti-slip control (ASR). This improves traction in this type of drive when a front wheel spins more on one side.

*For MAN TGX and TGS.



→ Spa

MAN

M AN 1181

OPTIMUM BODYWORK PREPARATION.

Introduction to the rear-view camera

Looking back for safety: after the installation of a rear-view camera, the factory-installed plug-and-play interface enables the camera image to be displayed on the MAN Media Truck Advanced or Navigation radio display. You save on an additional display and the driver's field of vision is not affected by yet another screen. Improved visibility while reversing reduces the potential for accidents and increases safety for road users such as pedestrians and cyclists.

Switch and wiring for cargo bay lighting

The preparation consists of a switch in the driver's cab, the electrical installation in the on-board network and a cable harness. Since all electrical elements are premounted on the chassis, the body builder does not have to tap into the on-board wiring. Only the cable harness has to be adapted to suit the size of the body. Maximum electrical consumer power draw: 150 W.

Preparation for liftgate

MAN offers various options for easy and convenient liftgate installation:

- **Electrical preparation**
Purposely restricted to the electrical parts required in the driver's cab, so the body builder has full latitude to respond to different customer requirements. The wiring harness for the liftgate terminates in a generous loop at the end of the frame. The defined interface (seven-pole receptacle) ensures a secure connection.
- **Five-chamber tail light:**
It provides the hydraulic cylinders of the liftgate with the necessary room for movement. Also available as LED lights if desired.
- **Power supply for batteries in trailers with liftgates:**
3-pin socket at the frame end for 24V battery charging, on a semitrailer combination behind the cab.
- **Omission of the rear underride protection:**
Dismantling and disposal not required for the installer.
- **More powerful batteries and larger alternators:**
Failsafe performance during frequent raising and lowering and short runs with multiple stops.



fährt auf dem
glasmehrweg.

MAN

M AN 473

MAN

A REAL SUCCESS.

No matter whether you're working with fresh produce or as a haulier – the MAN TGE delivers exactly what you and your delivery partners really need: excellent quality and fresh ideas!

With the TGE, MAN provides custom body solutions for all kinds of delivery services. State-of-the-art driver assist systems such as the standard Emergency Brake Assist (EBA), Adaptive Cruise Control (ACC)¹ and Park out Assist¹ will ensure you arrive safely at your next delivery stop.

For hauliers, MAN offers a wide range of box bodies – with rear doors, roller doors or a tail lift as required. As a panel van with a maximum load volume of 18.4 m³, the TGE delivers optimum results.

Particular highlights of the panel van include the stop for the side door to limit how far it opens¹ and the rear leaf doors with a wider opening angle¹. Combined with a low loading height, you'll be able to carry out your deliveries quickly and efficiently.

As a supplier of fresh produce, you'll be able to keep a cool head with the MAN TGE. Ex works attachments meet the requirements of DIN 1815, food hygiene regulations and HACCP, and will still fit into a garage thanks to the refrigeration unit that's only 160 mm high. For applications related to fresh produce and frozen goods, we can also equip your MAN TGE with a second refrigeration compressor ex works.

¹ Optional extra for an additional fee.












THE SAFER THE BETTER.

You need a team you can rely on. That's why the MAN TGE doesn't come on its own, but with a variety of innovative safety systems that help you focus even more on your work within the respective system boundaries. At the same time, they help avoid damage to the vehicle and therefore costs for you.

P  **Park steering assist¹⁾**
When activated, park steering assist takes over the steering of the vehicle during parking, slipping the MAN TGE smoothly and accurately into narrow spots. The driver continues to operate the accelerator and the brakes manually, remaining in full control of the vehicle. The system makes parking easier than ever in the MAN TGE and prevents damage from parking mistakes.

 **Emergency brake assist (EBA) as series-standard**
If the MAN TGE is approaching an obstacle and the driver doesn't react, the series-standard emergency braking system warns the driver and then activates the brakes in the event of an emergency. In combination with the automatic transmission, the system automatically brings the vehicle to a complete stop to prevent a collision²⁾.

 **Park out assist¹⁾**
A part of lane change assist, park out assist helps the driver to back out of a parking place and brakes the MAN TGE automatically if there is a risk of collision with traffic coming from either side.



¹⁾ Optional extra for an additional fee.

²⁾ Up to 30 km/h.

Active lane assist¹⁾

If the vehicle unintentionally strays from the lane, active lane assist automatically compensates and steers the vehicle back into the lane. The system automatically activates at speeds over 65 km/h and functions reliably even in poor weather conditions or with low visibility.

Lateral protection assist¹⁾



Sixteen ultrasonic sensors monitor the distance of objects on either side of the vehicle and in an emergency warn the driver of objects close to the MAN TGE. A convenient display provides a 360° view all around the vehicle from the driver's seat, indicating potential collision risks when changing lanes. An acoustic signal also warns the driver of collision risks.

Trailer assist¹⁾

Activated as needed: when reversing with a trailer, the MAN TGE automatically follows a previously set turning angle. The driver only operates the accelerator and the brakes, while the vehicle steers automatically.

Adaptive cruise control (ACC)¹⁾

Convenient and practical adaptive cruise control with a speed limiter that in combination with an automatic transmission can brake the vehicle down to a full stop.



DRIVE TYPES AND ENGINES.

Specially developed for the tough demands of utility vehicle use, these engines combine a long service life with impressive power and low fuel consumption. No matter what transmission or drive type you choose, they deliver outstanding performance, efficiency and reliability under extreme driving conditions.

Diesel engines (Light Duty, Euro 6d)¹:

2.0 l (75 kW, 300 Nm), Turbo:
Front-wheel drive

2.0 l (103 kW, 360 Nm), Turbo:
Front- and all-wheel drive 4x4

2.0 l (130 kW, 410 Nm), BiTurbo:
Front- and all-wheel drive 4x4

Diesel engines (Heavy Duty, Euro 6e)¹:

2.0 l (103 kW, 360 Nm), BiTurbo:
Front¹-, rear- and all-wheel drive 4x4¹

2.0 l (120 kW, 410 Nm), BiTurbo:
Front¹-, rear- and all-wheel drive 4x4¹

Elektric engine¹:

Elektric (100 kW, 290 Nm), synchronous engine:
Front-wheel drive

Energy consumption: 29.1 kWh/100 km
CO₂ emission: 0 g/km



¹ Not available in combination with twin tyres

VEHICLE MODELS.¹

The MAN TGE panel van.




The MAN TGE combi van.



The MAN TGE crew cab.









The MAN TGE chassis cab.



¹ The dimensions shown refer to vehicles with front-wheel drive and a platform body ex works.

VEHICLE LINE-UP.

MAN TGE panel van.

	Standard	Long	Extra-long
	Length: ■ Total: 5,986 mm ■ Cargo space: 3,450 mm ¹ Wheelbase: 3,640 mm	Length: ■ Total: 6,836 mm ■ Cargo space: 4,300 mm ² Wheelbase: 4,490 mm	Length: ■ Total: 7,391 mm ■ Cargo space: 4,855 mm ³ Wheelbase: 4,490 mm
Normal roof Height: 2,355 mm Internal height: 1,726 mm			
High roof Height: 2,590 mm Internal height: 1,961 mm	  		
Extra-high roof Height: 2,798 mm Internal height: 2,189 mm	 		

Dimensions apply to models with front-wheel drive, except vehicles in the extra-long version.






¹ Length of vehicle floor incl. loading space under the partition wall. Load length in upper space: 3,201 mm.

² Length of vehicle floor incl. loading space under the partition wall. Load length in upper space: 4,051 mm.






³ Length of vehicle floor incl. loading space under the partition wall. Load length in upper space: 4,606 mm.

⁴ Also available as eTGE.

MAN TGE chassis.

	Standard	Long	Extra-long
	Length: 5,996 mm Wheelbase: 3,640 mm Max. body length: ■ Eika: 3,750 mm ■ Doka: 2,700 mm	Length: 6,846 mm Wheelbase: 4,490 mm Max. body length: ■ Eika: 5,550 mm ■ Doka: 4,300 mm	Length: 7,211 mm Wheelbase: 4,490 mm Max. body length: ■ Eika: 5,550 mm
Chassis cab Height: 2,305–2,327 mm			
Crew cab Height: 2,321–2,352 mm			

MAN TGE chassis with a platform body.

	Standard	Long	Extra-long
	Length: 6,204 mm Wheelbase: 3,640 mm Platform body length: ■ Eika: 3,500 mm ■ Doka: 2,700 mm	Length: 7,004 mm Wheelbase: 4,490 mm Platform body length: ■ Eika: 4,300 mm ■ Doka: 3,500 mm	Length: 7,404 mm Wheelbase: 4,490 mm Platform body length: ■ Eika: 4,700 mm
Chassis cab Height: 2,305–2,327 mm			
Crew cab Height: 2,321–2,352 mm			

RELIABILITY IN DETAIL.

Our reliability rests on many components. The first is our continuously growing LED range for the lighting systems of the vehicle. Another is our dedication to the little things. For instance, when it comes to the electricity supply of the MAN Trucks we pride ourselves on laying not one wire more than your configuration needs. The wires themselves are now protected by even more flexible and elastic materials, and the number of joints has been cut. We also reduced the wire thickness overall, which in turn means less weight and more available load capacity.

The modular wiring concept offers additional advantages by allowing customer requests to be easily incorporated and enabling quick repairs thanks to prefab sets. Together, the result is shorter downtimes and a vehicle electrical system with higher performance overall.

24V battery management system

Empty batteries and stranded vehicles due to excessive use of electrical devices during rest periods are a thing of the past with the new MAN battery management. The system ensures that the vehicle engine can be started by automatically switching off less important consumers.

Cyber security

The networking of electronic systems and the associated data availability and use are both a curse and a blessing. On the one hand, this enables new helpful functions and applications – on the other hand, it offers potential targets for hackers. MAN consistently safeguards all vehicle systems against misuse.



M AN 1181

TGL B.190

EBS LAGER

Wachstumsraum
Mo - Fr 7.30 - 12.00
Sa - So 13.00 - 17.00

SUPPORT NON-STOP.

Only a truck that runs is a good truck. Unplanned downtime and the associated loss of time and earnings are something we'd all like to do away with for good. The MAN Truck Generation has got your back there too. Right from day one, it brings the ultimate quality synonymous with MAN to its work. So much so that it's hard to get it to stop. If you need us, however, we're ready and waiting. When you're at a standstill, we will get you back on track as quickly as possible. We will move heaven and earth to keep you mobile. In short, where there's a MAN employee, there's a way.

When it comes to financing, too, you can rely on MAN: MAN Financial Services supports your needs and makes sure you stay mobile. You can even cover bottlenecks and react flexibly to higher demand thanks to truck leasing from MAN Rental.

With our clever solutions, you can make your business noticeably easier and more transparent. We've got it covered, so that your head stays clear for the road in front.

At a glance:

■ MAN Mobile24

Via the MAN Mobile24 mobility service, you can reach us round the clock europe-wide. The service has been expanded with additional solutions, so that our customers are always on the safe side for every kilometre. As well as the guarantee that the transport business can continue to run smoothly in the event of a breakdown.

■ Uptime guarantee

The MAN uptime guarantee keeps you moving. We are never far away in the event of a breakdown and, even if downtime or repairs are required, we will get you back on the road in no time.

■ Service contracts

We help you save time, money and stress. MAN takes care of everything as required, from servicing and invoice management to answering questions relating to guarantees and goodwill.

■ MAN Genuine Parts

With compliance with strict quality standards guaranteed, MAN Genuine Parts are the ideal match for your vehicle. It's the only way for your MAN vehicle to be driven safely, efficiently and with minimum wear.

■ Accessories and retro-fit solutions

Easily tailor your MAN to your needs with our high-quality accessories. Subsequently and simply. With products exactly matching your MAN model. And matching you.

For further offers and details please contact your local dealer or visit our website:

mantruckandbus.com





SERVICE AS YOU LIKE IT – PERSONAL AND DIGITAL.

Could your company also benefit from the increasing digitalisation taking place in logistics? We are convinced it can. That's why we would like to give you a brief insight into how you can better master the **most pressing challenges of your industry with smart digital solutions.**

Above all, the high cost and time pressure make the working environment in the logistics industry particularly challenging. Every vehicle in your fleet must be operated as economically as possible. This requires economical driving behaviour as well as effective and repair management. With an internet-enabled truck with Over-the-Air Upgrades, an overview of all the key data about the vehicle and its performance appears directly on your desktop, and many other useful features of our digital services give you the freedom to take care of business.

Your benefits:

- **more efficiency,**
- **simplified work processes, with maintenance outsourced to your MAN Service Centre or by keeping drivers and fleet managers digitally connected**
- **lower costs.**

The best part: it's already a reality.

With MAN DigitalServices, you can begin straightaway.

While transport is – and will always be – analogue, fleet management is becoming digitalised. MAN DigitalServices helps you optimise business tasks, bring fuel and admin costs down, plan and manage servicing tasks from the truck, manage time and provide continuous training to drivers.

We would like to give you the opportunity to try out this comprehensive package for three months for free! Our trial offer includes the following paid-for digital services: Geo, Perform, Compliant, MAN ServiceCare M and Timed. MAN ServiceCare S and the MAN Driver app are already free and are not part of this offer.

Take advantage of:

- **efficient fleet management with digital services that make your job significantly easier**
- **our new cost- and risk-free offer: your free trial will automatically end after three months, with no further obligation.**

The trial offer¹ is valid for all the vehicles² in your fleet for your registered trial period. Get started now: with just a few clicks, you can try all the benefits of MAN DigitalServices for your whole fleet. We are sure that you will be impressed.

www.man.eu/marketplace

The digital services listed below help you manage your fleet economically and efficiently:

- **Vehicle tracking**
- **Maintenance and repair management**
- **Tachograph and time management**
- **Economical driving**
- **Driver assistance**
- **Over-the-air upgrades**

The latest information on MAN DigitalServices can be found on our website: www.digital.man

¹ Valid for all customers who do not currently pay for MAN DigitalServices.

² Depending on technical availability.

EASIER WORKDAYS.

MAN ServiceCare

Regular maintenance is a must if you want to reduce unscheduled downtime and repair costs for your fleet. Our free MAN ServiceCare S is there to help – we'll be very happy to take care of your maintenance and repair needs. The service works using vehicle and maintenance data relayed to MAN ServiceCare over the Internet. Your MAN Service Centre uses this to proactively arrange maintenance appointments and combine your maintenance tasks. After all, you've got enough to do already. What's more, your nearest MAN Service Centre can use remote vehicle diagnostics to view targeted vehicle data and give you a more personalised service if you break down. MAN ServiceCare M gives you all the benefits of MAN ServiceCare S but you also get extra tools for even more personalised maintenance and repair management across your whole fleet. We are continually upgrading MAN ServiceCare – with pre-emptive tools that increase the uptime of your vehicles in a more straightforward and comprehensive way.

MAN Driver App

The MAN Driver app ensures that drivers always have important information about their MAN to hand. Not only does our smartphone-based digital assistant make life on the road easier but it also speaks 26 languages, which means that drivers from lots of different countries can use it. Our smart, user-friendly and efficient MAN Driver app helps MAN drivers on every trip, providing important information and offering a range of features to make their lives easier. For example, if they break down, they just tap on the app and connect to the MAN Mobile24 emergency service. Drivers can also notify fleet managers about any damage and send any documentation quickly and easily through the app. The MAN Driver app is a constant companion – whether you need to carry out a vehicle check before departure, look for a parking place online or check driving and rest times.

The MAN Driver app is free of charge and connects drivers, fleet managers and workshops in a simple and secure way. We're constantly improving our driver app and adding new offers and features that make MAN drivers' jobs even easier.





SMART SOLUTIONS.

MAN Now

With MAN Now, you receive exclusive vehicle functionalities and upgrades, allowing you to modify your truck software to meet your requirements, any time, any place – and all without having to drop into a MAN service outlet. Thanks to the new and convenient over-the-air technology, you can easily enable and expand functions or add new ones. Thanks to these retrofitted modification options you are more flexible in the vehicle configuration. As no visit to the workshop is required, you increase the vehicle uptime and efficiency.

The following features are available for all vehicles with a model year of 2020 or later:

- MAN OnlineTraffic
- MAN MapUpdate

The following features are available for all vehicles with a model year between 2022 and 2024:

- MAN LanguagePackage
- MAN LanguageRecognition
- MAN Idle Shutdown
- MAN EfficientCruise®
- MAN EfficientRoll
- MAN TimeInfo
- MAN TimeControl
- MAN TipMatic® driving program

The first usage of MAN OnlineTraffic per vehicle is free.

MAN SimplePay

Your trucks become digital wallets that can be used to pay for all the usual transactions that occur in the driver's daily business. The payment platform MAN SimplePay also offers a user-friendly user interface for fleet managers and provides full cost control in a timely manner.

MAN SimplePay can make everyday work easier: For example by instantly approving requests, confirming payments and consolidating invoicing. Or with full transparency and time savings for the fleet manager – all costs are in one system (dashboard). The payment is easily processed via the MAN media system in the vehicle, giving you greater security for transactions.

The portfolio (= use cases and payment options) of MAN SimplePay is constantly being expanded. When the service feature is activated in the MAN SimplePay portal, the new features are automatically imported over-the-air into the vehicle.

Technical requirements for these features are a RIO Box, registration on the RIO platform and activation of your vehicles. The range of over-the-air features is being continually expanded.

Some of the features illustrated in this brochure are not part of the production series generally described here.

Both the vehicle's air conditioning system and refrigerator contain fluorinated greenhouse gases (R134a / GWP 1430 with up to 1.15 kg; 1.6445 t CO₂ accordingly).

MAN Truck & Bus SE

Dachauer Straße 667

80995 München

Germany

www.truck.man.eu/mantg

D111.3675/E - 01/2024 - Printed in Germany

The text and illustrations are not binding. We reserve the right to make changes based on technical progress. All the specifications in this publication were correct at the time of going to press.

MAN Truck & Bus – A member of TRATON GROUP