

# **CONTENTS**

4	MAN	<b>TGE</b>	Combi	Van
---	-----	------------	-------	-----

- 10 MAN TGE Intercity
- 14 MAN TGE Coach

### 18 Details and Features

- 18 Compartment system / connectivity infotainment
- 20 Driver's seat / air conditioning for driver's area
- 22 Passenger seats
- 24 Passenger area climate controls
- 25 Lighting
- 26 Assistance systems
- 28 Wheels / paint finishes
- 30 Drive types and engines

### 32 Technical specifications

- 32 MAN TGE Combi Van
- 34 MAN TGE Intercity
- 36 MAN TGE Coach




### Our minibuses


### As diverse as the people you carry.


The MAN TGE minibuses offer the perfect solution for any task and with their highly varied fitting options, they cover the entire range of modern passenger transport requirements.

Thanks to our over 100 years of experience in the utility vehicle segment, we know customers' needs like nobody else. And our expertise speaks for itself: flexible configuration options, innovative assistant systems and a comprehensive service and maintenance offering in trusted MAN quality – round the clock.

Choose MAN when it comes to minibuses.







### The MAN TGE Combi Van

Small bus, many possibilities: the MAN TGE Combi Van covers the entire spectrum of passenger transport needs. To ensure a first-class experience, the MAN TGE Combi Van with the "Shuttle" package is loaded with exclusive and unique fittings. Its numerous highlights like individual passenger climate controls ensure optimal comfort as a high-quality VIP or hotel shuttle. And even factorydirect, the "Basic" package offers as seriesstandard an emergency braking system and crosswind assistant, which, extraordinary on their own, can be supplemented as needed. With space for up to 2 wheelchairs, the "Mobility" package provides barrier-free and wheelchair-friendly transport for people with limited mobility. The rear ramp, either manually or electrically operated<sup>1</sup>, ensures comfortable and secure embarking and disembarking.

<sup>&</sup>lt;sup>1</sup>Special fitting for an additional price.

# MAN TGE Combi Van | Flexible special-use vehicle for all requirements.

### The MAN TGE Combi: The Allround Minibus for every Purpose.

The MAN TGE Combi is the all-rounder among minibuses. Whether used as a VIP shuttle, a small school bus, or for transporting individuals with reduced mobility, the MAN TGE Combi is versatile and flexibly deployable. With its M1 vehicle approval for special purpose, every model comes from the factory with the possibility of wheelchair-accessible transportation. Additionally, the emergency brake assist and side wind assistance are included as standard.

#### Seat configuration - numerous possibilities

Numerous seating configurations are available for the TGE right from the factory. This allows you to tailor the vehicle precisely to your requirements.

### M1 certification factory-direct

Thanks to its certification as an M1 vehicle for special-purpose use, every model of the MAN TGE Combi Van offers factory-direct the possibility for wheelchair transport.







### MAN TGE Combi Van | Flexible special-use vehicle for all requirements.







### 2 - Well-Equipped: The Basic Package

The Basic package covers all the features that are standard for the MAN TGE Combi Van factory-direct. It comprises sturdy side and ceiling paneling in the interior, a spacious luggage compartment, and a maximum of 8 seats (8 passengers, 1 driver).

### 3 - Travel in Comfort: The Shuttle Package

For a more exclusive driving experience, our "Shuttle Package" is available, offering a maximum of 8 seats (8 passengers, 1 driver). Equipped with premium side paneling, elegant window trim, and a second climate control system with roof vents, this variant provides maximum comfort. An electric sliding door and a step for easy entry and exit complete the package. The "Shuttle Package" also offers the option of wheelchair-accessible transportation.

### 4 - Barrier-Free Transport: The Mobility Package

A barrier-free setup is provided by the "Mobility Package." It includes, for instance, 4 seats (3 passengers, 1 driver) and allows for wheelchair-accessible transportation of individuals with reduced mobility, accommodating up to 2 wheelchair spaces. For convenient embarking and disembarking, a manual ramp in the rear area or optionally an electrically operated lift, along with an electric sliding door and a step, are also offered.

- 1 Combi Seating Configurations
- 2 Basic Combi
- 3 Shuttle Combi
- 4 Mobility Combi
- 5 Wheelchair Ramp
- 6 Wheelchair Shoulder Diagonal Belt

### MAN TGE Combi Van | Flexible special-use vehicle for all requirements.

#### 1 - Electric Step

The optionally available electric step on the side sliding door enables ergonomic entry and exit. Equipped with a non-slip stepping surface of 1000 x 290 mm and a maximum load capacity of up to 500 kg, it allows multiple people to use it simultaneously.

### 2 - Flexible Floor System

An integrated Airline rail system in the floor comes standard on the MAN TGE Combi and provides maximum flexibility. The individual seats with 3-point seat belts can be effortlessly installed and removed, thanks to the practical optional quick-release mechanisms. It is also possible to install the seats facing the opposite direction. The Airline rail system can also be used to secure luggage.

#### 3 - USB Outlets

As additional optional equipment, the MAN TGE Combi can be equipped with 4x USB outlets (Type A + Type C). This provides each passenger with individual options to charge their electronic devices.









# MAN TGE Combi Van | Flexible special-use vehicle for all requirements







- 4 Adjustable Storage Space
- 5 Seating Configuration Basic Package
- 6 Seating Configuration Shuttle Package





### The MAN TGE Intercity

### All kinds of room for travelling in style: the MAN TGE Intercity is the perfect vehicle for making a grand entrance.

In its 16-seat model, entry via the side sliding door and a flexible seat mounting system offer full variability. The track system integrated into the floor with optional quickrelease fasteners<sup>1</sup> allows for effortless installation or removal of seats for utmost flexibility. Plus, the electric sliding door1 and electrically extendable step operated via the simple push of a button add even greater comfort.

As a 19-seat model it features low entry height and an electric outward gliding door, adding extra comfort as well as extra seats. The Intercity is perfect as a shuttle bus for schools or clubs and is always a practical companion for excursions in the hospitality sector. The series standard emergency braking system and crosswind assistant set an extraordinary standard in terms of safety and can be augmented with numerous additional assistants such as a rear view camera<sup>1</sup> or fatigue recognition system<sup>1</sup>.

The MAN TGE Intercity comes with rearwheel drive and either a 6-gear manual transmission or an 8-gear automatic transmission, and it can be tailored to meet many other individual requirements.

<sup>&</sup>lt;sup>1</sup> Special fitting for an additional price.



# MAN TGE Intercity | Perfect for Shuttle Services.



### **Seating Configurations - Comfortable** and Versatile

The MAN TGE Intercity is available in two seating configurations. Either with 19+1 seats or the variant with 16+1 seats and a luggage compartment behind the last row of seats. This allows for easy installation of either individual seats or a combination of single and double seats. Thanks to the practical optional quick-release mechanisms, passenger seats can be effortlessly installed and removed.

- 1 Overhead Storage Compartment
- 2 Flexible Rail System
- 3 Passenger Information Display
- 4 Intercity Seating Configurations













### The MAN TGE Coach

Power meets pleasure: the MAN TGE Coach is the perfect minibus for discerning groups on the move and individual transport.

With the MAN TGE Coach, up to 16 passengers can be afforded maximum travel comfort. High-quality adjustable leather seats and ample space ensure a pleasant journey even when the road is long. Every seat is equipped with its own ventilation regulator for the series-standard climate control system, individual lighting and storage compartments for handbags or backpacks. Additional luggage items can be easily stored in the capacious boot. USB ports at every seat and a shelf for phones make sure each passenger has access to individualised entertainment options. The wood-look flooring and imitation leather interior side panelling create an extraordinarily luxurious ride, and ambient lighting<sup>1</sup> puts the finishing touches on the elegant interior fittings.


The best safety possible is also ensured, as the MAN TGE Coach is not only powered by a 120-kW engine, but is also equipped with three-point seat belts, numerous assistance systems and a rear view camera<sup>1</sup>. Passengers are thus sure to travel with first-class comfort and reach their destination safely.

<sup>&</sup>lt;sup>1</sup> Special fitting for an additional price.



# MAN TGE Coach | Comfort for discerning passengers.





Seat configuration - comfortable and elegant

Its 16 passenger seats plus the driver's seat guarantee that all interior space is used optimally. Thanks to fixed installation of the seat posts unimpeded legroom. Perfect for smaller groups that wish to travel in style and comfort.

### Rear flap access to large boot sophisticated and capacious

More leg space and room to move for passengers: the low inset boot offers plenty of space for large luggage items. Despite its impressive capacity, however, travelling up or down more demanding inclines can be taken in its stride, without making contact with the road. Insulation and panelling round out the boot's high-quality workmanship.





# Storage System.

# The moment you step into the interior, you realize you're not in an ordinary minibus.

Thanks to the well-thought-out storage concept for the driver, everything has its place. In addition to the particularly spacious and deep storage compartments below the entire windshield, there are additional compartments and storage

areas in the overhead console, above the spacious glove compartment, and within the doors. The dashboard features 2 cup holders for both the driver and passenger, along with 2 (optional 3) 12V power outlets, a mini jack socket, and 2 USB ports. Upon request, you can have a fourth 12V outlet as well as a 230V outlet on the driver's seat console.

- 1 USB Port1
- 2 Door Pockets
- 3 Cupholders
- 4 12V Power Outlet
- 5 Lockable Glove Compartment
- 6 Well-Designed Storage System with Dividers

<sup>&</sup>lt;sup>1</sup>Special fitting for an additional price.

### Connectivity - Infotainment.

### With the new generation of online-capable infotainment systems<sup>1</sup>, we are here to make your daily life easier in the future.

Working in conjunction with the standard telematics box<sup>2</sup>, you gain access to various mobile online services. The new infotainment systems are intuitive and straightforward to use, available in four different functional ranges.

### 1 - MAN Media Van Business Navigation

- The All-Inclusive Package
- 8-inch TFT color display with touchscreen
- DAB+ capability<sup>3</sup>
- Hands-free system
- Wireless MAN SmartLink for connecting a smartphone via Bluetooth or WLAN
- Includes a two-year license for navigation with live traffic data and regular map updates (extension possible via MAN Now)
- Utilizes online services (weather updates, current news)
- Enables music streaming services through a smartphone (MirrorLink™, Apple CarPlay™, Android Auto™)
- Includes connectivity for MAN DigitalServices and MAN Connect services

#### 2 - MAN Media Van Business - Elevated Comfort

- 8-inch TFT color display with touchscreen
- DAB+ capability<sup>3</sup>
- Wireless MAN SmartLink for connecting a smartphone via Bluetooth or WLAN
- Utilizes online services (weather updates, current news) without live traffic function
- Includes connectivity for MAN DigitalServices and MAN Connect services

### Touchscreen operation

Touchscreen with proximity sensing (except in MAN Radio Van package)

#### 3 - MAN Media Van - Classic with Touchscreen

- 6.5-inch TFT color display with touchscreen
- DAB+ capability<sup>4</sup>
- Hands-free system and MAN SmartLink for connecting a smartphone via cable
- Enables music streaming services through a smartphone (MirrorLink™, Apple CarPlay™, Android Auto™)
- Includes connectivity for MAN DigitalServices and MAN Connect services







<sup>&</sup>lt;sup>1</sup> Special fitting for an additional price.

<sup>&</sup>lt;sup>2</sup> Not available in MAN eTGE, vehicles without a radio or vehicles with no radio compartment.

<sup>&</sup>lt;sup>3</sup> Excluding Israel, Morocco, Mexico, Turkmenistan, Ukraine.

### Driver's Seat.


Whether you're on your way to the next destination or enjoying a well-deserved break, you're in the company of a true professional in the MAN TGE. The driver's workspace and cockpit offer the utmost in ergonomics and comfort – even on rough roads. The cleverly designed and versatile storage areas and compartments ensure perfect order.

### **Seat Variants and Upholstery**

The seats are available in 6 variants: from "Standard" to "Comfort" and "Comfort Plus", optionally available as a swivel seat", all the way to the highly ergonomic "ergoComfort" with AGR quality seal, which even features a massage function as "ergoActive". MAN TGE also provides you with a wide range of seat cover options. Choose between extremely durable, proven in the commercial vehicle industry, long-lasting "Marathon" robust fabric seat covers and the standard "Toronto Grid" fabric seat cover. Additionally, a high-quality seat cover made from "Mesh" synthetic leather is available.

### 1 - Driver's Seat "Comfort Plus"1

The "Comfort Plus" driver's seat is equipped with a 4-way electrically adjustable lumbar support and foldable armrests on both sides, allowing you to recline comfortably even during long journeys.



<sup>&</sup>lt;sup>1</sup>Special fitting for an additional price.

### Air conditioning for driver's area.

In a MAN TGE, you can set your climate to be just right in no time. Optimal climate is key to ensuring the comfort of the driver and giving them a secure feeling every time they drive. The MAN TGE is equipped with intelligent systems that help to create an all-round optimal interior temperature.

### Heating and ventilation

The MAN TGE comes with heating and ventilation as standard.

### 1 - Climatic<sup>1</sup> (manual)

Continuously variable climate controls ensure the interior temperature is exactly as desired.

### 2 - Climatronic<sup>1</sup> (automatic)

With this system, temperatures can be individually adjusted in two or three zones including those of the driver, front passenger and cargo/passenger areas. It takes into account the intensity of the sun and the exterior temperature and then adjusts the air conditioning to compensate. Automatic air recirculation, an air quality sensor, additional air vents in the roof panelling<sup>1</sup> and optional additional heating also ensure a pleasant interior climate.

<sup>1</sup>Special fitting for an additional price. Refrigerant R1234yf is used in vehicle classes N1, M1, N2 and M2. The GWP value of the refrigerant used is 4 (refrigerant R1234vf). The quantities vary between 540 – 570 grams with one air conditioning compressor and 785 – 815 grams with two air conditioning compressors. Refrigerant R134a is used in the eTGE. The GWP value of the refrigerant used is 1,430 (refrigerant R134a). The quantities depend on the air conditioning compressor and vary between 560 - 590 grams







### Passenger Seats.

### When it comes to seating, the MAN TGE offers quite a range of solutions.


Even when it comes to seating, the MAN TGE doesn't settle for just one solution. The passenger seats impress with their flexible usage options, ergonomic design, and a variety of seat cover options1. For technical convenience, USB ports<sup>2</sup> are provided, serving as practical charging stations for smartphones, for example. The MAN TGE Intercity, Combi Van, and Coach offer passenger-friendly legroom and storage space for light luggage beneath the individual or double seats. Spacious gaps between the seat rows provide additional comfort.

#### 1 - MAN TGE Combi Van


For added comfort in the MAN TGE Kombi, seats can be individually enhanced with armrests<sup>2</sup>. The seat cover fabric is tailored to the interior design, offering a choice between fabric and synthetic leather options.

### 2 - MAN TGE Intercity and Coach

The built-in seats with 3-point seat belts provide standard comfort for the MAN TGE Intercity and Coach. Tailored luxury is also ensured: You have the choice of seven interior equipment variants and optional USB charging ports<sup>2</sup> as well as hostess call<sup>2</sup> in the service sets.







<sup>&</sup>lt;sup>1</sup>Color discrepancies in the representation are possible due to

<sup>&</sup>lt;sup>2</sup>Special fitting for an additional price.

# Passenger Compartment Air Conditioning.<sup>1</sup>


### Automated or completely individual: How the wind blows can also be determined by the passenger in the MAN TGE.

The MAN TGE offers a variety of options to ensure the perfect climate and a pleasant driving experience in the passenger compartment. Each model can be equipped with a separate air conditioning system<sup>1</sup> that ensures precise temperature regulation. In the MAN TGE Intercity and Coach models, the air conditioning system provides an especially high supply of fresh air to the passenger compartment. For the cold season, the parking heater<sup>1</sup> and dual convectors in all models offer a comfortable solution. Additionally, there are other specific variants, such as heat-insulated windows<sup>2</sup> or adjustable nozzles2 on the seats.

- 1 Control Unit of the MAN TGE Combi Van for Auxiliary Heater<sup>1</sup>
- 2 Comfort Headliner with Ventilation Channel<sup>1</sup> in the MAN TGE Combi Van
- 3 Control Panel in the MAN TGE Intercity and Coach
- <sup>1</sup> Optional equipment at an additional cost. In vehicle classes N1, M1, N2, and M2, the refrigerant R1234vf is used. The Global Warming Potential (GWP) value of the used refrigerant is 4 (refrigerant R1234yf). The refrigerant quantities vary between 540 – 570 grams with a single air conditioning compressor and 785 – 815 grams with two air conditioning compressors. The eTGE uses the refrigerant R134a. The GWP value of the used refrigerant is 1,430 (refrigerant R134a). The refrigerant quantities depend on the air conditioning compressor and vary between
- <sup>2</sup> Optional equipment at an additional cost.







# Lighting.

From entry to the ceiling, the MAN TGE sets the right mood with its lighting. The MAN TGE Intercity and Coach come standard with an elongated white light in the headliner, which is enhanced with blue ambient lighting in the MAN TGE Intercity and Coach. In the MAN TGE Coach, integrated lights for individual seat illumination are also present on the luggage compartments. The floor area is further enhanced by the ambient lighting, creating a particularly cozy atmosphere, and it's included in the standard equipment of this model.

- 1 Lighting in the MAN TGE Coach and Intercity
- 2 LED Lighting in the MAN TGE Combi Van









### Assistance Systems.

You need a team you can rely on. That's why the MAN TGE doesn't come alone - it's equipped with a variety of innovative safety systems that assist you within the limits of each system, helping you focus even more on your work. At the same time, they help prevent vehicle damage and reduce costs for you.

### 1 - Standard Emergency Brake Assist (EBA)

When the MAN TGE approaches an obstacle and the driver doesn't react, the standard Emergency Brake Assist warns the driver and initiates automatic braking in case of emergency. When combined with the automatic transmission, it can even brake autonomously to bring the vehicle to a complete stop in case of an impending collision.

2 - Adaptive Cruise Control (ACC)<sup>1</sup>
The adaptive cruise control with speed limiter ensures high comfort. In conjunction with an automatic transmission, it can brake to a complete stop.

3 - Active Lane Keeping Assist1 When the vehicle appears to unintentionally leave its lane, the active lane keeping assist intervenes by countersteering to keep it in the lane. It activates automatically at speeds above 65 km/h and works even in adverse weather conditions and darkness.


#### Crosswind Assist



It helps the driver maintain the lane safely in case of crosswinds or on roads with uneven surfaces.







### Additional assistance systems.

Lane change assist: lane change assist warns the driver of oncoming traffic in the driver's blind spot when changing lanes at speeds over 10 km/h. The system prevents potential collisions during lane changes - in city traffic and on the motorway.

Fatigue detection: 1 this system detects deviations from normal driving behaviour that indicate fatigue and then advises the driver with an acoustic and visual signal to take a break.

Multicollision Brake System: It initiates an automatic full braking of the vehicle after detecting a collision, helping the driver prevent secondary accidents.

High Beam Assist: 1 It detects preceding and oncoming vehicles and automatically switches to low beam to prevent dazzling them.

Light/Rain Sensor: It automatically reacts to darkness and rainy weather by regulating the headlights and windshield wipers.

Hill Start Assist: It provides automated support for starting on inclines, preventing rollback.

Parking Assist: It aids the driver in parking and maneuvering by providing acoustic and visual signals indicating the remaining distance in the front and rear areas.

Rear View Camera: It displays images on the cockpit monitor and assists in parking, maneuvering, and reversing.

ABS & ESP: The Electronic Stability Program (ESP) is an extension of the Anti-Lock Braking System (ABS). This electronically controlled driver assistance system can counteract vehicle skidding by selectively braking individual wheels.

<sup>&</sup>lt;sup>1</sup>Special fitting for an additional price.


## Wheels.

### The MAN TGE's wheels keep you rolling in style.


It's your choice: light-alloy wheels, or steel wheels with full hubcaps or with centre caps.

- 1 Steel Wheel with Full hubcap1
- 2 Steel Wheel with centre cap in chrome1
- 3 Light-alloy wheel1
- 4 Twin tyres from 5 tons vehicles: steel wheel in black or silver

<sup>1</sup>Special fitting for an additional price, only available for Combi Van







### Paint finishes.<sup>2</sup>

### Your MAN TGE is like a business card on wheels:

whether solid-coloured, metallic, Deep Black Pearlescent or a special paint finish - now you can show your true colours and make a great impression.

- 1 Danish Blue<sup>1</sup>
- 2 Cherry Red
- 3 Colza Yellow1
- 4 Sky Blue<sup>1</sup>
- 5 Indium Grey Metallic<sup>1</sup>
- 6 Candy White
- 7 Deep Black Pearlescent<sup>1</sup>
- 8 Reflex Silver Metallic<sup>1</sup>

And if Candy White isn't candy enough or Deep Black isn't deep enough for you, there are over 90 other finishes for you to choose from.

<sup>&</sup>lt;sup>1</sup>Special fitting for an additional price.

<sup>&</sup>lt;sup>2</sup>The illustrated colours may vary due to technical aspects of the printing process.

### Drive and Powertrain.

What's the most important thing on the job? Having the right drive. That's why the MAN TGE impresses equally in terms of performance and efficiency – with cutting-edge diesel and electric engines.

These engines have been developed especially to meet the needs of the utility vehicle segment and combine long service life with high power and low consumption. So no matter what transmission or drive type you choose, these engines deliver outstanding performance, high efficiency and superb reliability even under extreme driving conditions.

#### MAN Combi Van

For the TGE Combi Van, both front-wheel drive and all-wheel drive options are available for vehicles up to 4 tons.

### MAN TGE City, Coach, and Intercity

These models are standard 5-tonners and come equipped with a 120 kW engine, rear-wheel drive, and an 8-speed automatic transmission. The TGE Intercity is also optionally available with a manual transmission.

#### **Driveline Specifications** Gearbox **Engine** power Front-wheel drive - High load capacity 103-kW engine 6-gear manual transmission/ - High trailer load capacity of up to 3.0 t 8-gear automatic transmission 130-kW engine - 100-mm-lower loading edge and 6-gear manual transmission/ entry height - High loading compartment height 8-gear automatic transmission - Transverse front engine Rear-wheel drive - High trailer load capacity of up to 3.5 t 103-kW engine 6-gear manual transmission - Small clearance circle 120-kW engine - Maximum load capacity 6-gear manual transmission/ - Best traction at heavy loads 8-gear automatic transmission - Longitudinally installed front engine All-wheel drive 4x4 - Reliable traction 103-kW engine 6-gear manual transmission Secure drive behaviour 130-kW engine - Best directional stability 6-gear manual transmission/ - High trailer load capacity of up to 3.0 t 8-gear automatic transmission - Transverse front engine

#### Diesel Engines (Light Duty, EU6d)1:

2.0L (103 kW, 340 Nm):

Front-Wheel Drive, Rear-Wheel Drive, and All-Wheel Drive 4x4

2.0L (130 kW, 410 Nm):

Front-Wheel Drive and All-Wheel Drive 4x4



<sup>1</sup> Not available in combination with twin-tyre configurations.

### Diesel Engine (Heavy Duty, EURO VIe):

2.0L (120 kW, 410 Nm):

Rear-Wheel Drive



# MAN TGE Combi Van | Technical specifications

	Unit	Standard length and roof height	Standard length with high roof	Long with high roof
Gross vehicle weight	kg	3,500	3,500	3,500
Length	mm	5,986	5,986	6,836
Width	mm	2,040	2,040	2,040
Height	mm	2,355	2,590	2,590
Type of tyre, rear axle		Single-tyre configuration	Single-tyre configuration	Single-tyre configuration
Standing height	mm	1,726*	1,961**	1,961***
Passenger capacity max.		8	8	8
Seating capacity max.		8 + 1	8 + 1	8 + 1
Wheelchair capacity max.		2	2	2
Permissible axle load front		1,800	1,800	1,800
Permissible axle load rear		2,100	2,100	2,100
Wheelbase	mm	3,640	3,640	4,490
Clearance circle	m	13.9–14.2	13.9–14.2	16.5–17.0
Rear double-wing door	mm	1,552 x 1,605	1,552 x 1,840	1,552 x 1,840
Side sliding door	mm	1,311 x 1,587	1,311 x 1,822	1,311 x 1,822
Gearbox***		6-gear manual transmission 8-gear automatic transmission	6-gear manual transmission 8-gear automatic transmission	6-gear manual transmission 8-gear automatic transmission
Engine power****	kW (HP)	103 (140) 120 (163) 130 (177)	103 (140) 120 (163) 130 (177)	103 (140) 120 (163) 130 (177)
Driveline		Front-, rear- and all-wheel drive	Front-, rear- and all-wheel drive	Front-, rear- and all-wheel drive
Tank volume diesel	T	75	75	75
Tank volume AdBlue	Ī	30	30	30

### Standard length with high roof

- \* For 4x4 and Rear-Wheel Drive: 1,626 kg.
- \*\* For 4x4 and Rear-Wheel Drive: 1,861 kg.
- \*\*\* For 4x4 and Rear-Wheel Drive: 1,861 kg.
- \*\*\*\* Not all engine-transmission combinations available.



ven	icie ain	nensioi	IS II	mm

Summer tyres	205/75 R16 C 113/111	235/65 R 16 C 115/113
Rolling resistance	В	В
Wet grip	A	A-B
External rolling noise	72 – 69 dB	72-70 dB
Noise emissions	<b>(C-1)</b>	<b>([-1)</b> )

# MAN TGE Intercity | Technical specifications

	Unit	Extra long with high roof
Gross vehicle weight	kg	5,000
Length	mm	7,391
Width	mm	2,069
Height	mm	2,625
Type of tyre, rear axle		Twin - tyre configuration
Standing height	mm	1,861
Passenger capacity max.		19
Seating capacity max.		19
Wheelchair capacity max.		3
Permissible axle load front	kg	2,200
Permissible axle load rear	kg	3,500
Wheelbase	mm	4,490
Clearance circle	m	16.5–17.0
Rear double-wing door	mm	1,552 x 1,840
Side sliding door	mm	Entry via outward gliding door
External swing door	mm	650
Gearbox		6-gear manual transmission 8-gear automatic transmission
Engine power	kW (PS)	120 (163)
Driveline		Rear-wheel drive
Tank volume diesel	1	75
Tank volume AdBlue	1	30
-		



Extra long with high roof

Height measurements exclusive of roof-mounted climate system. The dimensions listed here may vary by approx. +- 40 mm depending on exact fittings.



Vehicle dimensions in mm

Summer tyres	205/75 R16 C 113/111	
Rolling resistance	В	
Wet grip	A	
External rolling noise	72 – 69 dB	
Noise emissions	<b>((-1)</b>	

# MAN TGE Coach | Technical specifications

	Unit	Extra long with high roof
Gross vehicle weight	kg	5,000
Length	mm	7,391
Width	mm	2,069
Height	mm	2,625
Type of tyre, rear axle		Twin - tyre configuration
Standing height	mm	1,861
Passenger capacity max.		16
Seating capacity max.		16 + 1
Permissible axle load front	kg	2,200
Permissible axle load rear	kg	3,500
Wheelbase	mm	4,490
Clearance circle	m	16.5–17.0
Side sliding door	mm	Entry via outward gliding door
Gearbox		8-gear automatic transmission
Engine power	kW (PS)	120 (163)
Driveline		Rear-wheel drive
Tank volume diesel	ı	75
Tank volume AdBlue	I	30



Extra long with high roof

Height measurements exclusive of roof-mounted climate system. The dimensions listed here may vary by approx. +- 40 mm depending on exact fittings.



Vehicle dimensions in mm

Summer tyres	205/75 R16 C 113/111	
Rolling resistance	В	
Wet grip	Α	
External rolling noise	72 – 69 dB	
Noise emissions	<b>(C-1)</b>	

### MAN Truck & Bus SE

Dachauer Straße 667 80995 München www.man.eu/minibus

#### D115.008

Subject to change without notice. Modifi cations and errors reserved. Products may vary in their shape, construction, colour shades and included features after the copy deadline for this brochure on 1 September 2023. The illustrations may also show special fi ttings, decoration elements or accessories that are not standard equipment. Where symbols or numbers are used to describe an order or the subject of an order, no rights may be derived solely from these. This publication is for international use. Any statements regarding statutory, legal and tax provisions and their effects are only valid for the Federal Republic of Germany at the time this publication was last updated. Please contact your MAN sales representative for any questions concerning the regulation applicable in other countries and its legal consequences