

EFFICIENCY ON BOARD.

Simply my truck.



EFFICIENCY AS STANDARD.

To take care of your fluids and bulk goods transportation, MAN trucks are the perfect choice. Reliable just-in-time deliveries, high payloads with low fuel consumption, and maximum efficiency in operation and maintenance are the focal features of our vehicles for silo transport and fluids. The MAN TGL, TGM, TGS and TGX series combine dynamic driving performance with excellent handling and exemplary comfort – not forgetting very high safety, of course. Whether your needs are in local, distribution or long-distance transportation, our highly efficient trucks guarantee a decisive advantage for your company.





MAN TRUCKS

From silo vehicles to dangerous goods transports – the entire range and flexibility offered by our trucks.

PAGES 04–19



EXCELLENT DRIVER FIT

The cockpit design ensures maximum driving performance coupled with perfect ergonomics, intuitive operation and a high level of comfort.

PAGES 20–35



GREAT EFFICIENCY AND ECONOMY

MAN trucks combine innovation with reliability – to achieve maximum transport efficiency.

PAGES 36–39



CONNECTED



STRONG PARTNER

Thanks to a variety of solutions, MAN is there for you – any time, any place.

PAGES 40–41



OPTIMISED UPTIME

Intelligent fleet and maintenance management, financing and mobility services to keep business reliably rolling along.

PAGES 42–49

Find out more:
www.man.eu/mantg

WHEN COMPACT PERFORMANCE IS AN ACE UP YOUR SLEEVE.

Whether you need to convey liquid foodstuffs or heating oil and fuel, MAN has the right vehicle for local and distribution transport.

In the city, in small towns and villages it is sometimes really tight and angled. That's where vehicles such as the MAN TGL and TGM come in – trucks with impressive payload specifications and which are top in their weight class from 7.49 to 26 tonnes. They also offer a great working environment for the driver, with a choice of compact C cab or the larger L cab providing excellent comfort and ergonomics.

The MAN TGM is robust and powerful, with a six-cylinder engine going up to 235 kW (320 hp) – perfect for solo and light trailer operation. It is optionally available with steered, liftable trailing axle, and has a longer technical wheelbase which increases the front-axle load and optimises the vehicle's steering capabilities, whatever the load.

Persuasive features:

- CC and TN cabs perfectly matched to vehicle deployment
- High payloads with the two-axle MAN TGL and TGM
- MAN TGM 26-tonne vehicle in a three-axle version with steered and liftable trailing axle offers high payloads and optimum manoeuvrability



TOP CLASS IS STANDARD.

In a class of its own when it comes to payload and manoeuvrability: the 26-tonne version of the MAN TGS with steered trailing axle.

Combining the MAN TGS with a tank results in excellent manoeuvrability and considerable volumetric capacity – ideal for larger deliveries. Fitted with an optional, eight-tonne steered trailing axle, it enables an increased payload with a greatly reduced turning circle.

The MAN HydroDrive® switchable hydraulic front-axle drive ensures impressive dynamic and application-related traction. It is designed for operations with occasional off-road sections and for situations where additional traction is required on the front axle.

The MAN TGS offers many benefits:

- MAN TGS 3-axle vehicle with trailing axle for optimum manoeuvrability
- Excellent vehicle steering characteristics at all load levels
- MAN TGS chassis available with leading axle or tandem-axle assembly
- Ergonomic M and L cabs with more room to move around
- Installation flexibility for the fittings cabinet on the right-hand side. Free right-hand side with exhaust system on the left-hand side. On short wheelbase models, the battery box shifts into the frame overhang



MAN

M AN 8293


MAXIMUM PAYLOAD. MAXIMUM EFFICIENCY.

Vehicles which weigh less can carry more. Because every additional kilo of payload counts, the MAN TGS makes it easy for you to load a lot more.

The MAN TGS-TS offers an unrivalled blend of payload and efficiency. It provides maximum efficiency with ease, even on difficult mountain roads. It weighs in at about 6,250 kg, including the MAN D15 engine and sector-appropriate equipment – a substantial benefit which is especially important for tank and silo transport, and in fact all types of transport where every extra bit of payload counts. Amazingly economical deadweight, combined with high comfort and safety standards: the MAN TGS-TS is a semitrailer tractor that nothing has been omitted from – except excess weight. The comfortable driver's cab – M, L or LX option – features top-quality equipment and fittings, but never overlooks the opportunity to shed the kilos: the basic, static co-driver's seat is approximately 20 kg lighter than an air-sprung seat – and can be omitted entirely, for even more capacity.

Only from MAN: silo compressors ex works.

To ensure that you never run out of air when unloading the silo vehicle, MAN is the first commercial vehicle manufacturer to provide silo compressors ex works. There is a wide range of compressor solutions from GHH RAND® to choose from. For powdery substances such as flour, cement, gypsum, etc., the CS580 Light and CG600 series are recommended; the CS700 and CS750 Light for fine-grained products; the CS1050 and CS1200 are suitable for the pneumatic discharge of coarse-grained and pelletised products. For temperature-sensitive and dust-explosive transport goods, the CG600, CS700, CS1050 and CS1200 series are also available with compressed-air aftercooler (intercooler / IC version). The compressor installations offered are tailored to standard vehicle configurations and allow different tank sizes and additional storage space on the vehicle frame. A special extra: MAN service outlets also carry out work on the GHH RAND® compression solutions.



Benefits as standard:

- MAN TGS-TS 4x2 semitrailer tractors with extremely low deadweights of about 6,250 kg
- Payload-optimised segment-specific equipment package
- High safety standard
- Comfortable NN, TN and TM driver's cabs
- Silo compressors dependent on requirements ex works

* with driver, tools and fuel, fitted with the lightest tyres.

- 1 Semi-trailer tractor with silo compressor
- 2 On-chassis silo compressor
- 3 In-chassis silo compressor





MAN

D M AN 8293

SAFETY FIRST WHEN TRANSPORTING DANGEROUS GOODS.

Heavy or light oil, toxic chemicals, flammable acids or explosive gas: MAN trucks for transporting dangerous goods comply with all ADR provisions, and set the highest standards for safety.

Many hazardous materials which are transported every day on our roads. Dangerous goods transport is defined as the transport of materials that are hazardous to the public and the environment. Fortunately, an international set of regulations, ADR, specifies in detail hazard classification, labelling and transportation regulations for these goods, which greatly contributes to keeping us all safe. From the compact MAN TGL to its big brother MAN TGX, MAN delivers many vehicles with the requisite ADR classification for the transport of fuel, heating oil, gas and all other fluid or gaseous substances.


The truck range includes chassis for every body, from two to four axles. Suitable PTOs are optionally available for all types of application.

Features that will really get you going:

- A chassis for every body, from two to four axles
- 3-axle MAN TGM and TGS with steered trailing axle with optional weight distribution and high manoeuvrability
- ADR equipment for the transport of dangerous goods
- Suitable PTOs on both the engine and gearbox side for high torques and power transmission of the engine-dependent PTO



AT → Non-explosive materials, excluding EXIII, FL or OX.



FL → Fluid or gas-based materials in tanks and demountable tanks, inc. AT class equipment.



EX/II → Explosive materials (class 1), inc. AT class equipment.



EX/III → Explosive materials (class 1), inc. equipment for classes EX/II, FL, AT.



- 1 Digital tachograph
- 2 Fire skirt for tankers
- 3 Tanker socket at frame end

ADR EQUIPMENT FOR DANGEROUS GOODS TRANSPORTERS EX WORKS.

Digital tachograph.

The digital tachograph is a control unit corresponding to current Regulations (EC) No. VO 165/2014 and 1360/2002, suitable for two-driver operation. The TW (TW = tanker, explosion-protected) version can be used for ADR classes FL and EXII/EXIII. It works in a 30-second cycle and offers an improved display of driving time and rest periods as well as a manipulation-proof driving signal sensor. As it is fully installed ex works, reliability and cost-effectiveness are increased thanks to the guaranteed functional reliability of the digital tachograph and the speed sensor. Remote download makes the recording and archiving of data from the driver card and mass storage unit easier and safer for the operator. Thanks to its suitability for two-driver operation and for dangerous goods equipment in accordance with ADR, along with the additional availability of engine speeds and further status signals for the operation of additional equipment, the vehicle can be used in several sectors.

Fire skirt for tankers.

The fire skirt for tankers is a piece of dangerous goods equipment in accordance with the ADR regulation. It comprises covers for parts of the exhaust system for ADR-type tankers EX/II and EX/III that serve as heat protection (heat shield). These covers prevent heat from causing a hazard during loading and prevent the temperature within the



interior wall surfaces of the load space from heating up to more than 80°C. No retrofitting is required, as the ex-works dangerous goods equipment meets the ADR regulation.

Tanker socket at frame end.

A 15-pin, 24-V tanker socket can be provided at the frame end for the dangerous goods/ADR equipment.

Battery emergency cut-off switch.

The battery emergency cut-off switches allow the batteries to be disconnected from the vehicle electrical system quickly, and enable the engine and all units to be switched off in the event of danger (escape of ignitable gas-air mixtures). Switching off is possible both from outside and inside the cab. The equipment includes a battery emergency cut-off switch on the mudguard (driver's side) and on the centre console in the cab. The cabling conforms to ADR regulations and the operating temperature range is between -40°C and +80°C. The battery emergency cut-off switch complies with GGVSEB and ADR regulations.





NUR FÜR LEBENSMITTEL

MAN

M-AN 480

PERFECT FOR THE JOB.

There is no area in which our vehicles cannot perform. No matter where reliable transport performance is needed, MAN is always there.

The comprehensive MAN vehicle range, which includes the MAN TGL, TGM, TGS and TGX series, ranges from 7.49 to 44 tonnes. Thanks to our wealth of experience and close cooperation with body manufacturers, we are able to provide you with the ideal vehicle solution for each and every task

MAN semitrailer tractors for tank and silo semitrailers

Type				Wheelbases (mm)
TGS	18.xxx	4x2	BLS-TS	3,600, 3,900

MAN chassis for tanker bodies

Type				Wheelbases (mm)
TGL	8.xxx	4x2	BB, BL	3,050, 3,300
TGL	12.xxx	4x2	BB, BL	3,600, 3,900
TGM	15.xxx	4x2	BL	3,825, 4,125
TGM	15.xxx	4x2	LL	4,125
TGM	18.xxx	4x2	BB, BL	3,575, 3,875, 4,125
TGM	18.xxx	4x2	LL	4,425
TGS	18.xxx	4x2	BB, BL, LL,	3,600, 3,900, 4,200
TGS	26.xxx	6x2-2	LL, BL	3,900, 4,200, 4,500, 4,800
TGS	26.xxx	8x4	LL, BL	3,900, 4,200, 4,500, 4,800
TGS	35.420	8X4-4	BL	3,300, 3,600, 3,900, 4,200
TGS	35.360	8x4H-6	BL	2,980, 3,505, 4,105
TGX	18.xxx	4x2	LL, BL	3,900, 4,200



TAILOR-MADE TRUCK.

Life is all cakes and ale – at least with MAN Individual. We can upgrade your truck to suit your wishes and requirements. This will make it exclusively unique – from a first glance at the design right up to a feeling of well-being throughout the entire driver's cab. You have the choice when it comes to the cab, chassis, driveline, electronics and body – and we have the right solutions.

Precisely as with the standard chassis, with MAN Individual you are building upon excellent MAN quality excelling in outstanding reliability and safety. And what's more: After delivery of the modified chassis, you benefit from our guarantee and warranty.

One-stop service

You get everything from one source, thus always having an overview of the costs. From order preparation and design right up to production, quality assurance and delivery, your personal contact partner will ensure that you receive your desired vehicle or your ideal chassis rapidly and straightforwardly. Completely individually. MAN Individual.

Contact your seller to let them know your individual requests. Working together with MAN Individual, they will find the best solution for you. Our specialists will handle your specific requirements, providing the high standard of quality you expect from MAN.



- 1 Language recognition via driver card
- 2 Preparation for Alcohol Interlock
- 3 Sensor system for the fifth-wheel coupling

DRIVING IN COMFORT.

With automatic language recognition via driver card, activated via MAN Now, the language saved on the card is automatically adopted as the “vehicle language” after inserting the driver card into the tachograph (when the ignition is switched on) and does not have to be set or selected manually via the vehicle menu. Manual language setting via the vehicle menu remains available, so that a language other than the one stored on the driver card can be subsequently selected.

28 languages are available. The languages German and English are available in every vehicle. In countries where RIO is offered, additional languages are also available subsequently free of charge via MAN Now.

Preparation for Alcohol Interlock

Traffic accidents caused by alcohol are particularly annoying because they are absolutely preventable. The driver must react in a fraction of a second even in a sober state, e. g. to avoid an impending accident. Under the influence of alcohol, this is impossible. With the preparation for connecting a device for determining the alcohol content in the breath, the engine can only be started if a maximum permissible alcohol content (may vary from country to country) is measured in the air tested.

The electronic blocking of the engine start by the alcohol tester can be cancelled or bypassed (depending on the version, for example in emergencies) by pressing a secured button. Please note: This is only permissible for certain countries.

Sensor system for the fifth-wheel coupling

The sensor system of the fifth-wheel coupling enables safe and convenient sensor-supported monitoring of the coupling and uncoupling operation from the driver's workplace. This prevents damage due to incorrect coupling processes. For a controlled and guided coupling process between the semitrailer tractor and semitrailer, displays and text messages are shown to the driver on the instrumentation display as a sub-item of the air suspension menu. If a coupling process has been completed correctly, this is also confirmed by an acoustic signal. Please note: The pre-departure check remains mandatory despite the indication of the locking status in the driver's display.

INCREASED SAFETY.

Front Detection

Whether in the delivery zone of a supermarket, when leaving the workshop or in hectic inner-city traffic: people may be located directly in front of the vehicle where they are difficult to see. **When moving off and at speeds of up to 10 km/h**, Front Detection monitors the close range in front of the vehicle, which is difficult or impossible for the driver to see, and warns the driver in two stages if it has detected particularly vulnerable, “weaker” road users, such as pedestrians or cyclists. Front Detection thus helps to increase safety and prevent accidents. It relieves the strain on the driver, in particular during urban driving.

Front Detection supplements the Emergency Brake Assist EBA Plus, which includes a comparable protective function for particularly vulnerable road users, but only becomes active at speeds above 10 km/h.

Emergency Brake Assist EBA Plus

In an emergency, automatic brake intervention until full braking – this has previously saved lives in the event of an impending collision with other vehicles. But what happens if pedestrians or cyclists suddenly enter the driving area? The enhanced Emergency Brake Assist warns and now reacts to these more vulnerable road users as well. The Emergency Brake Assist EBA Plus warns the driver of an impending collision **at road speeds of 10 km/h and above**. In the event of an emergency, if a collision hazard is detected, automatic braking intervention takes place even to the point of standstill – also for vulnerable, weaker road users such as pedestrians or cyclists. Available on demand in a version that cannot be switched of.



1 Front Detection
2 Emergency Brake Assist EBA Plus



FURTHER ASSISTANCE SYSTEMS.

Direct call-up of central operating menu for assistance systems

A new button directly opens the central operating menu for configuring the assistance systems available in the vehicle. This simplifies switching on and off as well as configuration of all the available assistance systems – especially with frequently changing drivers. Depending on the equipment, the button for central operation of the assistance systems is located either on the multifunction steering wheel or in the assistance system key panel on the instrument panel (for vehicles without multifunction steering wheel). There is also a button for temporary switching off the acoustic signals of the assistance systems.

Long-haul transport assistant MAN CruiseAssist

Across the entire permitted speed range on motorways and main roads similar to motorways with structural separation of lanes, the long-haul transport assistant MAN CruiseAssist automatically controls the driveline, brakes and steering, if necessary decelerating to a full stop behind a vehicle that is stopping and, in the case of brief stops, automatically moving off again. MAN CruiseAssist guides the vehicle continuously by means of gentle steering interventions. The system uses the detected lane markings as orientation.

Lane Change Collision Prevention Assist

The MAN Lane Change Collision Prevention Assist uses radar sensors to monitor the areas to the left and right of the vehicle's lane. If the sensors detect that changing lanes would result in a dangerous situation, the driver is warned in good time. If the vehicle nevertheless leaves the given lane – also if the turn indicator has been actuated – the Lane Change Collision Prevention Assist steers it back into the lane by means of a corrective steering torque.

Lane departure warning (LDW)

An acoustic signal warns the driver if they drift out of their lane. Available on demand in a version that cannot be switched off.

Lane change support (LCS)

Lane Change Support LCS monitors the lanes on the right and left next to the vehicle with the aid of radar sensors from a driving speed of 50 km/h – up to approx. 30 m towards the front and up to approx. 80 m towards the rear. If the sensors detect a dangerous situation when the vehicle is changing lanes, the driver is warned in good time so that they can prevent a potential collision with other vehicles.

Lane return assist (LRA)

If the truck departs from its lane, corrective steering guides the vehicle back. The vehicle is automatically steered until it reaches the normal lane position; it is not kept in its lane continuously.

Turn Assist

Turn Assist monitors the difficult-to-see side area next to the vehicle (co-driver's side) with the help of radar sensors at road speeds of up to 30 km/h. If the sensors detect a dangerous situation when the vehicle is turning off, the driver is warned in good time so that they can intervene and prevent a possible collision with other road users.

Traffic jam assist


On motorways or other well-constructed major roads, the traffic jam assist can independently operate the vehicle's drivetrain, brakes and steering. It slows behind a stopping vehicle ahead until coming to a stop and moves the truck forward again by itself.

ACC Stop&Go

The ACC with Stop&Go feature automatically controls speed and the distance from the vehicle in front. The desired speed is maintained without the driver having to operate the accelerator. The truck automatically brakes until it comes to a standstill and moves away again after short stops.

Distance warning system


The distance warning system helps to maintain the required, generous safety distance to the next vehicle. After an acoustic or visual warning, the driver can correct the distance so that more reaction time remains for unforeseen situations.



1 Assistance systems button for vehicles with multifunction steering wheel



2 Assistance systems button for vehicles without multifunction steering wheel
3 Button for switching off the acoustic signals of the assistance systems



FURTHER ASSISTANCE SYSTEMS.

Traffic sign recognition system

The traffic sign recognition system uses the new video camera on the windscreen to detect road signs on the route in front of the vehicle and displays the permitted maximum speed on the instrumentation display. This applies to both traffic signs that show a specific speed limit, as well as town boundary or motorway signs. If the permitted maximum speed is exceeded, the system warns the driver visually and, if necessary, also acoustically.

For vehicles with navigation system, the system combines the optically recorded data with stored navigation data. This means that the system can also react accordingly to current changes in signs – which are not shown in the existing navigation data. Other country-specific and vehicle-specific restrictions such as no-overtaking or no-entry restrictions can also be shown on the display.

MAN AttentionGuard

MAN AttentionGuard is an attention assistant based on the principle of lane monitoring. Within the limits of the system, starting at a speed of approx. 60 km/h it detects reduced driver alertness in good time. A visual as well as acoustic warning supports the driver in refocusing their concentration on the road – thus we help reduce a possible accident due to lane departure.

Compared with the previous version, the enhanced MAN AttentionGuard continuously evaluates the driver's directional accuracy, steering interventions and other parameters. The uniformly specified, scientifically recognised rating scale (Karolinska Sleepiness Scale, KSS) is used to calculate and estimate the driver fatigue level. The driver is warned when a specific stage on this rating scale has been reached.

Tyre pressure monitoring system

The tyre pressure monitoring system (TPM) with display of tyre temperature uses sensors to determine and monitor the air pressure and temperature in the vehicle tyres – including the spare wheel (here only air pressure). If the air pressure is too low/too high in comparison to the nominal pressure or the tyre temperature is too high, the driver is warned by means of a display in the instrumentation. As standard available for the entire range up to and including 4-axle vehicles. The function autolearn/autolocate automatically learns the sensors and their position so that the wheels no longer have to be fitted in the same position; there is no need for a workshop visit to re-initialise the sensors with the correct position.

Driver's airbag¹

The airbag integrated into the steering wheel and the seat belt tensioner incorporated into the belt lock on the driver's side are activated in the event of a collision via a joint trigger: if a critical deceleration of the truck is detected, the activators for the airbag and belt tensioner launch in parallel.

High-beam assist

Depending on the driving situation, high-beam assist optimises use of the main beam. It prevents the drivers of oncoming vehicles or vehicles in front from being dazzled by automatically dipping the headlights.

Side camera system (SCS)²

The side camera system is an integrated camera system for assisting in turn-off procedures. It makes it easier for the driver to observe those areas next to the vehicle that are difficult to see (co-driver's side). The video feed is transmitted to an optional additional monitor (only for vehicles with conventional mirrors) on the co-driver A-pillar or to the media display.


Video Turn Assist (VTA)²

Video Turn Assist expands object recognition by comparison with the side camera system (SCS): Objects are detected in an area of 2.5 m x 6 m to the right of the vehicle and the monitor display is supplemented by a warning to the driver in the form of an acoustic signal from the loudspeaker built into the vehicle. The video feed is transmitted to an additional monitor (only for vehicles with conventional mirrors) on the co-driver A-pillar. In addition, an optical display lights up and an acoustic signal is emitted.

360° view assistant BirdView²

The camera system for a 360° live view 'from above' seamlessly displays an area of up to four metres around vehicles with fixed bodies (e.g. fire-fighting, beverage or waste-disposal vehicles). Stitch-and-blend technology combines four camera views (front, rear, left and right, in full-HD quality) to a single image from the bird's-eye perspective. A special feature of the system is – depending on the driving situation – self-adjusting image sections at manoeuvring speed (≤ 40 km/h), when the turn indicator is set (lane change) and when reversing.

1 For MAN TGX and TGS
2 MAN Individual package



SAFETY FIRST, EVERY TIME.

MAN has the right cab for every need – and maximum safety, comfort and ergonomics travel with you wherever you go. Our cabs are designed for fatigue-free, focussed driving, relaxing breaks and maximum passenger protection. All of the cabs offer optimum safety thanks to a range of features, including the mirror system comprising main and wide-angle mirror, large kerb mirror and front mirror. Or the innovative MAN OptiView digital mirror-replacement system which provides the driver with the optimal overview of the traffic situation. A heated wind-screen ensures an unobstructed view even at the coldest times of the year.

Aerodynamically optimised sun visor for MAN GX and GM cabs

The design sun visor in dark grey adds a touch of class to the front of the GX and GM cabs. It prevents the driver from being dazzled when the sun is at a steep angle. The design has been optimised for aerodynamics, resulting in better airflow around the A-pillar at the roof and preventing separation of the air stream which is unfavourable for fuel consumption. This improvement of the drag coefficient (cd value) reduces fuel consumption.

MAN OptiView.

With the innovative MAN OptiView digital mirror-replacement system, enhanced safety takes to the road. This is not only because MAN does away with mirror arms and depicts the statutorily required fields of vision, but also because in critical driving situations such as manoeuvring, turning off and changing lanes, the extended views provide the driver with the optimal overview of the traffic situation.

MAN OptiView does far more than conventional mirror systems. Besides the statutorily required fields of vision, the digital mirror-replacement system also shows views specifically adapted for various driving situations (e.g. turning off, manoeuvring, driving on motorways). The functional principle and display concept of MAN OptiView are thus optimally matched to natural human perception, enabling the driver to visually grasp the vehicle surroundings and traffic activity quickly, evaluate them reliably and deal with them safely.



Cab	W x L (mm)	Sleeping facilities	Available for	Segment	Benefits at a glance
Cab GX: The maximum one (wide, long, extra height)	2,440 x 2,280	2	TGX	Long-haul transport	<ul style="list-style-type: none"> ■ One of the most capacious in Europe ■ Even more standing height: 2,100 mm ■ 2 comfortable beds
Cab GM: The generous one (wide, long, medium height)	2,440 x 2,280	2	TGX	Long-haul transport	<ul style="list-style-type: none"> ■ Full standing height ■ Spacious interior ■ 2nd bed possible
Cab GN: The roomy one (wide, long, standard height)	2,440 x 2,280	1	TGX	Special uses in local transport (e.g. building materials, wood)	<ul style="list-style-type: none"> ■ Compact size ■ Convenient through access ■ Comfortable bed as standard
Cab TM: The comfy one (narrow, long, medium height)	2,240 x 2,280	2	TGS, TGM, TGL	Heavy-load special uses in national long-haul transport	<ul style="list-style-type: none"> ■ 2 sleeping spaces ■ Capacious exterior storage compartment ■ Expanded standing space in through access
Cab TN: The flexible one (narrow, long, standard height)	2,240 x 2,280	1	TGS, TGM, TGL	Local and distribution transport, off-road transport, municipal services	<ul style="list-style-type: none"> ■ 1 sleeping space ■ Capacious exterior storage compartment ■ Expanded standing space in through access
Cab NN: The practical one (narrow, medium length, standard height)	2,240 x 1,880	-	TGS	Local and distribution transport, off-road transport, municipal services	<ul style="list-style-type: none"> ■ Space behind seats for work clothes, etc.
Cab CC: The compact one (narrow, short, standard height)	2,240 x 1,620	-	TGM, TGL	Local and distribution transport, off-road transport, municipal services	<ul style="list-style-type: none"> ■ Comfortable height ■ 3rd seat possible ■ Additional storage spaces in midsection
Cab DN: The crew cab	2,240 x 2,790	-	TGM, TGL	Construction transport, municipal services	<ul style="list-style-type: none"> ■ 6 (optionally 7) seats ■ Comfortable height

ERGONOMICS START WITH THE VERY FIRST STEP.

Der ergonomische Einstieg der MAN Truck Generation sichert einen angenehmen Start in den Tag. Denn er befindet sich in der Mitte des Türausschnitts. Das erlaubt dem Fahrer, aufrecht ins Fahrzeug zu gelangen. Der Aufstieg ist treppenartig, so dass man alle Trittstufen im Blick hat. Die Gestaltung bietet Ihnen bereits beim Einsteigen ein deutliches Plus an Komfort und beim Aussteigen mehr Sicherheit. Die Einstiegsbeleuchtung macht Stufen und Umfeld zu jeder Tageszeit und bei jeder Witterung sichtbar, sobald die Tür geöffnet wird.

Um trotzdem unnötiges Ein- und Aussteigen zu vermeiden, haben wir MAN EasyControl entwickelt. In der Fahrertür befinden sich vier Bedienfelder, die komfortabel von außen zu erreichen sind. Je nach Ausführung sind sie mit den wichtigsten Funktionen vorbelegt oder zum Teil individuell einsetzbar. Und auch an wichtige Details haben wir gedacht: einen optimierten Einstieg mit einer rutschfesten Oberfläche und einer Gitterstruktur der Stufen, eine abwaschbare Türinnenverkleidung und einen Druckluftanschluss zum Beispiel (beides optional). So findet Schmutz schnell wieder den Weg nach draußen. Das schafft neben einem optisch positiven Eindruck Ihres Trucks auch ein gutes Gefühl in Pausenzeiten.

In der Kabine angekommen, haben Sie die Wahl zwischen verschiedenen Fahrersitzen, die jede Statur willkommen heißen. Der Verstellbereich der Längsverstellung ist vergrößert und bietet so Fahrern jeder Körpergröße die optimale Einstellung. Der Beifahrersitz zeichnet sich ebenfalls durch seine ergonomische Form und individuellen Einstellungsmöglichkeiten aus. Der Variositz zeigt sich besonders platzsparend: Wird er nicht gebraucht, lässt er sich dank Cinema-Funktion einfach einklappen. Zusätzlich kann die Rückenlehne geklappt und zum Tisch umfunktioniert werden. Beim TGX kann der ganze Sitz sogar um 90° gedreht werden, um in der Pause die maximale Beinfreiheit zu genießen.

Auch die Lenkradposition hat an Variabilität gewonnen: In der Ruheposition kann das Lenkrad vom Fahrer nach vorn in eine waagrechte Position geschoben werden, in Aktion ist selbst ein sehr steiler Lenkradwinkel wie im Pkw möglich. Das Ergebnis: ein Arbeitsplatz, der sich quasi in alle Richtungen für den Fahrer verbiegt. Und nicht umgekehrt.



T6X18.520



WITH MAN YOU CAN TAKE A LOAD OFF.

Everything has to come to rest at some point. A good atmosphere. A cosy environment. In the sleeping area of the MAN trucks that's exactly what you'll find. In the extended cab models, a multizone cold-foam mattress and a slatted frame ensure comfort for well-deserved shut-eye and peaceful dreams. Personal items have their spot too in the many, customisable stowage compartments.

The bed is so comfy, you might want to stay just where you are. And you can, too, since all important functions can be operated and monitored right from the remote control. Lights, locks, heating, windows – all a simple push of a button away. Just like the radio, music, the perimeter camera and important data on the battery's current status or driving times. The infotainment system can also be conveniently operated via the MAN Driver app. Breaks and sleeping times can therefore be used optimally so that you're well rested and ready to take on upcoming challenges.

In our cabs an auxiliary water heater provides pleasant temperature and air condition. For the MAN GX, GM, GN, TM and TN cabs for the TGS electrical auxiliary air-conditioning system (as an option) is ready for use. The electric air conditioner works without a cold reservoir, which would have to be charged during vehicle operation, and is thus ready for use at any time. Even in summer it can keep things refreshingly cool for up to 11 hours.

While the truck is on the road, MAN Climatronic maintains the chosen temperature fully automatically. Comfortable temperature zones in the cab are assured as well, as the foot area and the head area are controlled separately. Perfect for keeping your head cool but your toes toasty. Noise and lights are kindly asked to stay away, however. To create the perfect feel-good environment, the entire interior can be tailored to suit you down to the ground. From the colour scheme (Desert Beige or Moon Grey) to the storage space in the cab and even the interior lighting, everything can be customised to your needs – while maintaining a clear focus on the functionality which will never let you down.

Lion emblem on partial leather seats and curtains

With the expressive lion emblem on the partial leather seats and the practical curtains, stays in the cab are even more pleasant. The curtain fabric is hard-wearing and is in the same colour for both interior colour schemes. The cross-cab curtain is designed as a single piece. The bunk area can now be made even darker.



- 1 Perfect for independent types:
on-board coolbox/fridge
- 2 Lion emblem and curtains

TOP-CLASS DRIVER'S CAB.

The traffic situation is becoming ever more demanding and complex. And when off-road, you're always facing new challenges that call for a driver's full concentration. It is all the more important to us then to make the cockpit as driver-friendly and organised as possible. Displays and controls are separated from one another spatially. Reading distances and reachability are thus ergonomically optimised: data is set at a farther distance, making it easier to grasp, functions are colour-coded, and buttons and switches are within easy reach. The focus is clearly set on the most important areas. The driver's view can easily go between the road and the instruments, without fear of distraction. Just another MAN contribution to making drivers' lives less complicated and less tiring.

All of the displays and controls throughout the vehicle follow a single concept. Symbols, colours, usage, alert and warning sounds as well as design are consistent throughout the cockpit. The quick-selection keys are individually programmable and accelerate workflows. Not to mention notices can be played in any of 30 different languages.

For voice command operation, a choice of six languages is offered. All of it intuitive to use. After all, the controls – and especially the cutting-edge digital components – were developed by drivers for drivers. This way the driver can see to the truly important things: the cargo and the transport, whatever the terrain.

DNR selection for MAN TipMatic® on stalk switch

Operation of the gearbox using the right control stalk is a completely new development. Both driving mode and driving program are selected by means of the stalk switch. Controls located in easy reach near the steering wheel and electric parking brake make for certainty in operation.

The parking brake can optionally be engaged by means of an electric switch, which is located on the right-hand side of the instrument panel next to the main display. Under certain circumstances, both actuation (engagement) of the parking brake when parking the vehicle as well as its release when moving off can be carried out automatically.



DRIVING SMART.

With navigation, radio (from standard to digital), video, telephone and more tailored to trucks, the infotainment system of the MAN Trucks is a communication and multimedia hub. It is available in five different variants, from entry-level to Navigation Professional. The 7-inch or 12.3-inch display – both with brilliant HD resolution – makes for great viewing. Direct access buttons and a USB-C input connection are part of the standard fittings, and from Advanced level on up to two smartphones can be paired. The media system Medium 7" is an entry-level media system version for vehicles that are subject to the new statutory provisions on equipment with a Reversing Motion System.

The infotainment system can be operated either via a classic control system with buttons or via MAN Smart-Select (can be combined from version Advanced 7-inch). Throughout, familiar usage meets innovative comfort. The result is one you can see and feel, too, as high-quality surfaces make every journey with an MAN Truck tangibly special.

Reversing Motion System

Overview to the rear when manoeuvring – ex-works! When reversing a solo vehicle, the camera image of the camera installed ex-works in the rear area supports the driver. People or objects behind the vehicle can be detected, trailers or semitrailers are in full view when connecting or hitching up.

The image from the camera is automatically shown on the MAN media system display when reverse gear is engaged and the vehicle rolls backwards. A button on the instrument panel with a camera symbol enables manual activation of the system.



- 1 Infotainment system with 12-inch display and MAN SmartSelect
- 2 Right: Camera image of the Reversing Motion System when hitching up
Left: Camera image of the front camera with MAN OptiView

IMPROVED AERODYNAMICS.

The better the headwind flows around a vehicle, the less fuel is required for driving. With the TGX, in line with the design of the MAN Trucks, gap widths between the cab and semitrailer are therefore reduced and the formation of turbulence is suppressed for optimum aerodynamics. The reversible extensions on the side flaps and roof spoiler reduce the free space between the cab and the semitrailer. This achieves a particularly effective aerodynamic airflow around the entire vehicle – even in cross winds. The door gap closing element is a highly flexible plastic element attached to the door extensions, which closes the vertical gap between the front edge of the door extension and the bumper. This further optimises the aerodynamic flow around this area.

The aerodynamically optimised A-pillar cladding for TGX and TGS has a specially shaped attachment made of flexible plastic, which improves airflow around the A-pillar and thus – due to lower eddies – reduces drag. Vehicles with the MAN OptiView mirror replacement system benefit to a greater extent from the new aerodynamically optimised A-pillar cladding and the calm airflow in this area.



POWER THAT GOES THE DISTANCE.

If you want to get to the top, you need drive and efficiently deployed strength. For the MAN trucks, we have a full four on offer: the MAN D38, our engine for heavy-duty tasks for the MAN TGX, the MAN D26, the D15 and the D08. Each one is a high performer and brings efficiency and trusted MAN reliability to make your new truck a strong and cost-transparent member of your business for a long time to come. With every stage of development, a high level of engineering skill reduces fuel consumption and increases performance. Recent example: the MAN D26 in Euro VIe. Brings 10 hp and 50 Nm more to the road and still consumes up to 3% less fuel.

So that you can get the most out of our high-performance engines at all times, we have a variety of digital tools ready and waiting. The digital service Perform assists drivers in optimising the economy of their driving styles. Perform evaluates all the relevant vehicle data with respect to the economic efficiency of the driving style. The service provides important vehicle data about utilisation of cruise control or the service brake, for example.

Efficiency is always what comes first when it comes to MAN engines. You can count on it. Finally, there was only one component left for us to improve: the driver. And we took that on, too: first via efficiency data displays and assistance systems like the GPS-based speed control system MAN EfficientCruise® with PredictiveDrive. The new function of the MAN EfficientCruise® GPS cruise control no longer drives blindly and stubbornly uphill, but weighs up possible speed and gearshift strategies against each other like a strategist and ultimately selects the one with the most economical fuel consumption. Then we added tailored driver training using the data from your specific MAN truck, continuously digitally recorded and ready for evaluation. Together it's the ideal basis for the perfect interplay of human and MAN.

New generation of hypoid axles*

The new generation of hypoid axles enables a driveline configuration that is optimally matched to the respective application: Lighter and more efficient. As single axle or tandem-axle assembly.

Engines Euro VI

	Type	Capacity	Rated output	Max. torque
D0834	R4	4.6 l	118 kW (160 hp)	600 Nm
	R4	4.6 l	140 kW (190 hp)	750 Nm
	R4	4.6 l	162 kW (220 hp)	850 Nm
D0836	R6	6.9 l	184 kW (250 hp)	1 050 Nm
	R6	6.9 l	213 kW (290 hp)	1 150 Nm
	R6	6.9 l	235 kW (320 hp)	1 250 Nm
D1556	R6	9.0 l	243 kW (330 hp)	1 600 Nm
	R6	9.0 l	265 kW (360 hp)	1 700 Nm
	R6	9.0 l	294 kW (400 hp)	1 800 Nm
D2676	R6	12.4 l	324 kW (440 hp)	2 250 Nm
	R6	12.4 l	353 kW (480 hp)	2 450 Nm
	R6	12.4 l	382 kW (520 hp)	2 650 Nm
D3876	R6	15.2 l	397 kW (540 hp)	2 700 Nm
	R6	15.2 l	427 kW (580 hp)	2 900 Nm
	R6	15.2 l	471 kW (640 hp)	3 000 Nm

*Available for MAN TGX und TGS. Also for MAN TGM vehicles with 13 t rear axle.

SUPPORT FOR YOU.

MAN TipMatic®

MAN has taken efficiency to the next level with the MAN TipMatic®. This system enables the vehicle to automatically recognise the load and incline conditions and optimise the gear-changing strategy to match. Whether the truck is unladen or fully loaded, MAN TipMatic® automatically selects the ideal gear for pulling away. Moreover, the wide gear spread and software which recognises inclines guarantee outstanding performance when moving off. “SmartShifting” is a further evolution of the well-known “SpeedShifting” and minimises traction interruptions when changing gear while travelling uphill, for instance.

“Idle Speed Driving” enables comfortable moving off and driving at idling speed. This feature allows the driver to manoeuvre the truck with precision and sensitivity or “just go with the flow” in slow-moving traffic on the motorway. And should the truck get stuck in snow or in wet, loose ground, the rocking-free function makes it easier to drive off, especially due to the ability of the clutch to rapidly open and closing. In addition, MAN TipMatic® also contains pre-programmed driving settings for various driving situations, such as the fuel-saving Efficiency program, Manoeuvre mode, programs for heavy loads and Performance mode for a more agile driving style. This ensures that your truck will always perform to the max, anytime, anywhere.

MAN TipMatic® with Idle Speed Driving, Speed Shifting¹ and EfficientRoll¹ functions is also available for MAN TGL and TGM. These moving-off and gearshift strategies improve driving comfort and reduce fuel consumption.

MAN EfficientCruise®

Complex chess game on uphill gradients: The new PredictiveDrive function of the MAN EfficientCruise® GPS cruise control no longer drives blindly and stubbornly uphill, but weighs up possible speed and gearshift strategies against each other like a strategist and ultimately selects the one with the most economical fuel consumption. By taking into account the selected navigation route, or without navigation the most likely, the cruise control function MAN EfficientCruise® calculates the route with its uphill and downhill gradients up to three kilometres ahead with the aid of three-dimensional map data. The new PredictiveDrive supplements the effect of MAN EfficientCruise®, especially on uphill and downhill gradients. The PredictiveDrive system continuously analyses potential driving and gearshift strategies in these route sections and selects the most efficient one depending on the situation. This makes it possible to prevent unnecessary traction interruptions due to gear hunting and frequent gearshifts.

Depending on the topographical conditions, the available torque is enabled or reduced as part of the dynamic torque adjustment. In addition, the characteristics of the selected driving program are also taken into account. What is new is that a reduced form of dynamic torque adjustment is also used in the Efficiency driving program – with a correspondingly positive effect on the fuel consumption of the entire fleet. Previously, the positive effect of dynamic torque adjustment was reserved for the Efficiency Plus driving program. The aim of the PredictiveDrive function is generally to make the best possible use of the predicted topographical changes on the route in order to be as fuel-efficient as possible by actively varying the speed, gear and available engine torque. With the goal of implementing this at almost average speed neutrality.

MAN EfficientCruise® and PredictiveDrive are already active from low speeds (approx. 30 km/h). The system works both when driving freely and in cruise control mode. The anticipatory system reactions on uphill gradients ensure significantly better drivability and thus also increase driver acceptance of the dynamic torque adjustment.

¹ Speed Shifting and EfficientRoll only available with 12-speed version


Within a tolerance range, adaptation of the vehicle speed to the topography can be higher or lower than the desired speed set by the driver. This maximum deviation from the desired speed can be set in four ECO levels. In this way, the driver is easily able to adjust the potential fuel saving to the road surface, visibility and traffic conditions.

Steered trailing axle.

The steered trailing axle available for special types of vehicles in the MAN TGM, MAN TGS and MAN TGX series provides a synthesis of high payload and outstanding manoeuvrability: it enables a turning circle smaller than that of a two-axle vehicle of the same body length. Moreover, it reduces tyre wear and is easy on the road surface.

Variable axle load ratio

With variable axle load ratio, the drive axle always has optimal traction, regardless of loading height. The drive axle is fully loaded until it reaches the prescribed axle load. Afterwards, the additional load is absorbed by the auxiliary axle – without lowering the drive axle load. The axle load is therefore not fixed but rather distributed variably between the rear axles, so that the drive axle has sufficient traction in any loading condition and the legally prescribed minimum axle load is not fallen short of in any loading condition. The system does not have to be switched on separately; it is always active.



Variable axle load ratio

CUSTOMER-ORIENTED.

New air suspension control

The air sprung rear axle is now standard in long-haul transport. However, the possibilities and advantages of air suspension are also increasingly being used in many other application segments. The new air suspension control with its improved and extended range of functions takes this trend into account. The new electronically controlled air suspension VASC (Vehicle Air Suspension Control) allows the vehicle frame to be raised and lowered to suit different deployment scenarios. The control unit for the electronically controlled air suspension (VASC) is installed in a separate holder next to the driver's seat and allows the driver to adjust the height of the vehicle frame quickly and precisely – for example, to adjust the cargo space floor and the loading ramp to the same level. An extended control unit enables the VASC to be operated via the multifunction steering wheel and via a menu in the display of the instrumentation.

System improvements:

- New functions, for example a 2nd rear axle relievable, a manual and automatic suppression of VASC (Vehicle Air Suspension Control) level control, and a selection option of 2nd lowered driving height for compensation of tyre rebound on empty runs.
- Shorter lifting and lowering times (up to 50%)
- Remote control with new ergonomic operating design
- Control via multifunction steering wheel and on-board menu
- Control of the air suspension of the trailer/semitrailer via remote control or multifunction steering wheel

New electronic brake system EBS

The electronic brake system EBS combines the basic function of the electro-pneumatic brake with the extended functions of antilock braking system (ABS) and anti-slip control (ASR). With the aid of EBS, driving and braking procedures can be optimised in many different ways. It thus makes an important contribution to enhancing driving safety, driving comfort and cost-effectiveness. In the brake system of the MAN Truck Generation, the electronic brake system EBS has been further developed and its range of functions expanded with new functions. Active wheel speed sensors with their own power supply and evaluation electronics now replace the previous passive sensors. Active sensors enable extremely accurate and fast speed measurement from just 0.1 km/h. Off-road moving-off behaviour with tandem-axle units is improved with the use of sensors on the second axle.

Also new are halt brake braking function with preparation for reversing restriction and rollback detection, MAN EasyStart Offroad hill holder and the hill-climbing brake in conjunction with manual gearbox. It is now also possible to combine the systems in one vehicle.



RELIABILITY IN DETAIL.

Our reliability rests on many components. The first is our continuously growing LED range for the lighting systems of the vehicle. Another is our dedication to the little things. For instance, when it comes to the electricity supply of the MAN Trucks we pride ourselves on laying not one wire more than your configuration needs. The wires themselves are now protected by even more flexible and elastic materials, and the number of joints has been cut. We also reduced the wire thickness overall, which in turn means less weight and more available load capacity.

The modular wiring concept offers additional advantages by allowing customer requests to be easily incorporated and enabling quick repairs thanks to prefab sets. Together, the result is shorter downtimes and a vehicle electrical system with higher performance overall.

24V battery management system

Empty batteries and stranded vehicles due to excessive use of electrical devices during rest periods are a thing of the past with the new MAN battery management. The system ensures that the vehicle engine can be started by automatically switching off less important consumers.

Cyber security

The networking of electronic systems and the associated data availability and use are both a curse and a blessing. On the one hand, this enables new helpful functions and applications – on the other hand, it offers potential targets for hackers. MAN consistently safeguards all vehicle systems against misuse.



SUPPORT NON-STOP.

Only a truck that runs is a good truck. Unplanned downtime and the associated loss of time and earnings are something we'd all like to do away with for good. The MAN Truck Generation has got your back there too. Right from day one, it brings the ultimate quality synonymous with MAN to its work. So much so that it's hard to get it to stop. If you need us, however, we're ready and waiting. When you're at a standstill, we will get you back on track as quickly as possible. We will move heaven and earth to keep you mobile. In short, where there's a MAN employee, there's a way.

When it comes to financing, too, you can rely on MAN: MAN Financial Services supports your needs and makes sure you stay mobile. You can even cover bottlenecks and react flexibly to higher demand thanks to truck leasing from MAN Rental.

With our clever solutions, you can make your business noticeably easier and more transparent. We've got it covered, so that your head stays clear for the road in front.

At a glance:

- MAN Mobile24

Via the MAN Mobile24 mobility service, you can reach us round the clock europe-wide. The service has been expanded with additional solutions, so that our customers are always on the safe side for every kilometre. As well as the guarantee that the transport business can continue to run smoothly in the event of a breakdown.

- Uptime guarantee

The MAN uptime guarantee keeps you moving. We are never far away in the event of a breakdown and, even if downtime or repairs are required, we will get you back on the road in no time.

- Service contracts

We help you save time, money and stress. MAN takes care of everything as required, from servicing and invoice management to answering questions relating to guarantees and goodwill.

- MAN Genuine Parts

With compliance with strict quality standards guaranteed, MAN Genuine Parts are the ideal match for your vehicle. It's the only way for your MAN vehicle to be driven safely, efficiently and with minimum wear.

- Accessories and retro-fit solutions

Easily tailor your MAN to your needs with our high-quality accessories. Subsequently and simply. With products exactly matching your MAN model. And matching you.

For further offers and details please contact your local dealer or visit our website:

mantruckandbus.com





SERVICE AS YOU LIKE IT – PERSONAL AND DIGITAL.

Could your company also benefit from the increasing digitalisation taking place in logistics? We are convinced it can. That's why we would like to give you a brief insight into how you can better master the **most pressing challenges of your industry with smart digital solutions.**

Above all, the high cost and time pressure make the working environment in the logistics industry particularly challenging. Every vehicle in your fleet must be operated as economically as possible. This requires economical driving behaviour as well as effective and repair management. With an internet-enabled truck with Over-the-Air Upgrades, an overview of all the key data about the vehicle and its performance appears directly on your desktop, and many other useful features of our digital services give you the freedom to take care of business.

Your benefits:

- **more efficiency,**
- **simplified work processes, with maintenance outsourced to your MAN Service Centre or by keeping drivers and fleet managers digitally connected**
- **lower costs.**

The best part: it's already a reality.

With MAN DigitalServices, you can begin straightaway.

While transport is – and will always be – analogue, fleet management is becoming digitalised. MAN DigitalServices helps you optimise business tasks, bring fuel and admin costs down, plan and manage servicing tasks from the truck, manage time and provide continuous training to drivers.

We would like to give you the opportunity to try out this comprehensive package for three months for free! Our trial offer includes the following paid-for digital services: Geo, Perform, Compliant, MAN ServiceCare M and Timed. MAN ServiceCare S and the MAN Driver app are already free and are not part of this offer.

Take advantage of:

- **efficient fleet management with digital services that make your job significantly easier**
- **our new cost- and risk-free offer: your free trial will automatically end after three months, with no further obligation.**

The trial offer¹ is valid for all the vehicles² in your fleet for your registered trial period. Get started now: with just a few clicks, you can try all the benefits of MAN DigitalServices for your whole fleet. We are sure that you will be impressed.

www.man.eu/marketplace

The digital services listed below help you manage your fleet economically and efficiently:

- **Vehicle tracking**
- **Maintenance and repair management**
- **Tachograph and time management**
- **Economical driving**
- **Driver assistance**
- **Over-the-air upgrades**

The latest information on MAN DigitalServices can be found on our website: www.digital.man

¹ Valid for all customers who do not currently pay for MAN DigitalServices.

² Depending on technical availability.

EASIER WORKDAYS.

MAN ServiceCare

Regular maintenance is a must if you want to reduce unscheduled downtime and repair costs for your fleet. Our free MAN ServiceCare S is there to help – we'll be very happy to take care of your maintenance and repair needs. The service works using vehicle and maintenance data relayed to MAN ServiceCare over the Internet. Your MAN Service Centre uses this to proactively arrange maintenance appointments and combine your maintenance tasks. After all, you've got enough to do already. What's more, your nearest MAN Service Centre can use remote vehicle diagnostics to view targeted vehicle data and give you a more personalised service if you break down. MAN ServiceCare M gives you all the benefits of MAN ServiceCare S but you also get extra tools for even more personalised maintenance and repair management across your whole fleet. We are continually upgrading MAN ServiceCare – with pre-emptive tools that increase the uptime of your vehicles in a more straightforward and comprehensive way.

MAN Driver App

The MAN Driver app ensures that drivers always have important information about their MAN to hand. Not only does our smartphone-based digital assistant make life on the road easier but it also speaks 26 languages, which means that drivers from lots of different countries can use it. Our smart, user-friendly and efficient MAN Driver app helps MAN drivers on every trip, providing important information and offering a range of features to make their lives easier. For example, if they break down, they just tap on the app and connect to the MAN Mobile24 emergency service. Drivers can also notify fleet managers about any damage and send any documentation quickly and easily through the app. The MAN Driver app is a constant companion – whether you need to carry out a vehicle check before departure, look for a parking place online or check driving and rest times.

The MAN Driver app is free of charge and connects drivers, fleet managers and workshops in a simple and secure way. We're constantly improving our driver app and adding new offers and features that make MAN drivers' jobs even easier.





SMART SOLUTIONS.

MAN Now

With MAN Now, you receive exclusive vehicle functionalities and upgrades, allowing you to modify your truck software to meet your requirements, any time, any place – and all without having to drop into a MAN service outlet. Thanks to the new and convenient over-the-air technology, you can easily enable and expand functions or add new ones. Thanks to these retrofitted modification options you are more flexible in the vehicle configuration. As no visit to the workshop is required, you increase the vehicle uptime and efficiency.

The following features are available for all vehicles with a model year of 2020 or later:

- MAN OnlineTraffic
- MAN MapUpdate

The following features are available for all vehicles with a model year between 2022 and 2024:

- MAN LanguagePackage
- MAN LanguageRecognition
- MAN Idle Shutdown
- MAN EfficientCruise®
- MAN EfficientRoll
- MAN TimeInfo
- MAN TimeControl
- MAN TipMatic® driving program

The first usage of MAN OnlineTraffic per vehicle is free.

MAN SimplePay

Your trucks become digital wallets that can be used to pay for all the usual transactions that occur in the driver's daily business. The payment platform MAN SimplePay also offers a user-friendly user interface for fleet managers and provides full cost control in a timely manner.

MAN SimplePay can make everyday work easier: For example by instantly approving requests, confirming payments and consolidating invoicing. Or with full transparency and time savings for the fleet manager – all costs are in one system (dashboard). The payment is easily processed via the MAN media system in the vehicle, giving you greater security for transactions.

The portfolio (= use cases and payment options) of MAN SimplePay is constantly being expanded. When the service feature is activated in the MAN SimplePay portal, the new features are automatically imported over-the-air into the vehicle.

Technical requirements for these features are a RIO Box, registration on the RIO platform and activation of your vehicles. The range of over-the-air features is being continually expanded.

Some of the features illustrated in this brochure are not part of the production series generally described here.

Both the vehicle's air conditioning system and refrigerator contain fluorinated greenhouse gases (R134a / GWP 1430 with up to 1.15 kg; 1.6445 t CO₂ accordingly).

MAN Truck & Bus SE

Dachauer Straße 667

80995 München

Germany

www.truck.man.eu/mantg

D111.3680/E - 01/2024 - Printed in Germany

The text and illustrations are not binding. We reserve the right to make changes based on technical progress. All the specifications in this publication were correct at the time of going to press.

MAN Truck & Bus – A member of TRATON GROUP